



Date: 03.12.2021

To,
Regional Office (South Eastern Zone),
Ministry of Environment Forests and Climate Change,
1st & 2nd Floor, HEPC Building,
No. 34, Cathedral Garden Road, Nungambakkam,
CHENNAI — 600 034

Sub:- Submission of Six monthly compliance report for the period of **April'2021 to September'2021** in respect of our Mining Lease over an area of 663.46 ha located in villages Kotapadu and Kalvatala, Kolimigundla Mandal, Kurnool District- AP.

Ref:- Environmental Clearance letter no. J-11011/166/2008-IA-II (I), dated 09.03.2009 and J-11011/166/2008-IAII (I) dated: 09.03.2016.

Dear Sir,

This is in reference to the above we are enclosing herewith the six monthly compliance report of environmental clearance of our Kotapadu Limestone mines of **M/s Prism Johnson Limited, AP**. Environmental monitoring reports for the last two seasons are enclosed as **Annexure - 1A & 1B** in digital form.

Further, it is submitted that as per EIA Notification dated 14.09.2006, the "Validity of Environment Clearance" in the reference cited above the environment clearance granted for Mining Project is for a maximum period of thirty years.

Till date company has invested about Rs. 184.603 lakhs under CSR in project core & surrounding villages. Brief report on CSR activities (April'2021 to September'2021) is enclosed as **Annexure II**.

Thanking you.

Yours faithfully,

For Prism Johnson Limited,
(Formerly Prism Cement Limited)

(Shashank Shrivastava)

PRISM JOHNSON LIMITED

(FORMERLY PRISM CEMENT LIMITED)

Cement Division

Project Site Office: Plot No. 610 A-3, Sada Siva Rao Apts, Sada Siva Rao Compound, Near B.H. Mahal, Tadipatri - 515 411. Tel / Fax : 08558-224765

Registered Office: Prism Johnson Limited, 305, Laxmi Niwas Apartments, Ameerpet, Hyderabad – 500 016, Telangana, India. T: +91 -40-2340 0218

Corporate Office: "Rahejas", Main Avenue, V.P.Road,Santacruz (W), Mumbai 400 054, India. Tel. No.: +91 22 667541 42/ 43 /44/45

W: www.prismjohnson.in; www.cement.prismjohnson.in E: info@prismjohnson.in

CIN: L26942TG1992PLC014033

Project : M/s Prism Cement Limited, Andhra Pradesh
Subject : MOEF Compliance Status Information
Reference : No. J-11011/166/2008-IA-II (I), Dated: 27.03.2009.

The EC referred above was granted as an integrated EC comprising Mines, Cement Plant, CPP and WHRS in 2009. The construction of Plant could not take place during the validity of the said EC till March 2019, as permitted by 2006 Notification, for want of several permissions/ approvals/ NOC's like Railway line, Coal linkages & Water supply etc. We applied afresh for the EC of Cement Plant and associated activities in 2019. The TOR has been subsequently granted on 18.05.2019 and the process of obtaining Environmental Clearance is underway. The extant EC is valid for the Mining Lease of 663.46 Ha area as per EIA Notification 2006 and its amendment from time to time, and the six monthly compliance (April'21 to September'21) is being furnished for the same thereof.

(A) SPECIFIC CONDITIONS

| Conditions | Compliance | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|-------------------|------------------|-------------------|-----------------|-----------------|--------|--------------|------|------|------|------|-------|----------|------|------|------|------|-------|------------|------|------|------|------|-------|----------------|------|------|------|------|-------|-----------|------|------|------|------|-------|-----------|------|------|------|------|-------|--------------|------|------|------|------|-------|------------|------|------|------|------|-------|--------------------------------|-----|----|----|----|-----|-----|------|------|------|------|-------|-----|------|------|------|------|-------|---------|-------|-------|-------|-------|--------|
| <p>The gaseous and particulate matter emissions from various units shall conform to the standards prescribed by the Andhra Pradesh Pollution Control Board. At no time, particulate emissions from the cement plant including kiln, coal mill, cement mill, cooler and captive power plant (CPP) shall not exceed 50 mg/Nm³. Continuous on-line monitors for particulate emissions shall be installed. Interlocking facility shall be provided in the pollution control equipment so that in the event of the pollution control equipment not working, the respective unit (s) is shut down automatically.</p> | <p>The EC for the plant is under process.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>(II) Secondary fugitive emissions shall be controlled within the prescribed limits and regularly monitored. Guidelines / Code of Practice issued by the CPCB in this regard should be followed. The company shall install adequate dust collection and extraction system to control fugitive dust emissions at material transfer points. Atomized water spray system with reclaimers shall be provided to the silo used for the storage of ash. Storage of other raw materials shall be in closed roof sheds. Covered conveyer belts shall be used to reduce fugitive emissions. Concreting of all the roads, water sprinkling system at limestone and coal handling area shall be ensured to reduce fugitive emissions.</p> | <p>The EC for the plant is under process.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>(III) Ambient air quality including ambient noise levels shall not exceed the standards stipulated under EPA or by the State authorities. Monitoring of ambient air quality and shall be carried out regularly in consultation with APPCB and data for air emissions shall be submitted to the CPCB and APPCB regularly. The instruments used for ambient air quality monitoring shall be calibrated time to time.</p> | <p>Ambient Air quality and Noise monitoring are carried out in every season through M/s KIWIS ECO LABORATORYIES Pvt. Ltd, Accredited by NABL the results are "summarized in table" and reports are enclosed as ANNEXURE – IA & 1B. All the results are within permissible limits.</p> <p style="text-align: center;">Summary of AAQ Monitoring stations test Reports:-</p> <p style="text-align: center;">AAQ Monitoring test Reports for JUNE-2021</p> <table border="1" data-bbox="671 1473 1289 1783"> <thead> <tr> <th>Location</th> <th>PM₁₀</th> <th>PM_{2.5}</th> <th>SO₂</th> <th>NO_x</th> <th>TSPM *</th> </tr> </thead> <tbody> <tr> <td>Mines Office</td> <td>65.5</td> <td>27.3</td> <td>15.3</td> <td>18.4</td> <td>139.6</td> </tr> <tr> <td>Kotapadu</td> <td>63.3</td> <td>25.4</td> <td>14.9</td> <td>17.7</td> <td>133.5</td> </tr> <tr> <td>Perusomala</td> <td>67.9</td> <td>27.7</td> <td>15.9</td> <td>19.1</td> <td>140.4</td> </tr> <tr> <td>Ramireddipalli</td> <td>63.7</td> <td>26.5</td> <td>14.6</td> <td>17.5</td> <td>145.1</td> </tr> <tr> <td>Nandipadu</td> <td>61.8</td> <td>25.8</td> <td>15.0</td> <td>18.7</td> <td>140.2</td> </tr> <tr> <td>Kalvatala</td> <td>65.5</td> <td>24.8</td> <td>16.1</td> <td>19.3</td> <td>136.9</td> </tr> <tr> <td>Kolimigundla</td> <td>67.3</td> <td>29.3</td> <td>16.5</td> <td>20.8</td> <td>155.4</td> </tr> <tr> <td>Mirjapuram</td> <td>62.1</td> <td>26.8</td> <td>14.7</td> <td>18.1</td> <td>135.1</td> </tr> </tbody> </table> <table border="1" data-bbox="671 1816 1289 1924"> <thead> <tr> <th>Standards (µg/m³)</th> <th>100</th> <th>60</th> <th>80</th> <th>80</th> <th>200</th> </tr> </thead> <tbody> <tr> <td>Min</td> <td>61.8</td> <td>25.4</td> <td>14.6</td> <td>17.5</td> <td>155.4</td> </tr> <tr> <td>Max</td> <td>67.9</td> <td>29.3</td> <td>16.5</td> <td>20.8</td> <td>163.5</td> </tr> <tr> <td>Average</td> <td>64.85</td> <td>27.35</td> <td>15.55</td> <td>19.15</td> <td>159.45</td> </tr> </tbody> </table> | Location | PM ₁₀ | PM _{2.5} | SO ₂ | NO _x | TSPM * | Mines Office | 65.5 | 27.3 | 15.3 | 18.4 | 139.6 | Kotapadu | 63.3 | 25.4 | 14.9 | 17.7 | 133.5 | Perusomala | 67.9 | 27.7 | 15.9 | 19.1 | 140.4 | Ramireddipalli | 63.7 | 26.5 | 14.6 | 17.5 | 145.1 | Nandipadu | 61.8 | 25.8 | 15.0 | 18.7 | 140.2 | Kalvatala | 65.5 | 24.8 | 16.1 | 19.3 | 136.9 | Kolimigundla | 67.3 | 29.3 | 16.5 | 20.8 | 155.4 | Mirjapuram | 62.1 | 26.8 | 14.7 | 18.1 | 135.1 | Standards (µg/m ³) | 100 | 60 | 80 | 80 | 200 | Min | 61.8 | 25.4 | 14.6 | 17.5 | 155.4 | Max | 67.9 | 29.3 | 16.5 | 20.8 | 163.5 | Average | 64.85 | 27.35 | 15.55 | 19.15 | 159.45 |
| Location | PM ₁₀ | PM _{2.5} | SO ₂ | NO _x | TSPM * | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mines Office | 65.5 | 27.3 | 15.3 | 18.4 | 139.6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kotapadu | 63.3 | 25.4 | 14.9 | 17.7 | 133.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Perusomala | 67.9 | 27.7 | 15.9 | 19.1 | 140.4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ramireddipalli | 63.7 | 26.5 | 14.6 | 17.5 | 145.1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nandipadu | 61.8 | 25.8 | 15.0 | 18.7 | 140.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kalvatala | 65.5 | 24.8 | 16.1 | 19.3 | 136.9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kolimigundla | 67.3 | 29.3 | 16.5 | 20.8 | 155.4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mirjapuram | 62.1 | 26.8 | 14.7 | 18.1 | 135.1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standards (µg/m ³) | 100 | 60 | 80 | 80 | 200 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Min | 61.8 | 25.4 | 14.6 | 17.5 | 155.4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Max | 67.9 | 29.3 | 16.5 | 20.8 | 163.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average | 64.85 | 27.35 | 15.55 | 19.15 | 159.45 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

AAQ Monitoring test Reports for SEPTEMBER 2021

| Location | PM ₁₀ | PM _{2.5} | SO ₂ | NO _x | TSPM * |
|----------------|------------------|-------------------|-----------------|-----------------|--------|
| Mines Office | 67.3 | 28.2 | 15.9 | 19.5 | 142.5 |
| Kotapadu | 65.2 | 26.1 | 14.7 | 18.3 | 138.7 |
| Perusomala | 68.5 | 28.1 | 15.5 | 19.8 | 143.7 |
| Ramireddipalli | 65.5 | 26.9 | 15.0 | 18.9 | 141.5 |
| Nandipadu | 62.5 | 24.8 | 14.8 | 17.9 | 136.6 |
| Kalvatala | 66.2 | 25.1 | 15.2 | 18.8 | 139.7 |
| Kolimigundla | 68.7 | 30.2 | 16.6 | 20.9 | 157.5 |
| Mirjapuram | 64.8 | 25.4 | 14.1 | 17.6 | 137.3 |

| Standards (µg/m ³) | 100 | 60 | 80 | 80 | 200 |
|--------------------------------|------|------|-------|-------|--------|
| Min | 62.5 | 24.8 | 14.1 | 17.6 | 136.6 |
| Max | 68.7 | 30.2 | 16.6 | 20.9 | 157.5 |
| Average | 65.6 | 27.5 | 15.35 | 19.25 | 147.05 |

Summary of Noise level Monitoring stations test Reports:-

Ambient Noise levels for JUNE-2021

| Location | Time | Min | Max | Avg | Permissible Limit |
|-----------------|-------|------|------|-------|-------------------|
| Mines Office | Day | 53.6 | 66.5 | 60.05 | 75 dB(A) |
| | Night | 49.5 | 62.8 | 56.15 | 70 dB(A) |
| Kotapadu | Day | 43.6 | 55.9 | 49.75 | 55 dB(A) |
| | Night | 40.1 | 50.3 | 45.20 | 45 dB(A) |
| Perusomala | Day | 42.6 | 56.1 | 49.35 | 55 dB(A) |
| | Night | 40.5 | 53.1 | 46.8 | 45 dB(A) |
| Ramireddy Palli | Day | 43.6 | 54.7 | 49.15 | 55 dB(A) |
| | Night | 40.5 | 52.1 | 46.3 | 45 dB(A) |
| Nandipadu | Day | 41.6 | 54.8 | 48.2 | 55 dB(A) |
| | Night | 40.2 | 53.3 | 46.85 | 45 dB(A) |
| Kalvatala | Day | 44.4 | 57.9 | 51.15 | 55 dB(A) |
| | Night | 39.8 | 53.7 | 46.75 | 45 dB(A) |
| Kolimgundla | Day | 44.3 | 58.5 | 51.4 | 55 dB(A) |
| | Night | 40.3 | 55.5 | 47.90 | 45 dB(A) |
| Mirjapuram | Day | 40.3 | 53.6 | 46.95 | 55 dB(A) |
| | Night | 37.4 | 50.3 | 43.85 | 45 dB(A) |

Ambient Noise levels for SEPTEMBER- 2021

| Location | Time | Min | Max | Avg | Permissible Limit |
|--------------|-------|------|------|-------|-------------------|
| Mines Office | Day | 51.9 | 67.3 | 59.6 | 75 dB(A) |
| | Night | 47.3 | 63.3 | 55.3 | 70 dB(A) |
| Kotapadu | Day | 42.5 | 55.3 | 48.9 | 55 dB(A) |
| | Night | 37.4 | 54.3 | 30.85 | 45 dB(A) |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|------------|------|-------|----------|----------|----------|-------|------|------|------|----------|-----------------|-----|------|------|------|----------|-------|------|------|------|----------|-----------|-----|------|------|------|----------|-------|------|------|-------|----------|-----------|-----|------|------|-------|----------|-------|------|------|------|----------|--------------|-----|------|------|------|----------|-------|------|------|-------|----------|------------|-----|------|------|------|----------|-------|------|------|------|----------|--|
| | <table border="1"> <tbody> <tr> <td rowspan="2">Perusomula</td> <td>Day</td> <td>42.7</td> <td>57.4</td> <td>50.05</td> <td>55 dB(A)</td> </tr> <tr> <td>Night</td> <td>39.9</td> <td>53.3</td> <td>46.6</td> <td>45 dB(A)</td> </tr> <tr> <td rowspan="2">Ramireddy Palli</td> <td>Day</td> <td>41.3</td> <td>53.9</td> <td>47.6</td> <td>55 dB(A)</td> </tr> <tr> <td>Night</td> <td>38.6</td> <td>51.6</td> <td>45.1</td> <td>45 dB(A)</td> </tr> <tr> <td rowspan="2">Nandipadu</td> <td>Day</td> <td>43.1</td> <td>55.1</td> <td>49.1</td> <td>55 dB(A)</td> </tr> <tr> <td>Night</td> <td>38.6</td> <td>52.5</td> <td>45.55</td> <td>45 dB(A)</td> </tr> <tr> <td rowspan="2">Kalvatala</td> <td>Day</td> <td>42.1</td> <td>54.6</td> <td>48.35</td> <td>55 dB(A)</td> </tr> <tr> <td>Night</td> <td>38.3</td> <td>52.1</td> <td>45.2</td> <td>45 dB(A)</td> </tr> <tr> <td rowspan="2">Kolimigundla</td> <td>Day</td> <td>43.1</td> <td>57.3</td> <td>50.2</td> <td>55 dB(A)</td> </tr> <tr> <td>Night</td> <td>40.4</td> <td>53.1</td> <td>46.75</td> <td>45 dB(A)</td> </tr> <tr> <td rowspan="2">Mirjapuram</td> <td>Day</td> <td>41.5</td> <td>52.3</td> <td>46.9</td> <td>55 dB(A)</td> </tr> <tr> <td>Night</td> <td>38.2</td> <td>49.6</td> <td>43.9</td> <td>45 dB(A)</td> </tr> </tbody> </table> | Perusomula | Day | 42.7 | 57.4 | 50.05 | 55 dB(A) | Night | 39.9 | 53.3 | 46.6 | 45 dB(A) | Ramireddy Palli | Day | 41.3 | 53.9 | 47.6 | 55 dB(A) | Night | 38.6 | 51.6 | 45.1 | 45 dB(A) | Nandipadu | Day | 43.1 | 55.1 | 49.1 | 55 dB(A) | Night | 38.6 | 52.5 | 45.55 | 45 dB(A) | Kalvatala | Day | 42.1 | 54.6 | 48.35 | 55 dB(A) | Night | 38.3 | 52.1 | 45.2 | 45 dB(A) | Kolimigundla | Day | 43.1 | 57.3 | 50.2 | 55 dB(A) | Night | 40.4 | 53.1 | 46.75 | 45 dB(A) | Mirjapuram | Day | 41.5 | 52.3 | 46.9 | 55 dB(A) | Night | 38.2 | 49.6 | 43.9 | 45 dB(A) | |
| Perusomula | Day | | 42.7 | 57.4 | 50.05 | 55 dB(A) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Night | 39.9 | 53.3 | 46.6 | 45 dB(A) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ramireddy Palli | Day | 41.3 | 53.9 | 47.6 | 55 dB(A) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Night | 38.6 | 51.6 | 45.1 | 45 dB(A) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nandipadu | Day | 43.1 | 55.1 | 49.1 | 55 dB(A) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Night | 38.6 | 52.5 | 45.55 | 45 dB(A) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kalvatala | Day | 42.1 | 54.6 | 48.35 | 55 dB(A) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Night | 38.3 | 52.1 | 45.2 | 45 dB(A) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kolimigundla | Day | 43.1 | 57.3 | 50.2 | 55 dB(A) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Night | 40.4 | 53.1 | 46.75 | 45 dB(A) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mirjapuram | Day | 41.5 | 52.3 | 46.9 | 55 dB(A) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Night | 38.2 | 49.6 | 43.9 | 45 dB(A) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V) Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land. | Effective measures will be taken to minimize any impact as per the stipulated guidelines. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (V) Fly ash shall be utilized as per the provisions of Fly Ash Notification, 1999, subsequently amended in 2003. Fly ash shall be stored in ash silo and 100% used in the cement manufacturing. | The EC for the plant is under process.. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI) The company shall make the efforts to utilize the high calorific hazardous waste in the cement kiln and necessary provisions shall be made accordingly. The company shall keep the record of the waste utilized and shall submit the details to Ministry's Regional Office at Chennai, CPCB and SPCB. | The EC for the plant is under process and it shall be complied accordingly. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VII) Total ground water requirement shall not exceed 2,600 m ³ /day and prior permission from the concerned State Authority shall be obtained from Central Ground Water Authority/ State Ground Water Board. A copy of permission letter shall be submitted to Ministry's Regional Office at Bangalore. The treated wastewater from STP and utilities shall be reutilized for green belt development and other plant related activities i.e. cooling and dust suppression in raw material handling area etc. after necessary treatment. 'Zero' discharge shall be strictly adopted and no effluent from the process shall be discharged outside the premises. | Requisite Ground Water permission was submitted to the Regional office, Chennai. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (VIII) Rainwater harvesting measures shall be adopted for the augmentation of ground water at cement plant, colony and mine site. Besides, company must also harvest the rainwater from the rooftops and storm water drains to recharge the ground water. The company must also collect rain water in the mined out pits of captive lime stone mine and use the same water for the various activities of the project to conserve fresh water and reduce the water requirement from the river. The Company shall construct the rain water harvesting and groundwater recharge structures outside the plan premises also in consultation with local Gram Panchayat and Village Heads to augment the ground water level. An action plan shall be submitted to Ministry's Regional Office at Bangalore within 3 months from date of issue of this letter | <p>Till date the company has made 109 numbers harvesting pits for nearby bore wells in and around the project area.</p> <p>Also the company has initiated Rain water harvesting measures like De-silting of check dams and digging of Recharge pits.</p> <p>Report on Investigations for Artificial Recharge through rain water harvesting in the premises of the proposed Prism Cement Plant was submitted along with the compliance dated 19.07.2012.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IX) The project proponent shall modify the mine plan of the project at the time of seeking approval for the next mining scheme from the Indian Bureau of Mines so as to reduce the area for external over burden dump by suitably increasing the height of the dumps with proper terracing. It shall be ensured that the overall slope of the dump does not exceed 28°. | Workings shall be as per Approved Mine Plan, However The Mine Plan shall be modified as and when required. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Topsoil, if any, shall be stacked with proper slope at earmarked site(s) only with adequate measures and should be used for reclamation and rehabilitation of mined out areas. | Top-soil Shall be stacked with proper slope at earmarked sites in the Mining Lease as per the Approved Mining Plan/Mining Scheme | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| The project proponent shall ensure that no natural water course shall be obstructed due to any mining and plant operations. | No natural water course shall be obstructed due to any mining and plant operations in the Mining Lease and alienated land for plant. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | |
|---|---|
| <p>II) The inter burden and other waste generated shall be stacked at earmarked dump site(s) only and should not be kept active for long period. The total height of the dumps shall not exceed 30 m in three terraces of 10 m each and the overall slope of the dump shall be maintained to 28°. The inter burden dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forests and its Regional Office, Bangalore on six monthly bases.</p> | <p>The inter burden and other waste shall be stacked at earmarked dumpsite as per approved Mining Plan/Mining Scheme.</p> <p>Dump Shall be properly designed as per norms</p> |
| <p>III) The void left unfilled shall be converted into water body. The higher benches of excavated void/mining pit shall be terraced and plantation to be done to stabilize the slopes. The slope of higher benches shall be made gentler for easy accessibility by local people to use the water body. Peripheral fencing shall be carried out along the excavated area.</p> | <p>The worked out pit will be converted into a water reservoir at the end of mining. The water filled in the reservoir will recharge the groundwater table around the lease area. Peripheral fencing will be carried out all along the worked out pit</p> |
| <p>IV) Catch drains and siltation ponds of appropriate size shall be constructed for the working pit, inter burden and mineral dumps to arrest flow of silt and sediment. The water so collected shall be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted, particularly after monsoon and maintained properly.</p> | <p>Siltation ponds and catch drains will be constructed as and when required during the course of Mining activity.</p> |
| <p>(XV) Dimension of the retaining wall at the toe of inter burden dumps and inter burden benches within the mine to check run-off and siltation should be based on the rain fall data.</p> | <p>Construction of the retaining wall at the toe of dumps will be carried out as and when required during the extension of dump.</p> |

| <p>(VI) Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers at suitable locations by the project proponent in and around project area in consultation with Regional Director, Central Ground Water Board. The frequency of monitoring should be four times a year- pre-monsoon (April/May), monsoon (August), post-monsoon (November), and winter (January). Data thus collected shall be sent at regular intervals to Ministry of Environment and Forests and its Regional Office at Bangalore, Central Ground Water Authority and Central Ground Water Board.</p> | <p>Regularly carrying out the monitoring of Groundwater levels and Quality of water in and around Core and Buffer Zone of the Project through M/s KIWIS ECO LABORATORYIES Pvt. Ltd, Accredited by NABL. Average water levels are and reports are enclosed as ANNEXURE-1A& 1B.</p> <p><u>Ground water Level for DEC - 2020</u></p> <table border="1" data-bbox="671 573 1115 703"> <thead> <tr> <th>S.No</th> <th>Location</th> <th>GW Level in mtr</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Mines Office</td> <td>10.5</td> </tr> <tr> <td>2</td> <td>Kalvatala</td> <td>9.5</td> </tr> <tr> <td>3</td> <td>Mirjapuram</td> <td>9.6</td> </tr> <tr> <td>4</td> <td>Ramireddy Palli</td> <td>10.0</td> </tr> </tbody> </table> <p><u>Ground Water Level for MARCH- 2021</u></p> <table border="1" data-bbox="671 781 1115 911"> <thead> <tr> <th>S.No</th> <th>Location</th> <th>GW Level in mtr</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Mines Office</td> <td>10.6</td> </tr> <tr> <td>2</td> <td>Kalvatala</td> <td>10.8</td> </tr> <tr> <td>3</td> <td>Mirjapuram</td> <td>10.0</td> </tr> <tr> <td>4</td> <td>Ramireddy Palli</td> <td>9.9</td> </tr> </tbody> </table> | S.No | Location | GW Level in mtr | 1 | Mines Office | 10.5 | 2 | Kalvatala | 9.5 | 3 | Mirjapuram | 9.6 | 4 | Ramireddy Palli | 10.0 | S.No | Location | GW Level in mtr | 1 | Mines Office | 10.6 | 2 | Kalvatala | 10.8 | 3 | Mirjapuram | 10.0 | 4 | Ramireddy Palli | 9.9 |
|---|--|-----------------|----------|-----------------|---|--------------|------|---|-----------|-----|---|------------|-----|---|-----------------|------|------|----------|-----------------|---|--------------|------|---|-----------|------|---|------------|------|---|-----------------|-----|
| S.No | Location | GW Level in mtr | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | Mines Office | 10.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | Kalvatala | 9.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | Mirjapuram | 9.6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | Ramireddy Palli | 10.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| S.No | Location | GW Level in mtr | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | Mines Office | 10.6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | Kalvatala | 10.8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | Mirjapuram | 10.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | Ramireddy Palli | 9.9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>(XVII) Suitable conservation measures to augment groundwater resources in the area shall be planned and implemented in consultation with Regional Director, Central Ground Water Board.</p> | <p>Repaired existing check dams and the artesian open wells are left open for Ground Water Recharging in the Mining Lease.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>(XVIII) Blasting operation shall be carried out only during the daytime. Controlled blasting shall be practiced. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders shall be implemented.</p> | <p>Conduct the blasting in day time and use Controlled blasting technique to minimize the ground vibrations and fly rocks.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>(XIX) The project proponent shall adopt wet drilling.</p> | <p>Practice Wet drilling to avoid air pollution.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>(X) As proposed, green belt should be developed in 33 % in and around the plant as per the CPCB guidelines.</p> | <p>Green belt is being developed in the Mining Lease as per the Approved Mine Plan.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>(XXI) All the recommendations of the Corporate Responsibility or Environmental Protection (CREP) shall be strictly followed.</p> | <p>Strictly following the CSR and Environmental Protection Measures. Report of CSR activities with expenditure being enclosed as Annexure-2.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>II) Vehicular emissions shall be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.</p> | <p>The vehicles will be properly maintained and not overloaded.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>(XXIII) Digital processing of the entire lease area using remote sensing technique shall be done regularly once in three years for monitoring land use pattern and report submitted to Ministry of Environment and Forests and its Regional Office, Bangalore.</p> | <p>Shall be complied.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>(V) A Final Mine Closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure, for approval.</p> | <p>Final closure Plan shall be submitted as per the condition</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>(XXV) The company shall comply with the commitments made during public hearing held on 3rd December, 2008.</p> | <p>Shall be complied</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

(B) GENERAL CONDITIONS

| | |
|---|--|
| <p>i. The project authority shall adhere to the stipulations made by State Pollution Control Board (SPCB) and State Government.</p> | <p>Adhering to the stipulations made by SPCB and state Government.</p> |
|---|--|

No further expansion or modification of the plant shall be carried out without prior approval of this Ministry.

The EC for the plant is under process and shall be complied accordingly.

Regular monitoring is being done with Established 4 AAQ monitoring stations in Core Zone and 4 in buffer zone through M/s KIWIS ECO LABORATORYIES Pvt. Ltd, Accredited by NABL, results are “summarized in the below table” and reports are enclosed as Anneure-1A & 1B.

AAQ Monitoring test Reports for JUNE- 2021

| Location | PM ₁₀ | PM _{2.5} | SO ₂ | NO _x | TSPM * |
|----------------|------------------|-------------------|-----------------|-----------------|--------|
| Mines Office | 65.5 | 27.3 | 15.3 | 18.4 | 139.6 |
| Kotapadu | 63.3 | 25.4 | 14.9 | 17.7 | 133.5 |
| Perusomala | 67.9 | 27.7 | 15.9 | 19.1 | 140.4 |
| Ramireddipalli | 63.7 | 26.5 | 14.6 | 17.5 | 145.1 |
| Nandipadu | 61.8 | 25.8 | 15.0 | 18.7 | 140.2 |
| Kalvatala | 65.5 | 24.8 | 16.1 | 19.3 | 136.9 |
| Kolimigundla | 67.3 | 29.3 | 16.5 | 20.8 | 155.4 |
| Mirjapuram | 62.1 | 26.8 | 14.7 | 18.1 | 135.1 |

| Standards (µg/m3) | 100 | 60 | 80 | 80 | 200 |
|-------------------|-------|-------|-------|-------|--------|
| Min | 61.8 | 25.4 | 14.6 | 17.5 | 155.4 |
| Max | 67.9 | 29.3 | 16.5 | 20.8 | 163.5 |
| Average | 64.85 | 27.35 | 15.55 | 19.15 | 159.45 |

iii. At least four ambient air quality monitoring stations shall be established in the down wind direction as well as where maximum ground level concentration of SPM, SO₂ and NO_x are anticipated in consultation with the SPCB. Data on ambient air quality and stack emissions shall be regularly submitted to this Ministry including its Regional Office and SPCB / CPCB once in six months.

AAQ Monitoring test Reports for SEPTEMBER- 2021

| Location | PM ₁₀ | PM _{2.5} | SO ₂ | NO _x | TSPM * |
|----------------|------------------|-------------------|-----------------|-----------------|--------|
| Mines Office | 67.3 | 28.2 | 15.9 | 19.5 | 142.5 |
| Kotapadu | 65.2 | 26.1 | 14.7 | 18.3 | 138.7 |
| Perusomala | 68.5 | 28.1 | 15.5 | 19.8 | 143.7 |
| Ramireddipalli | 65.5 | 26.9 | 15.0 | 18.9 | 141.5 |
| Nandipadu | 62.5 | 24.8 | 14.8 | 17.9 | 136.6 |
| Kalvatala | 66.2 | 25.1 | 15.2 | 18.8 | 139.7 |
| Kolimigundla | 68.7 | 30.2 | 16.6 | 20.9 | 157.5 |
| Mirjapuram | 64.8 | 25.4 | 14.1 | 17.6 | 137.3 |

| Standards (µg/m3) | 100 | 60 | 80 | 80 | 200 |
|-------------------|------|------|-------|-------|--------|
| Min | 62.5 | 24.8 | 14.1 | 17.6 | 136.6 |
| Max | 68.7 | 30.2 | 16.6 | 20.9 | 157.5 |
| Average | 65.6 | 27.5 | 15.35 | 19.25 | 147.05 |

Industrial waste water shall be properly collected and treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.

Industrial wastewater shall be properly collected and treated to use for plantation purpose

v. The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environmental (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

Monitoring the noise levels in core and Buffer zone is being carried out through M/s KIWIS ECO LABORATORYIES Pvt. Ltd., Accredited by NABL, results are “summarized in the below table” and reports are enclosed as Annexure-1A & 1B

Ambient Noise levels for JUNE- 2021

| Location | Time | Min | Max | Avg | Permissible Limit |
|--------------|-------|------|------|-------|-------------------|
| Mines Office | Day | 53.6 | 66.5 | 60.05 | 75 dB(A) |
| | Night | 49.5 | 62.8 | 56.15 | 70 dB(A) |
| Kotapadu | Day | 43.6 | 55.9 | 49.75 | 55 dB(A) |
| | Night | 40.1 | 50.3 | 45.20 | 45 dB(A) |

| | | | | | |
|-----------------|-------|------|------|-------|----------|
| Perusomula | Day | 42.6 | 56.1 | 49.35 | 55 dB(A) |
| | Night | 40.5 | 53.1 | 46.8 | 45 dB(A) |
| Ramireddy Palli | Day | 43.6 | 54.7 | 49.15 | 55 dB(A) |
| | Night | 40.5 | 52.1 | 46.3 | 45 dB(A) |
| Nandipadu | Day | 41.6 | 54.8 | 48.2 | 55 dB(A) |
| | Night | 40.2 | 53.3 | 66.85 | 45 dB(A) |
| Kalvatala | Day | 44.4 | 57.9 | 51.15 | 55 dB(A) |
| | Night | 39.8 | 53.7 | 46.75 | 45 dB(A) |
| Kolimigundla | Day | 44.3 | 58.5 | 51.4 | 55 dB(A) |
| | Night | 40.3 | 55.5 | 47.90 | 45 dB(A) |
| Mirjapuram | Day | 40.3 | 53.6 | 46.95 | 55 dB(A) |
| | Night | 37.4 | 50.3 | 43.85 | 45 dB(A) |

Ambient Noise levels for SEPTEMBER- 2021

| Location | Time | Min | Max | Avg. | Permissible Limit |
|-----------------|-------|------|------|-------|-------------------|
| Mines Office | Day | 51.9 | 67.3 | 59.6 | 75 dB(A) |
| | Night | 47.3 | 63.3 | 55.3 | 70 dB(A) |
| Kotapadu | Day | 42.5 | 55.3 | 48.9 | 55 dB(A) |
| | Night | 37.4 | 54.3 | 30.85 | 45 dB(A) |
| Perusomula | Day | 42.7 | 57.4 | 50.05 | 55 dB(A) |
| | Night | 39.9 | 53.3 | 46.6 | 45 dB(A) |
| Ramireddy Palli | Day | 41.3 | 53.9 | 47.6 | 55 dB(A) |
| | Night | 38.6 | 51.6 | 45.1 | 45 dB(A) |
| Nandipadu | Day | 43.1 | 55.1 | 49.1 | 55 dB(A) |
| | Night | 38.6 | 52.5 | 45.55 | 45 dB(A) |
| Kalvatala | Day | 42.1 | 54.6 | 48.35 | 55 dB(A) |
| | Night | 38.3 | 52.1 | 45.2 | 45 dB(A) |
| Kolimigundla | Day | 43.1 | 57.3 | 50.2 | 55 dB(A) |
| | Night | 40.4 | 53.1 | 46.75 | 45 dB(A) |
| Mirjapuram | Day | 41.5 | 52.3 | 46.9 | 55 dB(A) |
| | Night | 38.2 | 49.6 | 43.9 | 45 dB(A) |

vi. Proper housekeeping and adequate occupational health programmes shall be taken up. Occupational Health Surveillance programme shall be done on a regular basis and records maintained properly for at least 30-40 years. The programme shall include lung function and sputum analysis tests once in six months. Sufficient preventive measures shall be adopted to avoid direct exposure to dust etc.

Housekeeping is maintained.

vii. The company shall undertake eco-development measures including community welfare measures in the project area.

Under the CSR program, welfare measures are implemented. The expenditure details are summarized in annexure-2

viii. The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/ EMP.

Environmental protection measures and safeguards recommended in the EIA/ EMP are being carried out.

ix. A separate environmental management cell with full fledged laboratory facilities to carry out various management and monitoring functions shall be set up under the control of Senior Executive.

Environment Management Cell has been set up and is as below:
 upkar gupta - Env Head
 Ashok Lal - Agent of Mines
 Shashank Shrivastava - Mine Manager
 Movva Prakash - Mining Engineer

| | |
|---|--|
| <p>x. Adequate fund shall be allocated to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. Time bound implementation schedule for implementing all the conditions stipulated herein shall be submitted. The funds so provided shall not be diverted for any other purpose.</p> | <p>Funds for implementation of EMP are allocated as required.</p> |
| <p>The Regional Office of this Ministry / CPCB / SPCB shall monitor the stipulated conditions. The project authorities shall extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports. A six monthly compliance report and the monitored data along with statistical interpretation shall be submitted to them regularly.</p> | <p>Submitting the compliance report to APPCB and MOEFCC once in six months.</p> |
| <p>The Project Authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.</p> | <p>The EC for the plant is under process and shall be complied accordingly.</p> |
| <p>i. No change in mining technology and scope of working shall be made without prior approval of the Ministry of Environment & Forests. No change in the calendar plan including excavation, quantum of limestone and waste shall be made.</p> | <p>There is no change in mining technology and exploitation shall be as per approved Mining Plan/ Review of Mining Plan.</p> |
| <p>iv. Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM etc. Should be provided with ear plugs/ muffs.</p> | <p>The noise readings are within permissible limits.</p> |
| <p>Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.</p> | <ul style="list-style-type: none"> • Nil quantity of waste water generated during the period • Oil, Grease and water separators will be arranged at a mine workshop to prevent pollution of surface and groundwater. |
| <p>xvi. Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.</p> | <p>Personal Protective Equipment will be provided and proper training will be given before deployment on job.</p> |
| <p>ii. The project authorities shall inform the Regional Office located regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.</p> | <p>The closure Plan will be prepared and intimated before the closure.</p> |
| <p>xviii. A copy of clearance letter will be marked to concerned Panchayat/ local NGO, if any, from whom suggestion / representation, if any, was received while processing the proposal.</p> | <p>A copy of Env Clearance has been marked to the concerned Panchayat.</p> |
| <p>xix. State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and Collector's office/ Tehsildar's Office for 30 days.</p> | <p>---</p> |
| <p>xx. The project authorities shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at "http://envfor.nic.in" and a copy of the same shall be forwarded to the Regional Office of this Ministry.</p> | <p>Already advertised in two local largest published News Papers, one in Telugu Newspaper (Sakshi) and another one in English (The Hans India) on dated 01.02.2021.</p> |

Annexure II

Prism Johnson Limited, AP Project

Report on CSR program (April'2021 to September'2021)

Introduction:

AP Cement Project at Kotapadu, Kolimigundla Mandal of Kurnool District:

Prism Johnson Limited has proposed to setup an integrated green field cement project with clinker production capacity of 3.0 MTPA and cement capacity 4.8 MTPA at Kotapadu & Kalvatala villages of Kolimigundla Mandal, District – Kurnool, Andhra Pradesh.

Since its inception **Prism Johnson Limited** has been socially responsible and has been voluntarily undertaken various Corporate Social Responsibility (CSR) initiatives for the betterment of community.

Thrust Areas of CSR for AP Cement project location:

- ✓ Education Development (Supporting Education)
- ✓ Water Resource Development and Drinking Water projects
- ✓ Rural Infrastructure Development
- ✓ Health

Geographical outreach of CSR initiatives in proposed AP cement project, Kurnool district:

| S. No. | Name of the village | Mandal | District | Nature of connection |
|--------|---------------------|--------------|----------|----------------------|
| 1 | Kotapadu | Kolimigundla | Kurnool | ML area & PL area |
| 2 | Kalvatala | | | |
| 3 | Nandipadu | | | |
| 4 | Perusomala | Sanjamala | | PL area |

Summary of CSR initiatives by Prism Cement Limited under various thrust areas during **April'2021** to **September'2021** are as follows:

1. EDUCATION DEVELOPMENT:

| Location | Project/activity |
|-----------------------------|--|
| MP Primary School, Kotapadu | Supporting for cleanly maintenance of school |

2. WATER RESOURCE DEVELOPMENT AND DRINKING WATER PROJECTS:

| Location | Project/activity |
|------------------|--|
| Kotapadu village | Replaced new equipment at R.O. plant at Kotapadu village as the existing equipment got repaired. |

3. RURAL INFRASTRUCTURE DEVELOPMENT:

| Location | Project/activity |
|-------------------------------|---|
| Kotapadu & Kalvatala villages | Supporting for <i>regular maintenance</i> of village cultural centers/ <i>religious places</i> . |
| Kotapadu village | Contributed to celebrate 'Shri Chowdeshwari Jyothulu' a cultural celebration as a heritage of the village |

Few snapshots of CSR activities during the period:

Budget expenditure for the year 2021-22 (April'2021 to September'2021) under CSR program

| Sl. No. | Program/Project description | Amount spent (Rs. in Lakhs) |
|---------|--|-----------------------------|
| 1 | Education Development | 0.1020 |
| 2 | Rural Infrastructure Development Program | -- |
| 3 | Water Resource Development and Drinking Water Projects | 0.2280 |
| 4 | Non-plan programs / Activities | 2.1609 |
| | Total | 2.4909 |

Prism Cement Limited, AP Project

CSR budget expenditure from 2009-10 (since project inception) to September -2021

| S. No. | Program/Project Description | Year Wise expenditure(Rs.in Lakhs) | | | | | | | | | | | | | Total |
|--------|--|------------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------------------|----------|
| | | 2009-10 | 2010-11 | 2011-12 | 2012-13 | 2013-14 | 2014-15 | 2015-16 | 2016-17 | 2017-18 | 2018-19 | 2019-20 | 2020-21 | 2021-22(Till SEP-21) | |
| 1 | Education Development | - | - | 5.61 | 10.76 | 1.51 | 13.65 | 0.69 | 12.80 | 1.21 | 0.18 | 0.20 | 0.204 | 0.102 | 46.916 |
| 2 | Health & Sanitation | 0.44 | - | 0.06 | 4.93 | 0.27 | - | 0.09 | 0.01 | - | - | - | - | - | 5.80 |
| 3 | Rural Infrastructure Development | - | 5.95 | 2.30 | 0.98 | 10.43 | 3.38 | 2.62 | 6.77 | 2.36 | 2.10 | - | - | - | 36.89 |
| 4 | Water Resource Dev & Drinking Water projects | - | 1.64 | 2.29 | 11.12 | 4.01 | 2.06 | 0.63 | 6.03 | 2.71 | 1.74 | 3.81 | 0.953 | 0.228 | 37.221 |
| 5 | Non- Plan Programs/Activities | 1.58 | 10.77 | 7.20 | 14.71 | 9.74 | 1.73 | 0.90 | 0.43 | 0.33 | 1.57 | 3.00 | 3.656 | 2.1609 | 57.7769 |
| | | 2.02 | 18.36 | 17.46 | 42.50 | 25.96 | 20.82 | 4.93 | 26.04 | 6.61 | 5.59 | 7.01 | 4.813 | 2.4909 | 184.6039 |

TEST REPORT

Page 1 of 1

Report No:KIWIS/AAQ/COM/21/374/8/13

Name and address of the client

**M/s Prism Johnson Limited,
 Sada Siva Rao Apartments, Plot No. 610A-3
 Sada Siva Rao Compound, Near B.H Mahal,
 Tadipatri-515411, Anantapur district,
 Andhra Pradesh.**

Date of report : 05-07-2021 Sample Collected by : Kiwis Eco Laboratories Private Limited
 Sampling date : 28-06-2021 Sample Condition : Samples received in self sealed covers and sample bottles
 Sample received on : 30-06-2021 Sampling Procedure : CPCB Guidelines (NAAQMS/36/2012-13)
 Analysis starting date : 30-06-2021 Weather Conditions : Dry
 Analysis completion date : 05-07-2021 Sample registration no : AAQ/COM/06/21/770/20/35
 Sub Contract Testing : NA Temperature & Humidity : 31°C & 59%
 Sample description/Code : Ambient Air Quality Monitoring MINES OFFICE

Location:

1. MINES OFFICE : AAQ/COM/06/21/770/20/13: PCL/MO/AAQ/28/06/2021/01

TEST RESULT

Samples are analyzed "as is where basis is"


| S. No | Parameter | Method | Units | Result | Standards |
|-------|-------------------|---------------------------------------|-------------------|--------|-----------|
| 1 | PM ₁₀ | IS 5182: Part 23 : 2006 | µg/m ³ | 65.5 | 100 |
| 2 | PM _{2.5} | CPCBs Guidelines Volume - 1 (2012-13) | µg/m ³ | 27.3 | 60 |
| 3 | SO ₂ | IS 5182: Part 2 : 2001 | µg/m ³ | 15.3 | 80 |
| 4 | NO _x | IS 5182:Part 6 :2006 | µg/m ³ | 18.4 | 80 |
| 5 | TSPM | IS 5182 (PART - IV), 1999 | µg/m ³ | 139.6 | 200 |

Opinion and interpretation: Nil

NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
- PM₁₀ Instrument Model: LataEnvirotech APM-860, Calibration valid up to: 01-08-2021
- PM_{2.5} Instrument Model: LataEnvirotech APM-154, Calibration valid up to: 01-08-2021

Checked By


 (A. Neeraja)
 (Sr. Chemist)

Authorized Signatory


 (Dr. Nalini Vijayalaxmi)
 (Manager-Laboratory)

Note : This report is subject to the terms and conditions mentioned overleaf ***End of the Report***

TEST REPORT

Page 1 of 1

Report No: KIWIS/AAQ/COM/21/374/8/14

Name and address of the client:

M/s Prism Cement Limited
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.

| | | | |
|--------------------------|--------------|-------------------------|---|
| Date of report | : 05-07-2021 | Sample Collected by | : Kiwis Eco Laboratories Private Limited |
| Sampling date | : 28-06-2021 | Sample Condition | : Samples received in self sealed covers and sample bottles |
| Sample received on | : 30-06-2021 | Sampling Procedure | : CPCB Guidelines (NAAQMS/36/2012-13) |
| Analysis starting date | : 30-06-2021 | Weather Conditions | : Dry |
| Analysis completion date | : 05-07-2021 | Sample registration no | : AAQ/COM/06/21/770/20/36 |
| Sub Contract Testing | : NA | Temperature & Humidity | : 30°C & 60% |
| | | Sample description/Code | : Ambient Air Quality Monitoring Kotapadu village |

Location:

1. KOTAPADU VILLAGE : AAQ/COM/06/21/770/20/36: PCL/KPV/AAQ/28/06/2021/01

TEST RESULT

Samples are analyzed "as is where basis is"

| S. No | Parameter | Method | Units | Result | *Standards |
|-------|-------------------|---------------------------------------|-------------------|--------|------------|
| 1 | PM ₁₀ | IS 5182: Part 23 : 2006 | µg/m ³ | 63.3 | 100 |
| 2 | PM _{2.5} | CPCBs Guidelines Volume - 1 (2012-13) | µg/m ³ | 25.4 | 60 |
| 3 | SO ₂ | IS 5182: Part 2 : 2001 | µg/m ³ | 14.9 | 80 |
| 4 | NO _x | IS 5182:Part 6 :2006 | µg/m ³ | 17.7 | 80 |
| 5 | TSPM | IS 5182 (PART - IV), 1999 | µg/m ³ | 133.5 | 200 |

Opinion and interpretation: Nil

NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
- PM₁₀ Instrument Model: LataEnvirotech APM-860, Calibration valid up to: 01-08-2021
- PM_{2.5} Instrument Model: LataEnvirotech APM-154, Calibration valid up to: 01-08-2021

Checked By


(A. Neeraja)
(Sr. Chemist)

Authorized Signatory


(Dr. Nalini Vijayalaxmi)
(Manager-Laboratory)

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 1 of 1

Report No:KIWIS/AAQ/COM/21/374/8/15

Name and address of the client

M/s Prism Cement Limited
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.

| | | | |
|--------------------------|--------------|-------------------------|---|
| Date of report | : 05-07-2021 | Sample Collected by | : Kiwis Eco Laboratories Private Limited |
| Sampling date | : 28-06-2021 | Sample Condition | : Samples received in self sealed covers and sample bottles |
| Sample received on | : 30-06-2021 | Sampling Procedure | : CPCB Guidelines (NAAQMS/36/2012-13) |
| Analysis starting date | : 30-06-2021 | Weather Conditions | : Dry |
| Analysis completion date | : 05-07-2021 | Sample registration no | : AAQ/COM/06/21/770/20/37 |
| Sub Contract Testing | : NA | Temperature & Humidity | : 30°C & 58% |
| | | Sample description/Code | : Ambient Air Quality Monitoring PERUSOMULA |

Location:

1. PERUSOMULA VILLAGE: AAQ/COM/06/21/770/20/37: PCL/PV/AAQ/28/06/2021/01

TEST RESULT

Samples are analyzed "as is where basis is"


| S. No | Parameter | Method | Units | Result | Standards |
|-------|-------------------|---------------------------------------|-------------------|--------|-----------|
| 1 | PM ₁₀ | IS 5182: Part 23 : 2006 | µg/m ³ | 67.9 | 100 |
| 2 | PM _{2.5} | CPCBs Guidelines Volume - 1 (2012-13) | µg/m ³ | 27.7 | 60 |
| 3 | SO ₂ | IS 5182: Part 2 : 2001 | µg/m ³ | 15.9 | 80 |
| 4 | NO _x | IS 5182:Part 6 :2006 | µg/m ³ | 19.1 | 80 |
| 5 | TSPM * | IS 5182 (PART - IV), 1999 | µg/m ³ | 140.4 | 200 |

Opinion and interpretation: Nil

NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
- PM₁₀ Instrument Model: LataEnvirotech APM-860, Calibration valid up to: 01-08-2021
- PM_{2.5} Instrument Model: LataEnvirotech APM-154, Calibration valid up to: 01-08-2021

Checked By


 (A. Neeraja)
 (Sr. Chemist)

Authorized Signatory


 (Dr. Nalini Vijayalaxmi)
 (Manager-Laboratory)

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 1 of 1

Report No: **KIWIS/AAQ/COM/21/374/8/16**

Name and address of the client:

M/s Prism Cement Limited
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.

| | | | |
|--------------------------|--------------|-------------------------|---|
| Date of report | : 05-07-2021 | Sample Collected by | : Kiwis Eco Laboratories Private Limited |
| Sampling date | : 28-06-2021 | Sample Condition | : Samples received in self sealed covers and sample bottles |
| Sample received on | : 30-06-2021 | Sampling Procedure | : CPCB Guidelines (NAAQMS/36/2012-13) |
| Analysis starting date | : 30-06-2021 | Weather Conditions | : Dry |
| Analysis completion date | : 05-07-2021 | Sample registration no | : AAQ/COM/06/21/770/20/38 |
| Sub Contract Testing | : NA | Temperature & Humidity | : 30°C & 58% |
| | | Sample description/Code | : Ambient Air Quality Monitoring Ramireddipalli village |

Location:

1. RAMIREDDIPALLI VILLAGE: AAQ/COM/06/21/770/20/38: PCL/RV/AAQ/28/06/2021/01

TEST RESULT

Samples are analyzed "as is where basis is"


| S. No | Parameter | Method | Units | Result | *Standards |
|-------|-------------------|---------------------------------------|-------------------|--------|------------|
| 1 | PM ₁₀ | IS 5182: Part 23 : 2006 | µg/m ³ | 63.7 | 100 |
| 2 | PM _{2.5} | CPCBs Guidelines Volume - 1 (2012-13) | µg/m ³ | 26.5 | 60 |
| 3 | SO ₂ | IS 5182: Part 2 : 2001 | µg/m ³ | 14.6 | 80 |
| 4 | NO _x | IS 5182:Part 6 :2006 | µg/m ³ | 17.5 | 80 |
| 5 | TSPM | IS 5182 (PART - IV), 1999 | µg/m ³ | 145.1 | 200 |

Opinion and interpretation: Nil

NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
- PM₁₀ Instrument Model: LataEnvirotech APM-860, Calibration valid up to: 01-08-2021
- PM_{2.5} Instrument Model: LataEnvirotech APM-154, Calibration valid up to: 01-08-2021

Checked By


(A. Neeraja)
(Sr. Chemist)

Authorized Signatory


(Dr. Nalini Vijayalaxmi)
(Manager-Laboratory)

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 1 of 1

Report No:KIWIS/AAQ/COM/21/374/8/21

Name and address of the client

**M/s Prism Johnson Limited,
 Sada Siva Rao Apartments, Plot No. 610A-3
 Sada Siva Rao Compound, Near B.H Mahal,
 Tadipatri-515411, Anantapur district,
 Andhra Pradesh.**

| | | | |
|--------------------------|--------------|-------------------------|---|
| Date of report | : 05-07-2021 | Sample Collected by | : Kiwis Eco Laboratories Private Limited |
| Sampling date | : 29-06-2021 | Sample Condition | : Samples received in self sealed covers and sample bottles |
| Sample received on | : 30-06-2021 | Sampling Procedure | : CPCB Guidelines (NAAQMS/36/2012-13) |
| Analysis starting date | : 30-06-2021 | Weather Conditions | : Dry |
| Analysis completion date | : 05-07-2021 | Sample registration no | : AAQ/COM/06/21/770/20/43 |
| Sub Contract Testing | : NA | Temperature & Humidity | : 31°C & 59% |
| | | Sample description/Code | : Ambient Air Quality Monitoring MIRJAPURAM village |

Location:

1. MIRJAPURAM VILLAGE:AAQ/COM/06/21/770/20/43: PCL/MV/AAQ/29/06/2021/01

TEST RESULT

Samples are analyzed "as is where basis is"


| S. No | Parameter | Method | Units | Result | Standards |
|-------|-------------------|---------------------------------------|-------------------|--------|-----------|
| 1 | PM ₁₀ | IS 5182: Part 23 : 2006 | µg/m ³ | 62.1 | 100 |
| 2 | PM _{2.5} | CPCBs Guidelines Volume - 1 (2012-13) | µg/m ³ | 26.8 | 60 |
| 3 | SO ₂ | IS 5182: Part 2 : 2001 | µg/m ³ | 14.7 | 80 |
| 4 | NO _x | IS 5182:Part 6 :2006 | µg/m ³ | 18.1 | 80 |
| 5 | TSPM * | IS 5182 (PART - IV), 1999 | µg/m ³ | 135.1 | 200 |

Opinion and interpretation: Nil

NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
- PM₁₀ Instrument Model: LataEnvirotech APM-860, Calibration valid up to: 01-08-2021
- PM_{2.5} Instrument Model: LataEnvirotech APM-154, Calibration valid up to: 01-08-2021

Checked By


 (A. Neeraja)
 (Sr. Chemist)

Authorized Signatory


 (Dr. Nalini VijayaLaxmi)
 (Manager-Laboratory)

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 1 of 1

Report No:KIWIS/AAQ/COM/21/374/8/22

Name and address of the client

**M/s Prism Johnson Limited,
 Sada Siva Rao Apartments, Plot No. 610A-3
 Sada Siva Rao Compound, Near B.H Mahal,
 Tadipatri-515411, Anantapur district,
 Andhra Pradesh.**

Date of report : 05-07-2021 Sample Collected by : Kiwis Eco Laboratories Private Limited
 Sampling date : 29-06-2021 Sample Condition : Samples received in self sealed covers
 and sample bottles
 Sample received on : 30-06-2021 Sampling Procedure : CPCB Guidelines (NAAQMS/36/2012-13)
 Analysis starting date : 30-06-2021 Weather Conditions : Dry
 Analysis completion date : 05-07-2021 Sample registration no : AAQ/COM/06/21/770/20/44
 Sub Contract Testing : NA Temperature & Humidity : 30°C & 58%
 Sample description/Code : Ambient Air Quality Monitoring
 KALAVATALA village

Location:

1. KALAVATALA VILLAGE: AAQ/COM/06/21/770/20/44: PCL/KV/AAQ/29/06/2021/01

TEST RESULT

Samples are analyzed "as is where basis is"


| S. No | Parameter | Method | Units | Result | Standards |
|-------|-------------------|--|-------------------|--------|-----------|
| 1 | PM ₁₀ | IS 5182: Part 23 : 2006 | µg/m ³ | 65.5 | 100 |
| 2 | PM _{2.5} | CPCBs Guidelines Volume - 1 (2012-13) | µg/m ³ | 24.8 | 60 |
| 3 | SO ₂ | IS 5182: Part 2 : 2001 | µg/m ³ | 16.1 | 80 |
| 4 | NO _x | IS 5182:Part 6 :2006 | µg/m ³ | 19.3 | 80 |
| 5 | TSPM * | IS 5182 (PART - IV), 1999 | µg/m ³ | 136.9 | 200 |

Opinion and interpretation: Nil

NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
- PM₁₀ Instrument Model: LataEnvirotech APM-860, Calibration valid up to: 01-08-2021
- PM_{2.5} Instrument Model: LataEnvirotech APM-154, Calibration valid up to: 01-08-2021

Checked By


 (A. Neeraja)
 (Sr. Chemist)

Authorized Signatory


 (Dr. Nalini VijayaLaxmi)
 (Manager-Laboratory)

TEST REPORT

Page 1 of 1

Report No:KIWIS/AAQ/COM/21/374/8/23

Name and address of the client

**M/s Prism Johnson Limited,
 Sada Siva Rao Apartments, Plot No. 610A-3
 Sada Siva Rao Compound, Near B.H Mahal,
 Tadipatri-515411, Anantapur district,
 Andhra Pradesh.**

Date of report : 05-07-2021 **Sample Collected by** : Kiwis Eco Laboratories Private Limited
Sampling date : 29-06-2021 **Sample Condition** : Samples received in self sealed covers
 and sample bottles
Sample received on : 30-06-2021 **Sampling Procedure** : CPCB Guidelines (NAAQMS/36/2012-13)
Analysis starting date : 30-06-2021 **Weather Conditions** : Dry
Analysis completion date : 05-07-2021 **Sample registration no** : AAQ/COM/06/21/770/20/45
Sub Contract Testing : NA **Temperature & Humidity** : 30°C & 57%
Sample description/Code : **Ambient Air Quality Monitoring
 KOLIMIGUNDLA village**

Location:

1. KOLIMIGUNDLA VILLAGE : AAQ/COM/06/21/770/20/45: PCL/KMV/AAQ/29/06/2021/01

TEST RESULT

Samples are analyzed "as is where basis is"


| S. No | Parameter | Method | Units | Result | Standards |
|-------|-------------------|--|-------------------|--------|-----------|
| 1 | PM ₁₀ | IS 5182: Part 23 : 2006 | µg/m ³ | 67.3 | 100 |
| 2 | PM _{2.5} | CPCBs Guidelines Volume - 1 (2012-13) | µg/m ³ | 29.3 | 60 |
| 3 | SO ₂ | IS 5182: Part 2 : 2001 | µg/m ³ | 16.5 | 80 |
| 4 | NO _x | IS 5182:Part 6 :2006 | µg/m ³ | 20.8 | 80 |
| 5 | TSPM * | IS 5182 (PART - IV), 1999 | µg/m ³ | 155.4 | 200 |

Opinion and interpretation: Nil

NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
- PM₁₀ Instrument Model: LataEnvirotech APM-860, Calibration valid up to: 01-08-2021
- PM_{2.5} Instrument Model: LataEnvirotech APM-154, Calibration valid up to: 01-08-2021

Checked By


 (A. Neeraja)
 (Sr. Chemist)

Authorized Signatory


 (Dr. Nalini Vijayalaxmi)
 (Manager-Laboratory)

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 1 of 1

Report No:KIWIS/AAQ/COM/21/374/8/24

Name and address of the client

**M/s Prism Johnson Limited,
 Sada Siva Rao Apartments, Plot No. 610A-3
 Sada Siva Rao Compound, Near B.H Mahal,
 Tadipatri-515411, Anantapur district,
 Andhra Pradesh.**

Date of report : 05-07-2021 **Sample Collected by** : Kiwis Eco Laboratories Private Limited
Sampling date : 29-06-2021 **Sample Condition** : Samples received in self sealed covers
 and sample bottles
Sample received on : 30-06-2021 **Sampling Procedure** : CPCB Guidelines (NAAQMS/36/2012-13)
Analysis starting date : 30-06-2021 **Weather Conditions** : Dry
Analysis completion date : 05-07-2021 **Sample registration no** : AAQ/COM/06/21/770/20/46
Sub Contract Testing : NA **Temperature & Humidity** : 30°C & 59%
Sample description/Code : Ambient Air Quality Monitoring
 NANDIPADU village

Location:

1. NANDIPADU VILLAGE : AAQ/COM/06/21/770/20/46: PCL/NV/AAQ/29/06/2021/01

TEST RESULT

Samples are analyzed "as is where basis is"

| S. No | Parameter | Method | Units | Result | Standards |
|-------|-------------------|--|-------------------|--------|-----------|
| 1 | PM ₁₀ | IS 5182: Part 23 : 2006 | µg/m ³ | 61.8 | 100 |
| 2 | PM _{2.5} | CPCBs Guidelines Volume - 1 (2012-13) | µg/m ³ | 25.8 | 60 |
| 3 | SO ₂ | IS 5182: Part 2 : 2001 | µg/m ³ | 15.0 | 80 |
| 4 | NO _x | IS 5182:Part 6 :2006 | µg/m ³ | 18.7 | 80 |
| 5 | TSPM * | IS 5182 (PART - IV), 1999 | µg/m ³ | 140.2 | 200 |

Opinion and interpretation: Nil

NA: Not Applicable


- Test reports shall not be reproduced except in full, without written approval of the laboratory
- PM₁₀ Instrument Model: LataEnvirotech APM-860, Calibration valid up to: 01-08-2021
- PM_{2.5} Instrument Model: LataEnvirotech APM-154, Calibration valid up to: 01-08-2021

Checked By



**(A. Neeraja)
 (Sr. Chemist)**

Authorized Signatory



**(Dr. Nalini Vijayalaxmi)
 (Manager-Laboratory)**

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf



KIWIS

ECO LABORATORIES PVT LTD
Recognized by MoEF, GOI
Certified by 9001 & 18001

Plot No. 19, ALEAP Industrial Estate,
SY. No's 342, Near Pragathi Nagar,
Quthbullpur Mandal and Municipality,
Ranga Reddy Dist. Telangana - 500 090.
Email : kiwislabhyd@gmail.com
Ph : 99666 61485 / 040-23816333

TEST REPORT

Page 1 of 2

Report No: KIWIS/NOISE/COM/21/374/8/17

Name and address of the client

**M/s Prism Johnson Limited,
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.**

Date of report : 05-07-2021

Date of Monitoring : 28-06-2021

Sample Registration No : NOISE/COM/06/21/770/20/39

Sample Collected By : Kiwis Eco Laboratories Private Limited

Sample Description/Code : Noise Monitoring

Sub Contract Testing : NA

Location:

1. MINES OFFICE: NOISE/COM/06/21/770/20/39:PCL/ MO/NOISE/28/06/2021/01

TEST REPORT

Report No: KIWIS/NOISE/COM/21/374/8/17

Page 2 of 2

TEST RESULT


| Sl.No. | Time | Result in dB(A) |
|--------------------------------|---------------|-----------------|
| | | Mines office |
| 1 | 06:00 - 07:00 | 53.6 |
| 2 | 07:00 - 08:00 | 54.5 |
| 3 | 08:00 - 09:00 | 56.5 |
| 4 | 09:00 - 10:00 | 57.3 |
| 5 | 10:00 - 11:00 | 58.2 |
| 6 | 11:00 - 12:00 | 60.9 |
| 7 | 12:00 - 13:00 | 62.1 |
| 8 | 13:00 - 14:00 | 63.3 |
| 9 | 14:00 - 15:00 | 64.2 |
| 10 | 15:00 - 16:00 | 66.5 |
| 11 | 16:00 - 17:00 | 64.3 |
| 12 | 17:00 - 18:00 | 62.8 |
| 13 | 18:00 - 19:00 | 61.9 |
| 14 | 19:00 - 20:00 | 61.1 |
| 15 | 20:00 - 21:00 | 59.8 |
| 16 | 21:00 - 22:00 | 58.3 |
| 17 | 22:00 - 23:00 | 57.3 |
| 18 | 23:00 - 00:00 | 54.6 |
| 19 | 00:00 - 01:00 | 53.8 |
| 20 | 01:00 - 02:00 | 52.5 |
| 21 | 02:00 - 03:00 | 50.6 |
| 22 | 03:00 - 04:00 | 49.5 |
| 23 | 04:00 - 05:00 | 51.2 |
| 24 | 05:00 - 06:00 | 52.7 |
| Leq Day | | 62.1 |
| Leq Night | | 52.8 |
| CPCB Norms (Day Time) | | 75 dB(A) |
| CPCB Norms (Night time) | | 70 dB(A) |

Opinion and interpretation: Nil

NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
Integrated Sound Level Meter, Make:LUTRON, ModelNo:SL- 4033 SD, Calibration valid up to:16-09-2022

Checked By


(A. Neeraja)
(Sr. Chemist)

Authorized Signatory


(Dr. Nalini Vijayalaxmi)
(Manager-Laboratory)

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 1 of 2

Report No: KIWIS/NOISE/COM/21/374/8/18

Name and address of the client

**M/s Prism Johnson Limited,
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.**

Date of report : 05-07-2021

Date of Monitoring : 28-06-2021

Sample Registration No : NOISE/COM/06/21/770/20/40

Sample Collected By : Kiwis Eco Laboratories Private Limited

Sample Description/Code : Noise Monitoring

Sub Contract Testing : NA

Location:

1. KOTAPADU VILLAGE: NOISE/COM/06/21/770/20/40:PCL/ KPV/NOISE/28/06/2021/01

TEST REPORT

Report No: KIWIS/NOISE/COM/21/374/8/18

Page 2 of 2

TEST RESULT


| Sl.No. | Time | Result in dB(A) |
|--------------------------------|---------------|------------------|
| | | Kotapadu Village |
| 1 | 06:00 - 07:00 | 43.6 |
| 2 | 07:00 - 08:00 | 44.5 |
| 3 | 08:00 - 09:00 | 45.9 |
| 4 | 09:00 - 10:00 | 46.7 |
| 5 | 10:00 - 11:00 | 48.2 |
| 6 | 11:00 - 12:00 | 50.6 |
| 7 | 12:00 - 13:00 | 51.5 |
| 8 | 13:00 - 14:00 | 52.8 |
| 9 | 14:00 - 15:00 | 53.6 |
| 10 | 15:00 - 16:00 | 55.9 |
| 11 | 16:00 - 17:00 | 53.1 |
| 12 | 17:00 - 18:00 | 51.9 |
| 13 | 18:00 - 19:00 | 50.3 |
| 14 | 19:00 - 20:00 | 49.7 |
| 15 | 20:00 - 21:00 | 47.3 |
| 16 | 21:00 - 22:00 | 46.6 |
| 17 | 22:00 - 23:00 | 45.9 |
| 18 | 23:00 - 00:00 | 44.4 |
| 19 | 00:00 - 01:00 | 43.3 |
| 20 | 01:00 - 02:00 | 42.5 |
| 21 | 02:00 - 03:00 | 40.1 |
| 22 | 03:00 - 04:00 | 41.3 |
| 23 | 04:00 - 05:00 | 42.5 |
| 24 | 05:00 - 06:00 | 43.2 |
| Leq Day | | 50.8 |
| Leq Night | | 42.6 |
| CPCB Norms (Day Time) | | 55 dB(A) |
| CPCB Norms (Night time) | | 45 dB(A) |

Opinion and interpretation: Nil


NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
 Integrated Sound Level Meter, Make:LUTRON, ModelNo:SL- 4033 SD, Calibration valid up to:16-09-2022

Checked By


 (A. Neeraja)
 (Sr. Chemist)

Authorized Signatory


 (Dr. Nalini Vijayalaxmi)
 (Manager-Laboratory)

End of the Report

TEST REPORT

Page 1 of 2

Report No: KIWIS/NOISE/COM/21/374/8/19

Name and address of the client

**M/s Prism Johnson Limited,
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.**

Date of report : 05-07-2021

Date of Monitoring : 28-06-2021

Sample Registration No : NOISE/COM/06/21/770/20/41

Sample Collected By : Kiwis Eco Laboratories Private Limited

Sample Description/Code : Noise Monitoring

Sub Contract Testing : NA

Location:

1. PERUSOMULA VILLAGE: NOISE/COM/06/21/770/20/41:PCL/ PV/NOISE/28/06/2021/01

TEST REPORT

Report No: KIWIS/NOISE/COM/21/374/8/19

Page 2of 2

TEST RESULT


| Sl.No. | Time | Result in dB(A) |
|--------------------------------|---------------|--------------------------|
| | | <i>PerusomulaVillage</i> |
| 1 | 06:00 - 07:00 | 42.6 |
| 2 | 07:00 - 08:00 | 43.4 |
| 3 | 08:00 - 09:00 | 42.9 |
| 4 | 09:00 - 10:00 | 44.5 |
| 5 | 10:00 - 11:00 | 45.9 |
| 6 | 11:00 - 12:00 | 48.3 |
| 7 | 12:00 - 13:00 | 49.8 |
| 8 | 13:00 - 14:00 | 51.3 |
| 9 | 14:00 - 15:00 | 53.6 |
| 10 | 15:00 - 16:00 | 56.1 |
| 11 | 16:00 - 17:00 | 55.5 |
| 12 | 17:00 - 18:00 | 56.6 |
| 13 | 18:00 - 19:00 | 53.1 |
| 14 | 19:00 - 20:00 | 52.4 |
| 15 | 20:00 - 21:00 | 51.5 |
| 16 | 21:00 - 22:00 | 49.6 |
| 17 | 22:00 - 23:00 | 47.3 |
| 18 | 23:00 - 00:00 | 45 |
| 19 | 00:00 - 01:00 | 44.2 |
| 20 | 01:00 - 02:00 | 43.8 |
| 21 | 02:00 - 03:00 | 40.5 |
| 22 | 03:00 - 04:00 | 40.9 |
| 23 | 04:00 - 05:00 | 41.1 |
| 24 | 05:00 - 06:00 | 41.7 |
| Leq Day | | 52.4 |
| Leq Night | | 41.9 |
| CPCB Norms (Day Time) | | 55 dB(A) |
| CPCB Norms (Night time) | | 45dB(A) |

Opinion and interpretation: Nil


NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
Integrated Sound Level Meter, Make:LUTRON, ModelNo:SL- 4033 SD, Calibration valid up to:16-09-2022

Checked By


(A. Neeraja)
(Sr. Chemist)

Authorized Signatory


(Dr. Nalini VijayaLaxmi)
(Manager-Laboratory)

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 1 of 2

Report No: KIWIS/NOISE/COM/21/374/8/20

Name and address of the client

**M/s Prism Johnson Limited,
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.**

Date of report : 05-07-2021

Date of Monitoring : 28-06-2021

Sample Registration No : NOISE/COM/06/21/770/20/42

Sample Collected By : Kiwis Eco Laboratories Private Limited

Sample Description/Code : Noise Monitoring

Sub Contract Testing : NA

Location:

1. RAMIREDDIPALLI VILLAGE:NOISE/COM/06/21/770/20/42:PCL/ RV/NOISE/28/06/2021/01

TEST REPORT

Report No: KIWIS/NOISE/COM/21/374/8/20

Page 2 of 2

TEST RESULT


| S.No | Time | Result in dB(A) |
|--------------------------------|---------------|------------------------|
| | | Ramireddipalli Village |
| 1 | 06:00 - 07:00 | 43.6 |
| 2 | 07:00 - 08:00 | 44.1 |
| 3 | 08:00 - 09:00 | 43.5 |
| 4 | 09:00 - 10:00 | 45.5 |
| 5 | 10:00 - 11:00 | 46.9 |
| 6 | 11:00 - 12:00 | 47.3 |
| 7 | 12:00 - 13:00 | 49.5 |
| 8 | 13:00 - 14:00 | 50.2 |
| 9 | 14:00 - 15:00 | 51.3 |
| 10 | 15:00 - 16:00 | 53.5 |
| 11 | 16:00 - 17:00 | 54.7 |
| 12 | 17:00 - 18:00 | 54.4 |
| 13 | 18:00 - 19:00 | 52.1 |
| 14 | 19:00 - 20:00 | 51.3 |
| 15 | 20:00 - 21:00 | 50.5 |
| 16 | 21:00 - 22:00 | 48.6 |
| 17 | 22:00 - 23:00 | 47.3 |
| 18 | 23:00 - 00:00 | 44.7 |
| 19 | 00:00 - 01:00 | 43.8 |
| 20 | 01:00 - 02:00 | 41.1 |
| 21 | 02:00 - 03:00 | 40.5 |
| 22 | 03:00 - 04:00 | 41.3 |
| 23 | 04:00 - 05:00 | 42.1 |
| 24 | 05:00 - 06:00 | 43.3 |
| Leq Day | | 51.2 |
| Leq Night | | 42.3 |
| CPCB Norms (Day Time) | | 55 dB(A) |
| CPCB Norms (Night time) | | 45 dB(A) |

Opinion and interpretation: Nil


NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
Integrated Sound Level Meter, Make:LUTRON, ModelNo:SL- 4033 SD, Calibration valid up to:16-09-2022

Checked By


(A. Neeraja)
(Sr. Chemist)

Authorized Signatory


(Dr. Nalini Vijayalaxmi)
(Manager-Laboratory)

End of the Report

TEST REPORT

Page 1 of 2

Report No: KIWIS/NOISE/COM/21/374/8/25

Name and address of the client

**M/s Prism Johnson Limited,
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.**

Date of report : 05-07-2021

Date of Monitoring : 29-06-2021

Sample Registration No : NOISE/COM/06/21/770/20/47

Sample Collected By : Kiwis Eco Laboratories Private Limited

Sample Description/Code : Noise Monitoring

Sub Contract Testing : NA

Location:

1. MIRJAPURAM VILLAGE: NOISE/COM/06/21/770/20/47:PCL/ MV/NOISE/29/06/2021/01

TEST REPORT

Report No: KIWIS/NOISE/COM/21/374/8/25

Page 2 of 2

TEST RESULT

| S.No | Time | Result in dB(A) |
|--------------------------------|---------------|--------------------|
| | | Mirjapuram Village |
| 1 | 06:00 - 7:00 | 40.3 |
| 2 | 07:00 - 08:00 | 41.1 |
| 3 | 08:00 - 09:00 | 40.8 |
| 4 | 09:00 - 10:00 | 42.3 |
| 5 | 10:00 - 11:00 | 43.8 |
| 6 | 11:00 - 12:00 | 44.6 |
| 7 | 12:00 - 13:00 | 46.5 |
| 8 | 13:00 - 14:00 | 48.8 |
| 9 | 14:00 - 15:00 | 49.6 |
| 10 | 15:00 - 16:00 | 51.5 |
| 11 | 16:00 - 17:00 | 53.6 |
| 12 | 17:00 - 18:00 | 51.1 |
| 13 | 18:00 - 19:00 | 50.3 |
| 14 | 19:00 - 20:00 | 47.9 |
| 15 | 20:00 - 21:00 | 46.1 |
| 16 | 21:00 - 22:00 | 45.0 |
| 17 | 22:00 - 23:00 | 44.3 |
| 18 | 23:00 - 00:00 | 43.6 |
| 19 | 00:00 - 01:00 | 41.8 |
| 20 | 01:00 - 02:00 | 39.2 |
| 21 | 02:00 - 03:00 | 37.4 |
| 22 | 03:00 - 04:00 | 38.4 |
| 23 | 04:00 - 05:00 | 39.1 |
| 24 | 05:00 - 06:00 | 39.7 |
| Leq Day | | 47.9 |
| Leq Night | | 39.5 |
| CPCB Norms (Day Time) | | 55 dB(A) |
| CPCB Norms (Night time) | | 45dB(A) |

Opinion and interpretation: Nil

NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
Integrated Sound Level Meter, Make:LUTRON, ModelNo:SL- 4033 SD, Calibration valid up to:16-09-2022

Checked By


(A. Neeraja)
(Sr. Chemist)

Authorized Signatory


(Dr. Nalini Vijayalaxmi)
(Manager-Laboratory)

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 1 of 2

Report No: KIWIS/NOISE/COM/21/374/8/26

Name and address of the client

**M/s Prism Johnson Limited,
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.**

Date of report : 05-07-2021

Date of Monitoring : 29-06-2021

Sample Registration No : NOISE/COM/06/21/770/20/48

Sample Collected By : Kiwis Eco Laboratories Private Limited

Sample Description/Code : Noise Monitoring

Sub Contract Testing : NA

Location:

1. KALVATALA VILLAGE: NOISE/COM/06/21/770/20/48:PCL/KV/NOISE/29/06/2021/01



KIWIS

ECO LABORATORIES PVT LTD
Recognized by MoEF, GOI
Certified by 9001 & 18001

Plot No. 19, ALEAP Industrial Estate,
SY. No's 342, Near Pragathi Nagar,
Quthbullpur Mandal and Municipality,
Ranga Reddy Dist. Telangana - 500 090.
Email : kiwislabhyd@gmail.com
Ph : 99666 61485 / 040-23816333

TEST REPORT

Report No: KIWIS/NOISE/COM/21/374/8/26

Page 2 of 2

TEST RESULT


| S.No | Time | Result in dB(A) |
|--------------------------------|---------------|-------------------|
| | | Kalvatala Village |
| 1 | 06:00 - 07:00 | 44.4 |
| 2 | 07:00 - 08:00 | 45.6 |
| 3 | 08:00 - 09:00 | 46.9 |
| 4 | 09:00 - 10:00 | 48.3 |
| 5 | 10:00 - 11:00 | 49.9 |
| 6 | 11:00 - 12:00 | 51.4 |
| 7 | 12:00 - 13:00 | 53.7 |
| 8 | 13:00 - 14:00 | 55.1 |
| 9 | 14:00 - 15:00 | 56.6 |
| 10 | 15:00 - 16:00 | 57.3 |
| 11 | 16:00 - 17:00 | 57.9 |
| 12 | 17:00 - 18:00 | 55.3 |
| 13 | 18:00 - 19:00 | 53.7 |
| 14 | 19:00 - 20:00 | 52.4 |
| 15 | 20:00 - 21:00 | 50.9 |
| 16 | 21:00 - 22:00 | 49.3 |
| 17 | 22:00 - 23:00 | 46.9 |
| 18 | 23:00 - 00:00 | 44.7 |
| 19 | 00:00 - 01:00 | 43.3 |
| 20 | 01:00 - 02:00 | 41.6 |
| 21 | 02:00 - 03:00 | 39.8 |
| 22 | 03:00 - 04:00 | 41.6 |
| 23 | 04:00 - 05:00 | 42.5 |
| 24 | 05:00 - 06:00 | 43.7 |
| Leq Day | | 53.2 |
| Leq Night | | 42.7 |
| CPCB Norms (Day Time) | | 55 dB(A) |
| CPCB Norms (Night time) | | 45 dB(A) |

Opinion and interpretation: Nil


NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
Integrated Sound Level Meter, Make:LUTRON, ModelNo:SL- 4033 SD, Calibration valid up to:16-09-2022

Checked By


(A. Neeraja)
(Sr. Chemist)

Authorized Signatory


(Dr. Nalini Vijayalaxmi)
(Manager-Laboratory)

End of the Report

TEST REPORT

Page 1 of 2

Report No: KIWIS/NOISE/COM/21/374/8/27

Name and address of the client

*M/s Prism Johnson Limited,
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.*

Date of report : 05-07-2021

Date of Monitoring : 29-06-2021

Sample Registration No : NOISE/COM/06/21/770/20/49

Sample Collected By : Kiwis Eco Laboratories Private Limited

Sample Description/Code : Noise Monitoring

Sub Contract Testing : NA

Location:

1. KOLIMIGUNDLA VILLAGE: NOISE/COM/06/21/770/20/49:PCL/ KMV/NOISE/29/06/2021/01

TEST REPORT

Report No: KIWIS/NOISE/COM/21/374/8/27

Page 2 of 2

TEST RESULT


| Sl.No. | Time | Result in dB(A) |
|--------------------------------|---------------|----------------------|
| | | Kolimigundla Village |
| 1 | 06:00 - 7:00 | 44.6 |
| 2 | 07:00 - 08:00 | 45.9 |
| 3 | 08:00 - 09:00 | 44.3 |
| 4 | 09:00 - 10:00 | 46.9 |
| 5 | 10:00 - 11:00 | 47.2 |
| 6 | 11:00 - 12:00 | 49.6 |
| 7 | 12:00 - 13:00 | 50.3 |
| 8 | 13:00 - 14:00 | 52.8 |
| 9 | 14:00 - 15:00 | 54.5 |
| 10 | 15:00 - 16:00 | 56.6 |
| 11 | 16:00 - 17:00 | 58.5 |
| 12 | 17:00 - 18:00 | 57.3 |
| 13 | 18:00 - 19:00 | 55.5 |
| 14 | 19:00 - 20:00 | 53.6 |
| 15 | 20:00 - 21:00 | 52.3 |
| 16 | 21:00 - 22:00 | 49.9 |
| 17 | 22:00 - 23:00 | 47.3 |
| 18 | 23:00 - 00:00 | 44.9 |
| 19 | 00:00 - 01:00 | 43.5 |
| 20 | 01:00 - 02:00 | 42.7 |
| 21 | 02:00 - 03:00 | 40.3 |
| 22 | 03:00 - 04:00 | 41.1 |
| 23 | 04:00 - 05:00 | 42.3 |
| 24 | 05:00 - 06:00 | 43.5 |
| Leq Day | | 52.5 |
| Leq Night | | 42.9 |
| CPCB Norms (Day Time) | | 55 dB(A) |
| CPCB Norms (Night time) | | 45 dB(A) |

Opinion and interpretation: Nil


NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
Integrated Sound Level Meter, Make:LUTRON, ModelNo:SL- 4033 SD, Calibration valid up to:16-09-2022

Checked By


(A. Neeraja)
(Sr. Chemist)

Authorized Signatory


(Dr. Nalini Vijayalaxmi)
(Manager-Laboratory)

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 1 of 2

Report No: KIWIS/COM/NOISE/21/374/8/28

Name and address of the client

**M/s Prism Johnson Limited,
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.**

Date of report : 05-07-2021

Date of Monitoring : 29-06-2021

Sample Registration No : NOISE/COM/06/21/770/20/50

Sample Collected By : Kiwis Eco Laboratories Private Limited

Sample Description/Code : Noise Monitoring

Sub Contract Testing : NA

Location:

1. NANDIPADU VILLAGE : NOISE/COM/06/21/770/20/50:PCL/ NV/NOISE/29/06/2021/01

TEST REPORT

Report No: KIWIS/NOISE/COM/21/374/8/28

Page 2 of 2

TEST RESULT


| Sl.No. | Time | Result in dB(A) |
|--------------------------------|---------------|-------------------|
| | | Nandipadu Village |
| 1 | 06:00 - 07:00 | 41.6 |
| 2 | 07:00 - 08:00 | 42.5 |
| 3 | 08:00 - 09:00 | 41.9 |
| 4 | 09:00 - 10:00 | 43.1 |
| 5 | 10:00 - 11:00 | 44.9 |
| 6 | 11:00 - 12:00 | 46.7 |
| 7 | 12:00 - 13:00 | 47.9 |
| 8 | 13:00 - 14:00 | 49.5 |
| 9 | 14:00 - 15:00 | 51.3 |
| 10 | 15:00 - 16:00 | 52.1 |
| 11 | 16:00 - 17:00 | 53.7 |
| 12 | 17:00 - 18:00 | 54.8 |
| 13 | 18:00 - 19:00 | 53.3 |
| 14 | 19:00 - 20:00 | 52.6 |
| 15 | 20:00 - 21:00 | 50.1 |
| 16 | 21:00 - 22:00 | 48.6 |
| 17 | 22:00 - 23:00 | 46.5 |
| 18 | 23:00 - 00:00 | 44.1 |
| 19 | 00:00 - 01:00 | 42.1 |
| 20 | 01:00 - 02:00 | 40.3 |
| 21 | 02:00 - 03:00 | 38.6 |
| 22 | 03:00 - 04:00 | 39.1 |
| 23 | 04:00 - 05:00 | 40.2 |
| 24 | 05:00 - 06:00 | 40.8 |
| Leq Day | | 50.7 |
| Leq Night | | 40.6 |
| CPCB Norms (Day Time) | | 55 dB(A) |
| CPCB Norms (Night time) | | 45 dB(A) |

Opinion and interpretation: Nil


NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
Integrated Sound Level Meter, Make:LUTRON, ModelNo:SL- 4033 SD, Calibration valid up to:16-09-2022

Checked By


(A. Neeraja)
(Sr. Chemist)

Authorized Signatory


(Dr. Nalini Vijayalaxmi)
(Manager-Laboratory)

End of the Report

TEST REPORT

Page 1 of 2

Report No: KIWIS/W/COM/2021/374/8/29

Name and address of the client

*M/s. Prism Johnson Limited,
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.*

Date of report : 05-07-2021 Sample Collected by : Kiwis Eco Laboratories Private Limited
Date of sampling : 29-06-2021 Sample Condition : Samples received in Plastic Container
Sample received on : 30-06-2021 Sampling Procedure : KIWIS/SOP/ Lab - 258
Analysis starting date : 30-06-2021 Sample registration no : W/COM/06/2021/770/20/51
Analysis completion date : 05-07-2021 Sample description/Code : Ground Water Quality Sampling at
Near Mines Office
Sub Contract Testing : NA

1. W/COM/06/2021/770/20/51: PCL/MO/29/06/2021/01(Ground Water, Near Mines Office)

Samples are analyzed "as is where basis is"

| S.No | Parameter | Unit | Method | Result | IS 10500 Acceptable Limits | IS 10500 Permissible Limits |
|------|---------------------------------|---------|---------------------------|--------|----------------------------------|-----------------------------------|
| 1 | Color | CU | APHA 2120 C | <5.0 | 5 | 15 |
| 2 | pH @ 25.0°C | - | APHA 4500H ⁺ B | 7.44 | 6.5-8.5 | No relaxation |
| 3 | Turbidity | NTU | APHA 2130 B | <1.0 | 1 | 5 |
| 4 | Electrical Conductivity | μMho/cm | APHA 2510 - B | 1075.0 | Not Specified | Not Specified |
| 5 | Total Dissolved solids | mg/L | APHA 2540 C | 650.0 | 500 | 2000 |
| 6 | Total Suspended Solids | mg/L | APHA 2540 D | <10.0 | Not Specified | Not Specified |
| 7 | Alkalinity as CaCO ₃ | mg/L | APHA 2320 B | 310.0 | 200 | 600 |
| 8 | Hardness as CaCO ₃ | mg/L | APHA 2340 C | 305.0 | 200 | 600 |
| 9 | Calcium as Ca | mg/L | APHA 3500 Ca B | 101.20 | 75 | 200 |
| 10 | Magnesium as Mg | mg/L | APHA 3500-Mg B | 12.27 | 30 | 100 |

TEST REPORT

Page 2 of 2

Report No: KIWIS/W/COM/2021/374/8/29

Samples are analyzed "as is where basis is"

| S.No | Parameter | Unit | Method | Result | IS 10500 Acceptable Limits | IS 10500 Permissible Limits |
|---------------------------------------|--|------------|-----------------------------|--------|--|--|
| 11 | Chlorides as Cl ⁻ | mg/L | APHA 4500 Cl ⁻ B | 68.49 | 250 | 1000 |
| 12 | Sulphates as SO ₄ | mg/L | APHA 4500 SO ₄ D | 20.16 | 200 | 400 |
| 13 | Nitrate as NO ₃ | mg/L | APHA 4500 NO ₃ B | 2.2 | 45 | No relaxation |
| 14 | Sodium as Na | mg/L | APHA 3500 Na B | 50.0 | Not Specified | Not Specified |
| 15 | Potassium as K | mg/L | APHA 3500 K B | 2.0 | Not Specified | Not Specified |
| 16 | Fluoride as F | mg/L | APHA 4500F- D | 0.22 | 1.0 | 1.5 |
| 17 | Iron as Fe | mg/L | APHA 3500 Fe B | 0.17 | 0.3 | No relaxation |
| 18 | Zinc as Zn | mg/L | APHA 3111 B | <0.2 | 5 | 15 |
| 19 | Chemical Oxygen Demand | mg/L | APHA 5220 B | 4.0 | Not Specified | Not Specified |
| 20 | Biochemical Oxygen Demand (3 Days at 27°C) | mg/L | IS : 3025 (P-44) | <4.0 | Not Specified | Not Specified |
| 21 | Lead as Pb | mg/L | APHA 3111 B | <0.01 | 0.01 | No relaxation |
| 22 | Manganese as Mn | mg/L | APHA 3111 B | <0.1 | 0.1 | 0.3 |
| 23 | Cadmium as Cd | mg/L | APHA 3111 B | <0.003 | 0.003 | No relaxation |
| 24 | Copper as Cu | mg/L | APHA 3111 B | <0.05 | 0.05 | 1.5 |
| 25 | Cyanide as CN ⁻ | mg/L | APHA 4500 CN- C, E | <0.05 | 0.05 | No relaxation |
| 26 | E-Coli | MPN/100 ml | APHA 9221 G | Absent | Shall not be detectable in any 100 ml sample | Shall not be detectable in any 100 ml sample |
| Water available depth from the Ground | | Meters | 10.5 | | | |


Methods follow: APHA 23rd Edition

NA: Not Applicable


Opinion and interpretation: Nil

- Reports pertained only to the submitted sample
- Test reports shall not be reproduced except in full, without written approval of the laboratory

Checked By


 (A. Neeraja)
 Sr.Chemist

Authorized Signatory


 (Dr.Nalini VijayaLaxmi)
 Manager Laboratory

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 1 of 2

Report No: KIWIS/W/COM/2021/374/8/30

Name and address of the client

*M/s. Prism Johnson Limited,
 Sada Siva Rao Apartments, Plot No. 610A-3
 Sada Siva Rao Compound, Near B.H Mahal,
 Tadipatri-515411, Anantapur district,
 Andhra Pradesh.*

Date of report : 05-07-2021 Sample Collected by : Kiwis Eco Laboratories Private Limited
 Date of sampling : 29-06-2021 Sample Condition : Samples received in Plastic Container
 Sample received on : 30-06-2021 Sampling Procedure : KIWIS/SOP/ Lab - 258
 Analysis starting date : 30-06-2021 Sample registration no : W/COM/06/2021/770/20/52
 Analysis completion date : 05-07-2021 Sample description/Code : Ground Water Quality Sampling at
 Ramireddipalli Village
 Sub Contract Testing : NA

1. W/COM/06/2021/770/20/52: PCL/RV/29/06/2021/02(Ground Water at Ramireddipalli Village)

Samples are analyzed "as is where basis is"

| S.No | Parameter | Unit | Method | Result | IS 10500 Acceptable Limits | IS 10500 Permissible Limits |
|------|---------------------------------|---------|---------------------------|--------|----------------------------|-----------------------------|
| 1 | Color | CU | APHA 2120 C | <5.0 | 5 | 15 |
| 2 | pH @ 26.2°C | - | APHA 4500H ⁺ B | 7.48 | 6.5-8.5 | No relaxation |
| 3 | Turbidity | NTU | APHA 2130 B | <1.0 | 1 | 5 |
| 4 | Electrical Conductivity | µMho/cm | APHA 2510 - B | 1155.0 | Not Specified | Not Specified |
| 5 | Total Dissolved solids | mg/L | APHA 2540 C | 750.0 | 500 | 2000 |
| 6 | Total Suspended Solids | mg/L | APHA 2540 D | <10.0 | Not Specified | Not Specified |
| 7 | Alkalinity as CaCO ₃ | mg/L | APHA 2320 B | 355.0 | 200 | 600 |
| 8 | Hardness as CaCO ₃ | mg/L | APHA 2340 C | 460.0 | 200 | 600 |
| 9 | Calcium as Ca | mg/L | APHA 3500 Ca B | 135.61 | 75 | 200 |
| 10 | Magnesium as Mg | mg/L | APHA 3500-Mg B | 29.42 | 30 | 100 |

TEST REPORT

Page 2 of 2

Report No: KIWIS/W/COM/2021/374/8/30

Samples are analyzed "as is where basis is"


| S.No | Parameter | Unit | Method | Result | IS 10500 Acceptable Limits | IS 10500 Permissible Limits |
|---------------------------------------|---|---------------|------------------------------------|--------|---|---|
| 11 | Chlorides as Cl ⁻ | mg/L | APHA 4500 Cl ⁻ B | 78.84 | 250 | 1000 |
| 12 | Sulphates as SO ₄ | mg/L | APHA 4500 SO ₄ D | 26.31 | 200 | 400 |
| 13 | Nitrate as NO ₃ | mg/L | APHA 4500 NO ₃ B | 2.7 | 45 | No relaxation |
| 14 | Sodium as Na | mg/L | APHA 3500 Na B | 65.0 | Not Specified | Not Specified |
| 15 | Potassium as K | mg/L | APHA 3500 K B | 3.1 | Not Specified | Not Specified |
| 16 | Fluoride as F | mg/L | APHA 4500F- D | 0.34 | 1.0 | 1.5 |
| 17 | Iron as Fe | mg/L | APHA 3500 Fe B | 0.10 | 0.3 | No relaxation |
| 18 | Zinc as Zn | mg/L | APHA 3111 B | <0.2 | 5 | 15 |
| 19 | Chemical Oxygen Demand | mg/L | APHA 5220 B | 4.0 | Not Specified | Not Specified |
| 20 | Biochemical Oxygen Demand (3 Days at 27°C) | mg/L | IS : 3025 (P-44) | <4.0 | Not Specified | Not Specified |
| 21 | Lead as Pb | mg/L | APHA 3111 B | <0.01 | 0.01 | No relaxation |
| 22 | Manganese as Mn | mg/L | APHA 3111 B | <0.1 | 0.1 | 0.3 |
| 23 | Cadmium as Cd | mg/L | APHA 3111 B | <0.003 | 0.003 | No relaxation |
| 24 | Copper as Cu | mg/L | APHA 3111 B | <0.05 | 0.05 | 1.5 |
| 25 | Cyanide as CN ⁻ | mg/L | APHA 4500 CN ⁻ -C, E | <0.05 | 0.05 | No relaxation |
| 26 | E-Coli | MPN/ 100ml | APHA 9221 G | Absent | Shall not be detectable in any 100 ml sample | Shall not be detectable in any 100 ml sample |
| Water available depth from the Ground | | Meters | 9.5 | | | |


Methods follow: APHA 23rd Edition

NA: Not Applicable

Opinion and interpretation: Nil

- Reports pertained only to the submitted sample
- Test reports shall not be reproduced except in full, without written approval of the laboratory

Checked By

 (A. Neeraja)
 Sr. Chemist

Authorized Signatory

 (Dr. Nalini Vijayalaxmi)
 Manager Laboratory

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 1 of 2

Report No: KIWIS/W/COM/2021/374/8/31

Name and address of the client

**M/s. Prism Johnson Limited,
 Sada Siva Rao Apartments, Plot No. 610A-3
 Sada Siva Rao Compound, Near B.H Mahal,
 Tadipatri-515411, Anantapur district,
 Andhra Pradesh.**

Date of report : 05-07-2021 **Sample Collected by** : Kiwis Eco Laboratories Private Limited
Date of sampling : 29-06-2021 **Sample Condition** : Samples received in Plastic Container
Sample received on : 30-06-2021 **Sampling Procedure** : KIWIS/SOP/ Lab - 258
Analysis starting date : 30-06-2021 **Sample registration no** : W/COM/06/2021/770/20/53
Analysis completion date : 05-07-2021 **Sample description/Code** : Ground Water Quality Sampling at
 Mirjapuram Village
Sub Contract Testing : NA

1. W/COM/06/2021/770/20/51: PCL/MV/29/06/2021/03(Ground Water at MirjapuramVillage)

Samples are analyzed "as is where basis is"

| S.No | Parameter | Unit | Method | Result | IS 10500 Acceptable Limits | IS 10500 Permissible Limits |
|------|---------------------------------|---------|---------------------------|--------|----------------------------|-----------------------------|
| 1 | Color | CU | APHA 2120 C | <5.0 | 5 | 15 |
| 2 | pH @ 26.1°C | - | APHA 4500H ⁺ B | 7.24 | 6.5-8.5 | No relaxation |
| 3 | Turbidity | NTU | APHA 2130 B | <1.0 | 1 | 5 |
| 4 | Electrical Conductivity | µMho/cm | APHA 2510 - B | 1275.0 | Not Specified | Not Specified |
| 5 | Total Dissolved solids | mg/L | APHA 2540 C | 862.0 | 500 | 2000 |
| 6 | Total Suspended Solids | mg/L | APHA 2540 D | <10.0 | Not Specified | Not Specified |
| 7 | Alkalinity as CaCO ₃ | mg/L | APHA 2320 B | 390.0 | 200 | 600 |
| 8 | Hardness as CaCO ₃ | mg/L | APHA 2340 C | 425.0 | 200 | 600 |
| 9 | Calcium as Ca | mg/L | APHA 3500 Ca B | 139.65 | 75 | 200 |
| 10 | Magnesium as Mg | mg/L | APHA 3500-Mg B | 18.40 | 30 | 100 |

TEST REPORT

Page 2 of 2

Report No: KIWIS/W/COM/2021/374/8/31

Samples are analyzed "as is where basis is"

| S.No | Parameter | Unit | Method | Result | IS 10500 Acceptable Limits | IS 10500 Permissible Limits |
|---------------------------------------|--|------------|--------------------------------|--------|--|--|
| 11 | Chlorides as Cl ⁻ | mg/L | APHA 4500 Cl ⁻ B | 93.62 | 250 | 1000 |
| 12 | Sulphates as SO ₄ | mg/L | APHA 4500 SO ₄ D | 32.14 | 200 | 400 |
| 13 | Nitrate as NO ₃ | mg/L | APHA 4500 NO ₃ B | 3.0 | 45 | No relaxation |
| 14 | Sodium as Na | mg/L | APHA 3500 Na B | 67.0 | Not Specified | Not Specified |
| 15 | Potassium as K | mg/L | APHA 3500 K B | 2.0 | Not Specified | Not Specified |
| 16 | Fluoride as F | mg/L | APHA 4500F ⁻ D | 0.21 | 1.0 | 1.5 |
| 17 | Iron as Fe | mg/L | APHA 3500 Fe B | 0.12 | 0.3 | No relaxation |
| 18 | Zinc as Zn | mg/L | APHA 3111 B | <0.2 | 5 | 15 |
| 19 | Chemical Oxygen Demand | mg/L | APHA 5220 B | 4.0 | Not Specified | Not Specified |
| 20 | Biochemical Oxygen Demand (3 Days at 27°C) | mg/L | IS : 3025 (P-44) | <4.0 | Not Specified | Not Specified |
| 21 | Lead as Pb | mg/L | APHA 3111 B | <0.01 | 0.01 | No relaxation |
| 22 | Manganese as Mn | mg/L | APHA 3111 B | <0.1 | 0.1 | 0.3 |
| 23 | Cadmium as Cd | mg/L | APHA 3111 B | <0.003 | 0.003 | No relaxation |
| 24 | Copper as Cu | mg/L | APHA 3111 B | <0.05 | 0.05 | 1.5 |
| 25 | Cyanide as CN ⁻ | mg/L | APHA 4500 CN ⁻ C, E | <0.05 | 0.05 | No relaxation |
| 26 | E-Coli | MPN/100 ml | APHA 9221 G | Absent | Shall not be detectable in any 100 ml sample | Shall not be detectable in any 100 ml sample |
| Water available depth from the Ground | | Meters | 9.6 | | | |


Methods follow: APHA 23rd Edition

NA: Not Applicable


Opinion and interpretation: Nil

- Reports pertained only to the submitted sample
- Test reports shall not be reproduced except in full, without written approval of the laboratory

Checked By


 (A. Neeraja)
 Sr. Chemist

Authorized Signatory


 (Dr. Nalini Vijayalaxmi)
 Manager Laboratory

Note : This report is subject to the terms and conditions mentioned overleaf.

End of the Report

TEST REPORT

Page 1 of 2

Report No: KIWIS/W/COM/2021/374/8/32

Name and address of the client

**M/s.Prism Johnson Limited,
 Sada Siva Rao Apartments, Plot No. 610A-3
 Sada Siva Rao Compound, Near B.H Mahal,
 Tadipatri-515411, Anantapur district,
 Andhra Pradesh.**

Date of report : 05-07-2021 **Sample Collected by** : Kiwis Eco Laboratories Private Limited
Date of sampling : 29-06-2021 **Sample Condition** : Samples received in Plastic Container
Sample received on : 30-06-2021 **Sampling Procedure** : KIWIS/SOP/ Lab - 258
Analysis starting date : 30-06-2021 **Sample registration no** : W/COM/06/2021/770/20/54
Analysis completion date : 05-07-2021 **Sample description/Code** : Ground Water Quality Sampling at
Sub Contract Testing : NA **Kalvatala Village (Near Shivalayam temple)**

1. W/COM/06/2021/770/20/54: PCL/KV/29/6/2021/4(Ground Water at Kalvatala Village,
 Near Shivalayam temple)

Samples are analyzed "as is where basis is"

| S.No | Parameter | Unit | Method | Result | IS 10500 Acceptable Limits | IS 10500 Permissible Limits |
|------|---------------------------------|---------|---------------------------|--------|----------------------------|-----------------------------|
| 1 | Color | CU | APHA 2120 C | <5.0 | 5 | 15 |
| 2 | pH @ 25.0°C | - | APHA 4500H ⁺ B | 7.40 | 6.5-8.5 | No relaxation |
| 3 | Turbidity | NTU | APHA 2130 B | <1.0 | 1 | 5 |
| 4 | Electrical Conductivity | µMho/cm | APHA 2510 - B | 1255.0 | Not Specified | Not Specified |
| 5 | Total Dissolved Solids | mg/L | APHA 2540 C | 815.0 | 500 | 2000 |
| 6 | Total Suspended Solids | mg/L | APHA 2540 D | <10.0 | Not Specified | Not Specified |
| 7 | Alkalinity as CaCO ₃ | mg/L | APHA 2320 B | 350.0 | 200 | 600 |
| 8 | Hardness as CaCO ₃ | mg/L | APHA 2340 C | 370.0 | 200 | 600 |
| 9 | Calcium as Ca | mg/L | APHA 3500 Ca B | 127.51 | 75 | 200 |
| 10 | Magnesium as Mg | mg/L | APHA 3500-Mg B | 12.27 | 30 | 100 |

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 2 of 2

Report No: KIWIS/W/COM/2021/374/8/32

Samples are analyzed "as is where basis is"

| S.No | Parameter | Unit | Method | Result | IS 10500 Acceptable Limits | IS 10500 Permissible Limits |
|---------------------------------------|--|------------|--------------------------------|--------|--|--|
| 11 | Chlorides as Cl ⁻ | mg/L | APHA 4500 Cl ⁻ B | 105.94 | 250 | 1000 |
| 12 | Sulphates as SO ₄ | mg/L | APHA 4500 SO ₄ D | 34.98 | 200 | 400 |
| 13 | Nitrate as NO ₃ | mg/L | APHA 4500 NO ₃ B | 1.45 | 45 | No relaxation |
| 14 | Sodium as Na | mg/L | APHA 3500 Na B | 75.0 | Not Specified | Not Specified |
| 15 | Potassium as K | mg/L | APHA 3500 K B | 4.0 | Not Specified | Not Specified |
| 16 | Fluoride as F | mg/L | APHA 4500F- D | 0.12 | 1.0 | 1.5 |
| 17 | Iron as Fe | mg/L | APHA 3500 Fe B | 0.13 | 0.3 | No relaxation |
| 18 | Zinc as Zn | mg/L | APHA 3111 B | <0.2 | 5 | 15 |
| 19 | Chemical Oxygen Demand | mg/L | APHA 5220 B | 4.0 | Not Specified | Not Specified |
| 20 | Biochemical Oxygen Demand (3 Days at 27°C) | mg/L | IS : 3025 (P-44) | <4.0 | Not Specified | Not Specified |
| 21 | Lead as Pb | mg/L | APHA 3111 B | <0.01 | 0.01 | No relaxation |
| 22 | Manganese as Mn | mg/L | APHA 3111 B | <0.1 | 0.1 | 0.3 |
| 23 | Cadmium as Cd | mg/L | APHA 3111 B | <0.003 | 0.003 | No relaxation |
| 24 | Copper as Cu | mg/L | APHA 3111 B | <0.05 | 0.05 | 1.5 |
| 25 | Cyanide as CN ⁻ | mg/L | APHA 4500 CN ⁻ C, E | <0.05 | 0.05 | No relaxation |
| 26 | E-Coli | MPN/100 ml | APHA 9221 G | Absent | Shall not be detectable in any 100 ml sample | Shall not be detectable in any 100 ml sample |
| Water available depth from the Ground | | Meters | 10.3 | | | |


Methods follow: APHA 23rd Edition

NA: Not Applicable


Opinion and interpretation: Nil

- Reports pertained only to the submitted sample
- Test reports shall not be reproduced except in full, without written approval of the laboratory

Checked By


 (A. Neeraja)
 Sr. Chemist

Authorized Signatory


 (Dr. Nalini Vijayalaxmi)
 Manager Laboratory

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Name and address of the client

*M/s.Prism Johnson Limited,
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.*


Date of report : 05-07-2021

Sample description/Code : Groundwater Level

Date of sampling : 29-06-2021

RESULT

| S.No | Registration Numbers | Location | Unit | Result |
|------|-------------------------|------------------------|--------|--------|
| 1 | W/COM/06/2021/770/20/51 | Near Mines Office | Meters | 10.5 |
| 2 | W/COM/06/2021/770/20/52 | Ramireddipalli Village | Meters | 9.5 |
| 3 | W/COM/06/2021/770/20/53 | Mirjapuram Village | Meters | 9.6 |
| 4 | W/COM/06/2021/770/20/54 | Kalvatata Village | Meters | 10.3 |

Checked By

(A. Neeraja)
Sr.Chemist

Authorized Signatory

(Dr.Nalini Vijayalaxmi)
Manager Laboratory

End of the Report

TEST REPORT

Page 1 of 1

Report No:KIWIS/AAQ/COM/21/389/1

Name and address of the client

**M/s Prism Johnson Limited,
 Sada Siva Rao Apartments, Plot No. 610A-3
 Sada Siva Rao Compound, Near B.H Mahal,
 Tadipatri-515411, Anantapur district,
 Andhra Pradesh.**

Date of report : 18-09-2021 **Sample Collected by** : Kiwis Eco Laboratories Private Limited
Sampling date : 10-09-2021 **Sample Condition** : Samples received in self sealed covers and sample bottles
Sample received on : 13-09-2021 **Sampling Procedure** : CPCB Guidelines (NAAQMS/36/2012-13)
Analysis starting date : 13-09-2021 **Weather Conditions** : Dry
Analysis completion date : 18-09-2021 **Sample registration no** : AAQ/COM/09/21/792/1
Sub Contract Testing : NA **Temperature & Humidity** : 28°C & 58%
Sample description/Code : Ambient Air Quality Monitoring
MINES OFFICE

Location:

1. MINES OFFICE : AAQ/COM/09/21/792/1: PCL/MO/AAQ/10/09/2021/01

TEST RESULT

Samples are analyzed "as is where basis is"


| S. No | Parameter | Method | Units | Result | Standards |
|-------|-------------------|---------------------------------------|-------------------|--------|-----------|
| 1 | PM ₁₀ | IS 5182: Part 23 : 2006 | µg/m ³ | 67.3 | 100 |
| 2 | PM _{2.5} | CPCBs Guidelines Volume - 1 (2012-13) | µg/m ³ | 28.2 | 60 |
| 3 | SO ₂ | IS 5182: Part 2 : 2001 | µg/m ³ | 15.9 | 80 |
| 4 | NO _x | IS 5182:Part 6 :2006 | µg/m ³ | 19.5 | 80 |
| 5 | TSPM | IS 5182 (PART - IV), 1999 | µg/m ³ | 142.5 | 200 |

Opinion and interpretation: Nil


NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
- PM₁₀ Instrument Model: LataEnvirotech APM-860, Calibration valid up to: 31-10-2021
- PM_{2.5} Instrument Model: LataEnvirotech APM-154, Calibration valid up to: 31-10-2021

Checked By


(A. Neeraja)
(Sr. Chemist)

Authorized Signatory


(Dr. Nalini VijayaLaxmi)
(Manager-Laboratory)

TEST REPORT

Page 1 of 1

Report No: **KIWIS/AAQ/COM/21/389/2**

Name and address of the client:

M/s Prism Cement Limited
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.

| | | | |
|--------------------------|--------------|-------------------------|---|
| Date of report | : 18-09-2021 | Sample Collected by | : Kiwis Eco Laboratories Private Limited |
| Sampling date | : 10-09-2021 | Sample Condition | : Samples received in self sealed covers and sample bottles |
| Sample received on | : 13-09-2021 | Sampling Procedure | : CPCB Guidelines (NAAQMS/36/2012-13) |
| Analysis starting date | : 13-09-2021 | Weather Conditions | : Dry |
| Analysis completion date | : 18-09-2021 | Sample registration no | : AAQ/COM/09/21/792/2 |
| Sub Contract Testing | : NA | Temperature & Humidity | : 28°C & 57% |
| | | Sample description/Code | : Ambient Air Quality Monitoring Kotapadu village |

Location:

1. KOTAPADU VILLAGE : AAQ/COM/09/21/792/2: PCL/KPV/AAQ/10/09/2021/01

TEST RESULT

Samples are analyzed "as is where basis is"

| S. No | Parameter | Method | Units | Result | *Standards |
|-------|-------------------|---------------------------------------|-------------------|--------|------------|
| 1 | PM ₁₀ | IS 5182: Part 23 : 2006 | µg/m ³ | 65.2 | 100 |
| 2 | PM _{2.5} | CPCBs Guidelines Volume - 1 (2012-13) | µg/m ³ | 26.1 | 60 |
| 3 | SO ₂ | IS 5182: Part 2 : 2001 | µg/m ³ | 14.7 | 80 |
| 4 | NO _x | IS 5182: Part 6 : 2006 | µg/m ³ | 18.3 | 80 |
| 5 | TSPM | IS 5182 (PART - IV), 1999 | µg/m ³ | 138.7 | 200 |

Opinion and interpretation: Nil

NA: Not Applicable


- Test reports shall not be reproduced except in full, without written approval of the laboratory
- PM₁₀ Instrument Model: LataEnvirotech APM-860, Calibration valid up to: 31-10-2021
- PM_{2.5} Instrument Model: LataEnvirotech APM-154, Calibration valid up to: 31-10-2021

Checked By



(A. Neeraja)
(Sr. Chemist)

Authorized Signatory



(Dr. Nalini VijayaLaxmi)
(Manager-Laboratory)

Note : This report is subject to the terms and conditions mentioned in the report

End of the Report

TEST REPORT

Page 1 of 1

Report No:KIWIS/AAQ/COM/21/389/3

Name and address of the client

M/s Prism Cement Limited
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.

| | | | |
|---------------------------------|--------------|-----------------------------------|---|
| Date of report | : 18-09-2021 | Sample Collected by | : Kiwis Eco Laboratories Private Limited |
| Sampling date | : 10-09-2021 | Sample Condition | : Samples received in self sealed covers and sample bottles |
| Sample received on | : 13-09-2021 | Sampling Procedure | : CPCB Guidelines (NAAQMS/36/2012-13) |
| Analysis starting date | : 13-09-2021 | Weather Conditions | : Dry |
| Analysis completion date | : 18-09-2021 | Sample registration no | : AAQ/COM/09/21/792/3 |
| Sub Contract Testing | : NA | Temperature & Humidity | : 29°C & 57% |
| | | Sample description/Code | : Ambient Air Quality Monitoring PERUSOMULA |

Location:

1. PERUSOMULA VILLAGE: AAQ/COM/09/21/792/3: PCL/PV/AAQ/10/09/2021/01

TEST RESULT

Samples are analyzed "as is where basis is"

| S. No | Parameter | Method | Units | Result | Standards |
|-------|-------------------|---------------------------------------|-------------------|--------|-----------|
| 1 | PM ₁₀ | IS 5182: Part 23 : 2006 | µg/m ³ | 68.5 | 100 |
| 2 | PM _{2.5} | CPCBs Guidelines Volume - 1 (2012-13) | µg/m ³ | 28.1 | 60 |
| 3 | SO ₂ | IS 5182: Part 2 : 2001 | µg/m ³ | 15.5 | 80 |
| 4 | NO _x | IS 5182:Part 6 :2006 | µg/m ³ | 19.8 | 80 |
| 5 | TSPM * | IS 5182 (PART - IV), 1999 | µg/m ³ | 143.7 | 200 |

Opinion and interpretation: Nil

NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
- PM₁₀ Instrument Model: LataEnvirotech APM-860, Calibration valid up to: 31-10-2021
- PM_{2.5} Instrument Model: LataEnvirotech APM-154, Calibration valid up to: 31-10-2021

Checked By


(A. Neeraja)
(Sr. Chemist)

Authorized Signatory


(Dr. Nalini Vijayalaxmi)
(Manager-Laboratory)

Note : This report is subject to the terms and conditions mentioned overleaf

End of the Report

TEST REPORT

Page 1 of 1

Report No: **KIWIS/AAQ/COM/21/389/4**
 Name and address of the client:

M/s Prism Cement Limited
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.

Date of report : 18-09-2021
 Sampling date : 10-09-2021
 Sample received on : 13-09-2021
 Analysis starting date : 13-09-2021
 Analysis completion date : 18-09-2021
 Sub Contract Testing : NA

Sample Collected by : Kiwis Eco Laboratories Private Limited
 Sample Condition : Samples received in self sealed covers and sample bottles
 Sampling Procedure : CPCB Guidelines (NAAQMS/36/2012-13)
 Weather Conditions : Dry
 Sample registration no : AAQ/COM/09/21/792/4
 Temperature & Humidity : 28°C & 59%
 Sample description/Code : Ambient Air Quality Monitoring Ramireddipalli village

Location:

1. RAMIREDDIPALLI VILLAGE: AAQ/COM/09/21/792/4: PCL/RV/AAQ/10/09/2021/01

TEST RESULT

Samples are analyzed "as is where basis is"


| S. No | Parameter | Method | Units | Result | *Standards |
|-------|-------------------|---------------------------------------|-------------------|--------|------------|
| 1 | PM ₁₀ | IS 5182: Part 23 : 2006 | µg/m ³ | 64.5 | 100 |
| 2 | PM _{2.5} | CPCBs Guidelines Volume - 1 (2012-13) | µg/m ³ | 26.9 | 60 |
| 3 | SO ₂ | IS 5182: Part 2 : 2001 | µg/m ³ | 15.0 | 80 |
| 4 | NO _x | IS 5182:Part 6 :2006 | µg/m ³ | 18.9 | 80 |
| 5 | TSPM | IS 5182 (PART - IV), 1999 | µg/m ³ | 141.5 | 200 |

Opinion and interpretation: Nil


NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
- PM₁₀ Instrument Model: LataEnvirotech APM-860, Calibration valid up to: 31-10-2021
- PM_{2.5} Instrument Model: LataEnvirotech APM-154, Calibration valid up to: 31-10-2021

Checked By


 (A. Neeraja)
 (Sr. Chemist)

Authorized Signatory


 (Dr. Nalini Vijayalaxmi)
 (Manager-Laboratory)

TEST REPORT

Page 1 of 1

Report No:KIWIS/AAQ/COM/21/389/9

Name and address of the client

**M/s Prism Johnson Limited,
 Sada Siva Rao Apartments, Plot No. 610A-3
 Sada Siva Rao Compound, Near B.H Mahal,
 Tadipatri-515411, Anantapur district,
 Andhra Pradesh.**

| | | | |
|--------------------------|--------------|-------------------------|---|
| Date of report | : 18-09-2021 | Sample Collected by | : Kiwis Eco Laboratories Private Limited |
| Sampling date | : 11-09-2021 | Sample Condition | : Samples received in self sealed covers and sample bottles |
| Sample received on | : 13-09-2021 | Sampling Procedure | : CPCB Guidelines (NAAQMS/36/2012-13) |
| Analysis starting date | : 13-09-2021 | Weather Conditions | : Dry |
| Analysis completion date | : 18-09-2021 | Sample registration no | : AAQ/COM/09/21/792/9 |
| Sub Contract Testing | : NA | Temperature & Humidity | : 29°C & 56% |
| | | Sample description/Code | : Ambient Air Quality Monitoring MIRJAPURAM village |

Location:

1. MIRJAPURAM VILLAGE:AAQ/COM/09/21/792/9: PCL/MV/AAQ/11/09/2021/01

TEST RESULT

Samples are analyzed "as is where basis is"

| S. No | Parameter | Method | Units | Result | Standards |
|-------|-------------------|---------------------------------------|-------------------|--------|-----------|
| 1 | PM ₁₀ | IS 5182: Part 23 : 2006 | µg/m ³ | 64.8 | 100 |
| 2 | PM _{2.5} | CPCBs Guidelines Volume - 1 (2012-13) | µg/m ³ | 25.4 | 60 |
| 3 | SO ₂ | IS 5182: Part 2 : 2001 | µg/m ³ | 14.1 | 80 |
| 4 | NO _x | IS 5182:Part 6 :2006 | µg/m ³ | 17.6 | 80 |
| 5 | TSPM * | IS 5182 (PART - IV), 1999 | µg/m ³ | 137.3 | 200 |

Opinion and interpretation: Nil

NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
- PM₁₀ Instrument Model: LataEnvirotech APM-860, Calibration valid up to: 31-10-2021
- PM_{2.5} Instrument Model: LataEnvirotech APM-154, Calibration valid up to: 31-10-2021

Checked By


(A. Neeraja)
(Sr. Chemist)

Authorized Signatory


(Dr. Nalini Vijayalaxmi)
(Manager-Laboratory)

TEST REPORT

Page 1 of 1

Report No:KIWIS/AAQ/COM/21/389/10

Name and address of the client

**M/s Prism Johnson Limited,
 Sada Siva Rao Apartments, Plot No. 610A-3
 Sada Siva Rao Compound, Near B.H Mahal,
 Tadipatri-515411, Anantapur district,
 Andhra Pradesh.**

Date of report : 18-09-2021 Sample Collected by : Kiwis Eco Laboratories Private Limited
 Sampling date : 11-09-2021 Sample Condition : Samples received in self sealed covers and sample bottles
 Sample received on : 13-09-2021 Sampling Procedure : CPCB Guidelines (NAAQMS/36/2012-13)
 Analysis starting date : 13-09-2021 Weather Conditions : Dry
 Analysis completion date : 18-09-2021 Sample registration no : AAQ/COM/09/21/792/10
 Sub Contract Testing : NA Temperature & Humidity : 28°C & 57%
 Sample description/Code : Ambient Air Quality Monitoring KALAVATALA village

Location:

1. KALAVATALA VILLAGE: AAQ/COM/09/21/792/10: PCL/KV/AAQ/11/09/2021/01

TEST RESULT

Samples are analyzed "as is where basis is"


| S. No | Parameter | Method | Units | Result | Standards |
|-------|-------------------|---------------------------------------|-------------------|--------|-----------|
| 1 | PM ₁₀ | IS 5182: Part 23 : 2006 | µg/m ³ | 66.2 | 100 |
| 2 | PM _{2.5} | CPCBs Guidelines Volume - 1 (2012-13) | µg/m ³ | 25.1 | 60 |
| 3 | SO ₂ | IS 5182: Part 2 : 2001 | µg/m ³ | 15.2 | 80 |
| 4 | NO _x | IS 5182:Part 6 :2006 | µg/m ³ | 18.8 | 80 |
| 5 | TSPM * | IS 5182 (PART - IV), 1999 | µg/m ³ | 139.7 | 200 |

Opinion and interpretation: Nil

NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
- PM₁₀ Instrument Model: LataEnvirotech APM-860, Calibration valid up to: 31-10-2021
- PM_{2.5} Instrument Model: LataEnvirotech APM-154, Calibration valid up to: 31-10-2021

Checked By


 (A. Neeraja)
 (Sr. Chemist)

Authorized Signatory


 (Dr. Nalini Vijayalaxmi)
 (Manager-Laboratory)

Note : This report is subject to the terms and conditions mentioned overleaf

End of the Report

TEST REPORT

Page 1 of 1

Report No:KIWIS/AAQ/COM/21/389/11

Name and address of the client

**M/s Prism Johnson Limited,
 Sada Siva Rao Apartments, Plot No. 610A-3
 Sada Siva Rao Compound, Near B.H Mahal,
 Tadipatri-515411, Anantapur district,
 Andhra Pradesh.**

Date of report : 18-09-2021 Sample Collected by : Kiwis Eco Laboratories Private Limited
 Sampling date : 11-09-2021 Sample Condition : Samples received in self sealed covers and sample bottles
 Sample received on : 13-09-2021 Sampling Procedure : CPCB Guidelines (NAAQMS/36/2012-13)
 Analysis starting date : 13-09-2021 Weather Conditions : Dry
 Analysis completion date : 18-09-2021 Sample registration no : AAQ/COM/09/21/792/11
 Sub Contract Testing : NA Temperature & Humidity : 29°C & 58%
 Sample description/Code : Ambient Air Quality Monitoring
 KOLIMIGUNDLA village

Location:

1. KOLIMIGUNDLA VILLAGE : AAQ/COM/09/21/792/11: PCL/KMV/AAQ/11/09/2021/01

TEST RESULT

Samples are analyzed "as is where basis is"


| S. No | Parameter | Method | Units | Result | Standards |
|-------|-------------------|---------------------------------------|-------------------|--------|-----------|
| 1 | PM ₁₀ | IS 5182: Part 23 : 2006 | µg/m ³ | 68.7 | 100 |
| 2 | PM _{2.5} | CPCBs Guidelines Volume - 1 (2012-13) | µg/m ³ | 30.2 | 60 |
| 3 | SO ₂ | IS 5182: Part 2 : 2001 | µg/m ³ | 16.6 | 80 |
| 4 | NO _x | IS 5182:Part 6 :2006 | µg/m ³ | 20.9 | 80 |
| 5 | TSPM * | IS 5182 (PART - IV), 1999 | µg/m ³ | 157.5 | 200 |

Opinion and interpretation: Nil

NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
- PM₁₀ Instrument Model: LataEnvirotech APM-860, Calibration valid up to: 31-10-2021
- PM_{2.5} Instrument Model: LataEnvirotech APM-154, Calibration valid up to: 31-10-2021

Checked By


 (A. Neeraja)
 (Sr. Chemist)

Authorized Signatory


 (Dr. Nalini Vijayalaxmi)
 (Manager-Laboratory)

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 1 of 1

Report No:KIWIS/AAQ/COM/21/389/12

Name and address of the client

**M/s Prism Johnson Limited,
 Sada Siva Rao Apartments, Plot No. 610A-3
 Sada Siva Rao Compound, Near B.H Mahal,
 Tadipatri-515411, Anantapur district,
 Andhra Pradesh.**

Date of report : 18-09-2021 **Sample Collected by** : Kiwis Eco Laboratories Private Limited
Sampling date : 11-09-2021 **Sample Condition** : Samples received in self sealed covers and sample bottles
Sample received on : 13-09-2021 **Sampling Procedure** : CPCB Guidelines (NAAQMS/36/2012-13)
Analysis starting date : 13-09-2021 **Weather Conditions** : Dry
Analysis completion date : 18-09-2021 **Sample registration no** : AAQ/COM/09/21/792/12
Sub Contract Testing : NA **Temperature & Humidity** : 28°C & 58%
Sample description/Code : Ambient Air Quality Monitoring
 NANDIPADU village

Location:

1. NANDIPADU VILLAGE : AAQ/COM/09/21/792/12: PCL/NV/AAQ/11/09/2021/01

TEST RESULT

Samples are analyzed "as is where basis is"


| S. No | Parameter | Method | Units | Result | Standards |
|-------|-------------------|---------------------------------------|-------------------|--------|-----------|
| 1 | PM ₁₀ | IS 5182: Part 23 : 2006 | µg/m ³ | 62.5 | 100 |
| 2 | PM _{2.5} | CPCBs Guidelines Volume - 1 (2012-13) | µg/m ³ | 24.8 | 60 |
| 3 | SO ₂ | IS 5182: Part 2 : 2001 | µg/m ³ | 14.8 | 80 |
| 4 | NO _x | IS 5182:Part 6 :2006 | µg/m ³ | 17.9 | 80 |
| 5 | TSPM * | IS 5182 (PART - IV), 1999 | µg/m ³ | 136.6 | 200 |

Opinion and interpretation: Nil

NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
- PM₁₀ Instrument Model: LataEnvirotech APM-860, Calibration valid up to: 31-10-2021
- PM_{2.5} Instrument Model: LataEnvirotech APM-154, Calibration valid up to: 31-10-2021

Checked By


 (A. Neeraja)
 (Sr. Chemist)

Authorized Signatory


 (Dr. Nalini VijayaLaxmi)
 (Manager-Laboratory)

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 1 of 2

Report No: KIWIS/NOISE/COM/21/389/5

Name and address of the client

**M/s Prism Johnson Limited,
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.**

Date of report : 18-09-2021

Date of Monitoring : 10-09-2021

Sample Registration No : NOISE/COM/09/21/792/5

Sample Collected By : Kiwis Eco Laboratories Private Limited

Sample Description/Code : Noise Monitoring

Sub Contract Testing : NA

Location:

1. MINES OFFICE: NOISE/COM/09/21/792/5:PCL/ MO/NOISE/10/09/2021/01

TEST REPORT

Report No: **KIWIS/NOISE/COM/21/389/5**

Page 2of 2

TEST RESULT


| Sl.No. | Time | Result in dB(A) |
|--------------------------------|---------------|-----------------|
| | | Mines office |
| 1 | 06:00 - 07:00 | 51.9 |
| 2 | 07:00 - 08:00 | 53.6 |
| 3 | 08:00 - 09:00 | 52.7 |
| 4 | 09:00 - 10:00 | 54.6 |
| 5 | 10:00 - 11:00 | 56.9 |
| 6 | 11:00 - 12:00 | 58.6 |
| 7 | 12:00 - 13:00 | 60.3 |
| 8 | 13:00 - 14:00 | 62.4 |
| 9 | 14:00 - 15:00 | 64.9 |
| 10 | 15:00 - 16:00 | 65.9 |
| 11 | 16:00 - 17:00 | 67.3 |
| 12 | 17:00 - 18:00 | 64.3 |
| 13 | 18:00 - 19:00 | 63.3 |
| 14 | 19:00 - 20:00 | 62.8 |
| 15 | 20:00 - 21:00 | 60.5 |
| 16 | 21:00 - 22:00 | 57.6 |
| 17 | 22:00 - 23:00 | 54.9 |
| 18 | 23:00 - 00:00 | 54.3 |
| 19 | 00:00 - 01:00 | 51.9 |
| 20 | 01:00 - 02:00 | 49.3 |
| 21 | 02:00 - 03:00 | 47.3 |
| 22 | 03:00 - 04:00 | 48.2 |
| 23 | 04:00 - 05:00 | 49.6 |
| 24 | 05:00 - 06:00 | 50.6 |
| Leq Day | | 62.7 |
| Leq Night | | 50.0 |
| CPCB Norms (Day Time) | | 75 dB(A) |
| CPCB Norms (Night time) | | 70 dB(A) |

Opinion and interpretation: Nil

NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
Integrated Sound Level Meter, Make:LUTRON, ModelNo:SL- 4033 SD, Calibration valid up to:16-09-2022

Checked By


(A. Meera)
(Sr.Chemist)

Authorized Signatory


(Dr.NaliniVijayaLaxmi)
(Manager-Laboratory)

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 1 of 2

Report No: KIWIS/NOISE/COM/21/389/6

Name and address of the client

**M/s Prism Johnson Limited,
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.**

Date of report : 18-09-2021

Date of Monitoring : 10-09-2021

Sample Registration No : NOISE/COM/09/21/792/6

Sample Collected By : KIWIS Eco Laboratories Private Limited

Sample Description/Code : Noise Monitoring

Sub Contract Testing : NA

Location:

1. KOTAPADU VILLAGE: NOISE/COM/09/21/792/6:PCL/ KPV/NOISE/10/09/2021/01

TEST REPORT

Report No: KIWIS/NOISE/COM/21/389/6

Page 2of 2

TEST RESULT


| Sl.No. | Time | Result in dB(A) |
|--------------------------------|---------------|------------------|
| | | Kotapadu Village |
| 1 | 06:00 - 07:00 | 42.5 |
| 2 | 07:00 - 08:00 | 43.6 |
| 3 | 08:00 - 09:00 | 42.3 |
| 4 | 09:00 - 10:00 | 44.1 |
| 5 | 10:00 - 11:00 | 45.6 |
| 6 | 11:00 - 12:00 | 46.2 |
| 7 | 12:00 - 13:00 | 48.7 |
| 8 | 13:00 - 14:00 | 50.4 |
| 9 | 14:00 - 15:00 | 49.9 |
| 10 | 15:00 - 16:00 | 51.7 |
| 11 | 16:00 - 17:00 | 53.6 |
| 12 | 17:00 - 18:00 | 55.3 |
| 13 | 18:00 - 19:00 | 54.3 |
| 14 | 19:00 - 20:00 | 53.6 |
| 15 | 20:00 - 21:00 | 51.6 |
| 16 | 21:00 - 22:00 | 49.3 |
| 17 | 22:00 - 23:00 | 45.6 |
| 18 | 23:00 - 00:00 | 43.1 |
| 19 | 00:00 - 01:00 | 41.1 |
| 20 | 01:00 - 02:00 | 39.9 |
| 21 | 02:00 - 03:00 | 37.4 |
| 22 | 03:00 - 04:00 | 38.8 |
| 23 | 04:00 - 05:00 | 40.2 |
| 24 | 05:00 - 06:00 | 41.6 |
| Leq Day | | 51.2 |
| Leq Night | | 40.5 |
| CPCB Norms (Day Time) | | 55 dB(A) |
| CPCB Norms (Night time) | | 45 dB(A) |

Opinion and interpretation: Nil

NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
Integrated Sound Level Meter, Make:LUTRON, ModelNo:SL- 4033 SD, Calibration valid up to:16-09-2022

Checked By


(A. Neeraja)
(Sr. Chemist)

Authorized Signatory


(Dr. Nalini Vijayalaxmi)
(Manager-Laboratory)

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

KIWIS/QF/7.8/04



KIWIS

ECO LABORATORIES PVT LTD

Recognized by MoEF, GOI
Certified by 9001 & 18001

Plot No. 19, ALEAP Industrial Estate,
SY. No's 342, Near Pragathi Nagar,
Quthbullpur Mandal and Municipality,
Ranga Reddy Dist. Telangana - 500 090.
Email : kiwislabhyd@gmail.com
Ph : 99666 61485 / 040-23816333

TEST REPORT

Page 1 of 2

Report No: KIWIS/NOISE/COM/21/389/7

Name and address of the client

**M/s Prism Johnson Limited,
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.**

Date of report : 18-09-2021

Date of Monitoring : 10-09-2021

Sample Registration No : NOISE/COM/09/21/792/7

Sample Collected By : Kiwis Eco Laboratories Private Limited

Sample Description/Code : Noise Monitoring

Sub Contract Testing : NA

Location:

1. PERUSOMULA VILLAGE: NOISE/COM/09/21/792/7:PCL/ PV/NOISE/10/09/2021/01

TEST REPORT

Report No: **KIWIS/NOISE/COM/21/389/7**

Page 2 of 2

TEST RESULT

| Sl.No. | Time | Result in dB(A) |
|--------------------------------|---------------|---------------------------|
| | | <i>Perusomula Village</i> |
| 1 | 06:00 - 07:00 | 43.3 |
| 2 | 07:00 - 08:00 | 44.2 |
| 3 | 08:00 - 09:00 | 42.7 |
| 4 | 09:00 - 10:00 | 44.9 |
| 5 | 10:00 - 11:00 | 46.6 |
| 6 | 11:00 - 12:00 | 48.8 |
| 7 | 12:00 - 13:00 | 50.3 |
| 8 | 13:00 - 14:00 | 52.3 |
| 9 | 14:00 - 15:00 | 53.7 |
| 10 | 15:00 - 16:00 | 55.9 |
| 11 | 16:00 - 17:00 | 57.4 |
| 12 | 17:00 - 18:00 | 55.1 |
| 13 | 18:00 - 19:00 | 53.3 |
| 14 | 19:00 - 20:00 | 51.5 |
| 15 | 20:00 - 21:00 | 49.6 |
| 16 | 21:00 - 22:00 | 47.3 |
| 17 | 22:00 - 23:00 | 45.5 |
| 18 | 23:00 - 00:00 | 43.3 |
| 19 | 00:00 - 01:00 | 42.1 |
| 20 | 01:00 - 02:00 | 41.8 |
| 21 | 02:00 - 03:00 | 39.9 |
| 22 | 03:00 - 04:00 | 40.5 |
| 23 | 04:00 - 05:00 | 41.3 |
| 24 | 05:00 - 06:00 | 42.2 |
| Leq Day | | 51.8 |
| Leq Night | | 41.9 |
| CPCB Norms (Day Time) | | 55 dB(A) |
| CPCB Norms (Night time) | | 45dB(A) |

Opinion and interpretation: Nil


NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
Integrated Sound Level Meter, Make:LUTRON, ModelNo:SL- 4033 SD, Calibration valid up to:16-09-2022

Checked By


(A. Neeraja)
(Sr. Chemist)

Authorized Signatory


(Dr. Nalini Vijayalaxmi)
(Manager-Laboratory)

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 1 of 2

Report No: KIWIS/NOISE/COM/21/389/8

Name and address of the client

**M/s Prism Johnson Limited,
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.**

Date of report : 18-09-2021

Date of Monitoring : 10-09-2021

Sample Registration No : NOISE/COM/09/21/792/8

Sample Collected By : Kiwis Eco Laboratories Private Limited

Sample Description/Code : Noise Monitoring

Sub Contract Testing : NA

Location:

1. RAMIREDDIPALLI VILLAGE:NOISE/COM/09/21/792/8:PCL/ RV/NOISE/10/09/2021/01

TEST REPORTReport No: **KIWIS/NOISE/COM/21/389/8**

Page 2 of 2

TEST RESULT


| S.No | Time | Result in dB(A) |
|--------------------------------|---------------|-------------------------------|
| | | <i>Ramireddipalli Village</i> |
| 1 | 06:00 - 07:00 | 41.3 |
| 2 | 07:00 - 08:00 | 42.1 |
| 3 | 08:00 - 09:00 | 42.9 |
| 4 | 09:00 - 10:00 | 44.4 |
| 5 | 10:00 - 11:00 | 45.1 |
| 6 | 11:00 - 12:00 | 46.1 |
| 7 | 12:00 - 13:00 | 47.6 |
| 8 | 13:00 - 14:00 | 48.3 |
| 9 | 14:00 - 15:00 | 50.5 |
| 10 | 15:00 - 16:00 | 51.7 |
| 11 | 16:00 - 17:00 | 53.9 |
| 12 | 17:00 - 18:00 | 52.2 |
| 13 | 18:00 - 19:00 | 51.6 |
| 14 | 19:00 - 20:00 | 49.6 |
| 15 | 20:00 - 21:00 | 48.1 |
| 16 | 21:00 - 22:00 | 46.6 |
| 17 | 22:00 - 23:00 | 45.1 |
| 18 | 23:00 - 00:00 | 43.3 |
| 19 | 00:00 - 01:00 | 42.1 |
| 20 | 01:00 - 02:00 | 40.8 |
| 21 | 02:00 - 03:00 | 38.6 |
| 22 | 03:00 - 04:00 | 39.1 |
| 23 | 04:00 - 05:00 | 40.3 |
| 24 | 05:00 - 06:00 | 40.9 |
| Leq Day | | 49.0 |
| Leq Night | | 41.0 |
| CPCB Norms (Day Time) | | 55 dB(A) |
| CPCB Norms (Night time) | | 45 dB(A) |

Opinion and interpretation: Nil


NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
Integrated Sound Level Meter, Make:LUTRON, ModelNo:SL- 4033 SD, Calibration valid up to:16-09-2022

Checked By


(A. Neeraja)
(Sr. Chemist)

Authorized Signatory


(Dr. Nalini Vijayalaxmi)
(Manager-Laboratory)
End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 1 of 2

Report No: KIWIS/NOISE/COM/21/389/13

Name and address of the client

**M/s Prism Johnson Limited,
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.**

Date of report : 18-09-2021

Date of Monitoring : 11-09-2021

Sample Registration No : NOISE/COM/09/21/792/13

Sample Collected By : Kiwis Eco Laboratories Private Limited

Sample Description/Code : Noise Monitoring

Sub Contract Testing : NA

Location:

1. MIRJAPURAM VILLAGE: NOISE/COM/09/21/792/13:PCL/ MV/NOISE/11/09/2021/01

TEST REPORT

Report No: **KIWIS/NOISE/COM/21/389/13**

Page 2 of 2

TEST RESULT


| S.No | Time | Result in dB(A) |
|--------------------------------|---------------|---------------------------|
| | | <i>Mirjapuram Village</i> |
| 1 | 06:00 - 7:00 | 41.9 |
| 2 | 07:00 - 08:00 | 42.9 |
| 3 | 08:00 - 09:00 | 41.5 |
| 4 | 09:00 - 10:00 | 43.6 |
| 5 | 10:00 - 11:00 | 44.2 |
| 6 | 11:00 - 12:00 | 45.5 |
| 7 | 12:00 - 13:00 | 46.3 |
| 8 | 13:00 - 14:00 | 47.3 |
| 9 | 14:00 - 15:00 | 48.9 |
| 10 | 15:00 - 16:00 | 50.7 |
| 11 | 16:00 - 17:00 | 52.3 |
| 12 | 17:00 - 18:00 | 51.4 |
| 13 | 18:00 - 19:00 | 49.6 |
| 14 | 19:00 - 20:00 | 48.3 |
| 15 | 20:00 - 21:00 | 46.6 |
| 16 | 21:00 - 22:00 | 44.3 |
| 17 | 22:00 - 23:00 | 43.7 |
| 18 | 23:00 - 00:00 | 42.1 |
| 19 | 00:00 - 01:00 | 41.9 |
| 20 | 01:00 - 02:00 | 40.6 |
| 21 | 02:00 - 03:00 | 38.2 |
| 22 | 03:00 - 04:00 | 38.8 |
| 23 | 04:00 - 05:00 | 39.5 |
| 24 | 05:00 - 06:00 | 40.9 |
| Leq Day | | 47.5 |
| Leq Night | | 40.8 |
| CPCB Norms (Day Time) | | 55 dB(A) |
| CPCB Norms (Night time) | | 45dB(A) |

Opinion and interpretation: Nil

NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
Integrated Sound Level Meter, Make:LUTRON, ModelNo:SL- 4033 SD, Calibration valid up to:16-09-2022

Checked By


(A. Neeraja)
(Sr. Chemist)

Authorized Signatory


(Dr. Nahini Vijaya laxmi)
(Manager-Laboratory)

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 1 of 2

Report No: KIWIS/NOISE/COM/21/389/14

Name and address of the client

**M/s Prism Johnson Limited,
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.**

Date of report : 18-09-2021

Date of Monitoring : 11-09-2021

Sample Registration No : NOISE/COM/09/21/792/14

Sample Collected By : Kiwis Eco Laboratories Private Limited

Sample Description/Code : Noise Monitoring

Sub Contract Testing : NA

Location:

1. KALVATALA VILLAGE: NOISE/COM/09/21/792/14:PCL/ KV/NOISE/11/09/2021/01

TEST REPORT

Report No: KIWIS/NOISE/COM/21/389/14

Page 2 of 2

TEST RESULT


| S.No | Time | Result in dB(A) |
|--------------------------------|---------------|-------------------|
| | | Kalvatala Village |
| 1 | 06:00 - 07:00 | 42.1 |
| 2 | 07:00 - 08:00 | 43.1 |
| 3 | 08:00 - 09:00 | 42.5 |
| 4 | 09:00 - 10:00 | 43.8 |
| 5 | 10:00 - 11:00 | 45.6 |
| 6 | 11:00 - 12:00 | 47.4 |
| 7 | 12:00 - 13:00 | 48.3 |
| 8 | 13:00 - 14:00 | 49.1 |
| 9 | 14:00 - 15:00 | 50.7 |
| 10 | 15:00 - 16:00 | 52.3 |
| 11 | 16:00 - 17:00 | 54.6 |
| 12 | 17:00 - 18:00 | 53.5 |
| 13 | 18:00 - 19:00 | 52.1 |
| 14 | 19:00 - 20:00 | 51.4 |
| 15 | 20:00 - 21:00 | 49.8 |
| 16 | 21:00 - 22:00 | 47.3 |
| 17 | 22:00 - 23:00 | 45.5 |
| 18 | 23:00 - 00:00 | 43.1 |
| 19 | 00:00 - 01:00 | 41.6 |
| 20 | 01:00 - 02:00 | 39.4 |
| 21 | 02:00 - 03:00 | 38.3 |
| 22 | 03:00 - 04:00 | 39.7 |
| 23 | 04:00 - 05:00 | 40.2 |
| 24 | 05:00 - 06:00 | 41.3 |
| Leq Day | | 49.9 |
| Leq Night | | 40.4 |
| CPCB Norms (Day Time) | | 55 dB(A) |
| CPCB Norms (Night time) | | 45 dB(A) |

Opinion and interpretation: Nil

NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
Integrated Sound Level Meter, Make:LUTRON, ModelNo:SL- 4033 SD, Calibration valid up to:16-09-2022

Checked By


(A. Neeraja)
(Sr. Chemist)

Authorized Signatory


(Dr. Nalini VijayaLaxmi)
(Manager-Laboratory)

End of the Report

TEST REPORT

Page 1 of 2

Report No: KIWIS/NOISE/COM/21/389/15

Name and address of the client

**M/s Prism Johnson Limited,
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.**

Date of report : 18-09-2021

Date of Monitoring : 11-09-2021

Sample Registration No : NOISE/COM/09/21/792/15

Sample Collected By : Kiwis Eco Laboratories Private Limited

Sample Description/Code : Noise Monitoring

Sub Contract Testing : NA

Location:

1. KOLIMIGUNDLA VILLAGE: NOISE/COM/09/21/792/15:PCL/ KMV/NOISE/11/09/2021/01

TEST REPORT

Report No: KIWIS/NOISE/COM/21/389/15

Page 2of 2

TEST RESULT


| Sl.No. | Time | Result in dB(A) |
|--------------------------------|---------------|----------------------|
| | | Kolimigundla Village |
| 1 | 06:00 - 7:00 | 44.3 |
| 2 | 07:00 - 08:00 | 43.8 |
| 3 | 08:00 - 09:00 | 43.1 |
| 4 | 09:00 - 10:00 | 44.6 |
| 5 | 10:00 - 11:00 | 46.9 |
| 6 | 11:00 - 12:00 | 48.2 |
| 7 | 12:00 - 13:00 | 50.5 |
| 8 | 13:00 - 14:00 | 52.9 |
| 9 | 14:00 - 15:00 | 54.6 |
| 10 | 15:00 - 16:00 | 56.3 |
| 11 | 16:00 - 17:00 | 57.3 |
| 12 | 17:00 - 18:00 | 55.5 |
| 13 | 18:00 - 19:00 | 53.1 |
| 14 | 19:00 - 20:00 | 52.9 |
| 15 | 20:00 - 21:00 | 50.3 |
| 16 | 21:00 - 22:00 | 47.3 |
| 17 | 22:00 - 23:00 | 46.7 |
| 18 | 23:00 - 00:00 | 45 |
| 19 | 00:00 - 01:00 | 44.3 |
| 20 | 01:00 - 02:00 | 42.5 |
| 21 | 02:00 - 03:00 | 40.4 |
| 22 | 03:00 - 04:00 | 41.3 |
| 23 | 04:00 - 05:00 | 42.2 |
| 24 | 05:00 - 06:00 | 43.1 |
| Leq Day | | 52.6 |
| Leq Night | | 42.7 |
| CPCB Norms (Day Time) | | 55 dB(A) |
| CPCB Norms (Night time) | | 45 dB(A) |

Opinion and interpretation: Nil

NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
 Integrated Sound Level Meter, Make:LUTRON, ModelNo:SL- 4033 SD, Calibration valid up to:16-09-2022

Checked By


 (A. Neeraja)
 (Sr. Chemist)

Authorized Signatory


 (Dr. Nalini Vijayalaxmi)
 (Manager-Laboratory)

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 1 of 2

Report No: KIWIS/COM/NOISE/21/389/16

Name and address of the client

**M/s Prism Johnson Limited,
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.**

Date of report : 18-09-2021

Date of Monitoring : 11-09-2021

Sample Registration No : NOISE/COM/09/21/792/16

Sample Collected By : Kiwis Eco Laboratories Private Limited

Sample Description/Code : Noise Monitoring

Sub Contract Testing : NA

Location:

1. NANDIPADU VILLAGE : NOISE/COM/09/21/792/16:PCL/ NV/NOISE/11/09/2021/01

TEST REPORT

Report No: KIWIS/NOISE/COM/21/389/16

Page 2 of 2

TEST RESULT


| Sl.No. | Time | Result in dB(A) |
|--------------------------------|---------------|--------------------------|
| | | <i>Nandipadu Village</i> |
| 1 | 06:00 - 07:00 | 43.5 |
| 2 | 07:00 - 08:00 | 44.1 |
| 3 | 08:00 - 09:00 | 43.1 |
| 4 | 09:00 - 10:00 | 44.8 |
| 5 | 10:00 - 11:00 | 45.3 |
| 6 | 11:00 - 12:00 | 46.6 |
| 7 | 12:00 - 13:00 | 48.2 |
| 8 | 13:00 - 14:00 | 49.7 |
| 9 | 14:00 - 15:00 | 51.3 |
| 10 | 15:00 - 16:00 | 53.3 |
| 11 | 16:00 - 17:00 | 55.1 |
| 12 | 17:00 - 18:00 | 54.3 |
| 13 | 18:00 - 19:00 | 52.5 |
| 14 | 19:00 - 20:00 | 51.7 |
| 15 | 20:00 - 21:00 | 50.6 |
| 16 | 21:00 - 22:00 | 48.3 |
| 17 | 22:00 - 23:00 | 47.3 |
| 18 | 23:00 - 00:00 | 44.3 |
| 19 | 00:00 - 01:00 | 42.1 |
| 20 | 01:00 - 02:00 | 40.8 |
| 21 | 02:00 - 03:00 | 38.6 |
| 22 | 03:00 - 04:00 | 39.5 |
| 23 | 04:00 - 05:00 | 40.9 |
| 24 | 05:00 - 06:00 | 41.3 |
| Leq Day | | 49.9 |
| Leq Night | | 41.1 |
| CPCB Norms (Day Time) | | 55 dB(A) |
| CPCB Norms (Night time) | | 45 dB(A) |

Opinion and interpretation: Nil


NA: Not Applicable

- Test reports shall not be reproduced except in full, without written approval of the laboratory
 Integrated Sound Level Meter, Make:LUTRON, ModelNo:SL- 4033 SD, Calibration valid up to:16-09-2022

Checked By


 (A. Neeraja)
 (Sr. Chemist)

Authorized Signatory


 (Dr. Nalini VijayaLaxmi)
 (Manager-Laboratory)

End of the Report

TEST REPORT

Page 1 of 2

Report No: KIWIS/W/COM/2021/389/17

Name and address of the client

**M/s. Prism Johnson Limited,
 Sada Siva Rao Apartments, Plot No. 610A-3
 Sada Siva Rao Compound, Near B.H Mahal,
 Tadipatri-515411, Anantapur district,
 Andhra Pradesh.**

| | | | |
|---------------------------------|--------------|--------------------------------|---|
| Date of report | : 18-09-2021 | Sample Collected by | : Kiwis Eco Laboratories Private Limited |
| Date of sampling | : 11-09-2021 | Sample Condition | : Samples received in Plastic Container |
| Sample received on | : 12-09-2021 | Sampling Procedure | : KIWIS/SOP/ Lab - 258 |
| Analysis starting date | : 12-09-2021 | Sample registration no | : W/COM/09/2021/792/17 |
| Analysis completion date | : 18-09-2021 | Sample description/Code | : Ground Water Quality Sampling at Near Mines Office |
| Sub Contract Testing | : NA | | |

1. W/COM/09/2021/792/17: PCL/MO/11/09/2021/01(Ground Water, Near Mines Office)

Samples are analyzed "as is where basis is"

| S.No | Parameter | Unit | Method | Result | IS 10500 Acceptable Limits | IS 10500 Permissible Limits |
|------|---------------------------------|---------|----------------|--------|----------------------------|-----------------------------|
| 1 | Color | CU | APHA 2120 C | <5.0 | 5 | 15 |
| 2 | pH @ 25.0°C | - | APHA 4500H+ B | 7.52 | 6.5-8.5 | No relaxation |
| 3 | Turbidity | NTU | APHA 2130 B | <1.0 | 1 | 5 |
| 4 | Electrical Conductivity | µMho/cm | APHA 2510 - B | 1120.0 | Not Specified | Not Specified |
| 5 | Total Dissolved solids | mg/L | APHA 2540 C | 700.0 | 500 | 2000 |
| 6 | Total Suspended Solids | mg/L | APHA 2540 D | <10.0 | Not Specified | Not Specified |
| 7 | Alkalinity as CaCO ₃ | mg/L | APHA 2320 B | 335.0 | 200 | 600 |
| 8 | Hardness as CaCO ₃ | mg/L | APHA 2340 C | 320.0 | 200 | 600 |
| 9 | Calcium as Ca | mg/L | APHA 3500 Ca B | 102.20 | 75 | 200 |
| 10 | Magnesium as Mg | mg/L | APHA 3500-Mg B | 16.11 | 30 | 100 |

TEST REPORT

Page 2 of 2

Report No: KIWIS/W/COM/2021/389/17

Samples are analyzed "as is where basis is"


| S.No | Parameter | Unit | Method | Result | IS 10500 Acceptable Limits | IS 10500 Permissible Limits |
|---------------------------------------|--|------------|--------------------------------|--------|--|--|
| 11 | Chlorides as Cl ⁻ | mg/L | APHA 4500 Cl ⁻ B | 75.83 | 250 | 1000 |
| 12 | Sulphates as SO ₄ | mg/L | APHA 4500 SO ₄ D | 26.34 | 200 | 400 |
| 13 | Nitrate as NO ₃ | mg/L | APHA 4500 NO ₃ B | 2.6 | 45 | No relaxation |
| 14 | Sodium as Na | mg/L | APHA 3500 Na B | 58.0 | Not Specified | Not Specified |
| 15 | Potassium as K | mg/L | APHA 3500 K B | 2.4 | Not Specified | Not Specified |
| 16 | Fluoride as F | mg/L | APHA 4500F D | 0.22 | 1.0 | 1.5 |
| 17 | Iron as Fe | mg/L | APHA 3500 Fe B | 0.18 | 0.3 | No relaxation |
| 18 | Zinc as Zn | mg/L | APHA 3111 B | <0.2 | 5 | 15 |
| 19 | Chemical Oxygen Demand | mg/L | APHA 5220 B | 4.0 | Not Specified | Not Specified |
| 20 | Biochemical Oxygen Demand (3 Days at 27°C) | mg/L | IS : 3025 (P-44) | <4.0 | Not Specified | Not Specified |
| 21 | Lead as Pb | mg/L | APHA 3111 B | <0.01 | 0.01 | No relaxation |
| 22 | Manganese as Mn | mg/L | APHA 3111 B | <0.1 | 0.1 | 0.3 |
| 23 | Cadmium as Cd | mg/L | APHA 3111 B | <0.003 | 0.003 | No relaxation |
| 24 | Copper as Cu | mg/L | APHA 3111 B | <0.05 | 0.05 | 1.5 |
| 25 | Cyanide as CN ⁻ | mg/L | APHA 4500 CN ⁻ C, E | <0.05 | 0.05 | No relaxation |
| 26 | E-Coli | MPN/100 ml | APHA 9221 G | Absent | Shall not be detectable in any 100 ml sample | Shall not be detectable in any 100 ml sample |
| Water available depth from the Ground | | Meters | 10.6 | | | |


Methods follow: APHA 23rd Edition

NA: Not Applicable

Opinion and interpretation: Nil

- Reports pertained only to the submitted sample
- Test reports shall not be reproduced except in full, without written approval of the laboratory

Checked By

 (A. Neeraja)
 Sr. Chemist

Authorized Signatory

 (Dr. Nalini VijayaLaxmi)
 Manager Laboratory

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 1 of 2

Report No: KIWIS/W/COM/2021/389/18

Name and address of the client

*M/s. Prism Johnson Limited,
 Sada Siva Rao Apartments, Plot No. 610A-3
 Sada Siva Rao Compound, Near B.H Mahal,
 Tadipatri-515411, Anantapur district,
 Andhra Pradesh.*

| | | | |
|---------------------------------|---------------------|--------------------------------|--|
| <i>Date of report</i> | <i>: 18-09-2021</i> | <i>Sample Collected by</i> | <i>: Kiwis Eco Laboratories Private Limited</i> |
| <i>Date of sampling</i> | <i>: 11-09-2021</i> | <i>Sample Condition</i> | <i>: Samples received in Plastic Container</i> |
| <i>Sample received on</i> | <i>: 12-09-2021</i> | <i>Sampling Procedure</i> | <i>: KIWIS/SOP/ Lab - 258</i> |
| <i>Analysis starting date</i> | <i>: 12-09-2021</i> | <i>Sample registration no</i> | <i>: W/COM/09/2021/792/18</i> |
| <i>Analysis completion date</i> | <i>: 18-09-2021</i> | <i>Sample description/Code</i> | <i>: Ground Water Quality Sampling at Ramireddipalli Village</i> |
| <i>Sub Contract Testing</i> | <i>: NA</i> | | |

1. W/COM/09/2021/792/18: PCL/RV/11/09/2021/02(Ground Water at Ramireddipalli Village)

Samples are analyzed "as is where basis is"

| S.No | Parameter | Unit | Method | Result | IS 10500 Acceptable Limits | IS 10500 Permissible Limits |
|------|---------------------------------|---------|----------------|--------|----------------------------|-----------------------------|
| 1 | Color | CU | APHA 2120 C | <5.0 | 5 | 15 |
| 2 | pH @ 26.2°C | - | APHA 4500H+ B | 7.41 | 6.5-8.5 | No relaxation |
| 3 | Turbidity | NTU | APHA 2130 B | <1.0 | 1 | 5 |
| 4 | Electrical Conductivity | µMho/cm | APHA 2510 - B | 1190.0 | Not Specified | Not Specified |
| 5 | Total Dissolved solids | mg/L | APHA 2540 C | 780.0 | 500 | 2000 |
| 6 | Total Suspended Solids | mg/L | APHA 2540 D | <10.0 | Not Specified | Not Specified |
| 7 | Alkalinity as CaCO ₃ | mg/L | APHA 2320 B | 365.0 | 200 | 600 |
| 8 | Hardness as CaCO ₃ | mg/L | APHA 2340 C | 470.0 | 200 | 600 |
| 9 | Calcium as Ca | mg/L | APHA 3500 Ca B | 138.99 | 75 | 200 |
| 10 | Magnesium as Mg | mg/L | APHA 3500-Mg B | 29.74 | 30 | 100 |

TEST REPORT

Page 2 of 2

Report No: KIWIS/W/COM/2021/389/18

Samples are analyzed "as is where basis is"

| S.No | Parameter | Unit | Method | Result | IS 10500 Acceptable Limits | IS 10500 Permissible Limits |
|---------------------------------------|--|-----------|--------------------------------|--------|--|--|
| 11 | Chlorides as Cl ⁻ | mg/L | APHA 4500 Cl ⁻ B | 85.61 | 250 | 1000 |
| 12 | Sulphates as SO ₄ | mg/L | APHA 4500 SO ₄ D | 28.81 | 200 | 400 |
| 13 | Nitrate as NO ₃ | mg/L | APHA 4500 NO ₃ B | 3.2 | 45 | No relaxation |
| 14 | Sodium as Na | mg/L | APHA 3500 Na B | 71.0 | Not Specified | Not Specified |
| 15 | Potassium as K | mg/L | APHA 3500 K B | 3.5 | Not Specified | Not Specified |
| 16 | Fluoride as F | mg/L | APHA 4500F- D | 0.30 | 1.0 | 1.5 |
| 17 | Iron as Fe | mg/L | APHA 3500 Fe B | 0.11 | 0.3 | No relaxation |
| 18 | Zinc as Zn | mg/L | APHA 3111 B | <0.2 | 5 | 15 |
| 19 | Chemical Oxygen Demand | mg/L | APHA 5220 B | 4.0 | Not Specified | Not Specified |
| 20 | Biochemical Oxygen Demand (3 Days at 27°C) | mg/L | IS : 3025 (P-44) | <4.0 | Not Specified | Not Specified |
| 21 | Lead as Pb | mg/L | APHA 3111 B | <0.01 | 0.01 | No relaxation |
| 22 | Manganese as Mn | mg/L | APHA 3111 B | <0.1 | 0.1 | 0.3 |
| 23 | Cadmium as Cd | mg/L | APHA 3111 B | <0.003 | 0.003 | No relaxation |
| 24 | Copper as Cu | mg/L | APHA 3111 B | <0.05 | 0.05 | 1.5 |
| 25 | Cyanide as CN ⁻ | mg/L | APHA 4500 CN ⁻ C, E | <0.05 | 0.05 | No relaxation |
| 26 | E-Coli | MPN/100ml | APHA 9221 G | Absent | Shall not be detectable in any 100 ml sample | Shall not be detectable in any 100 ml sample |
| Water available depth from the Ground | | Meters | 9.9 | | | |

Methods follow: APHA 23rd Edition

NA: Not Applicable


Opinion and interpretation: Nil

- Reports pertained only to the submitted sample
- Test reports shall not be reproduced except in full, without written approval of the laboratory

Checked By


 (A. Neeraja)
 Sr. Chemist

Authorized Signatory


 (Dr. Nalini VijayaLaxmi)
 Manager Laboratory

End of the Report

TEST REPORT

Page 1 of 2

Report No: KIWIS/W/COM/2021/389/19

Name and address of the client

**M/s. Prism Johnson Limited,
 Sada Siva Rao Apartments, Plot No. 610A-3
 Sada Siva Rao Compound, Near B.H Mahal,
 Tadipatri-515411, Anantapur district,
 Andhra Pradesh.**

Date of report : 18-09-2021 **Sample Collected by** : Kiwis Eco Laboratories Private Limited
Date of sampling : 11-09-2021 **Sample Condition** : Samples received in Plastic Container
Sample received on : 12-09-2021 **Sampling Procedure** : KIWIS/SOP/ Lab - 258
Analysis starting date : 12-09-2021 **Sample registration no** : W/COM/09/2021/792/19
Analysis completion date : 18-09-2021 **Sample description/Code** : Ground Water Quality Sampling at
 Mirjapuram Village
Sub Contract Testing : NA

1. W/COM/09/2021/792/19: PCL/MV/11/09/2021/03(Ground Water at Mirjapuram Village)

Samples are analyzed "as is where basis is"

| S.No | Parameter | Unit | Method | Result | IS 10500 Acceptable Limits | IS 10500 Permissible Limits |
|------|---------------------------------|---------|----------------|--------|----------------------------------|-----------------------------------|
| 1 | Color | CU | APHA 2120 C | <5.0 | 5 | 15 |
| 2 | pH @ 26.1°C | - | APHA 4500H+ B | 7.28 | 6.5-8.5 | No relaxation |
| 3 | Turbidity | NTU | APHA 2130 B | <1.0 | 1 | 5 |
| 4 | Electrical Conductivity | µMho/cm | APHA 2510 - B | 1250.0 | Not Specified | Not Specified |
| 5 | Total Dissolved solids | mg/L | APHA 2540 C | 840.0 | 500 | 2000 |
| 6 | Total Suspended Solids | mg/L | APHA 2540 D | <10.0 | Not Specified | Not Specified |
| 7 | Alkalinity as CaCO ₃ | mg/L | APHA 2320 B | 380.0 | 200 | 600 |
| 8 | Hardness as CaCO ₃ | mg/L | APHA 2340 C | 410.0 | 200 | 600 |
| 9 | Calcium as Ca | mg/L | APHA 3500 Ca B | 136.95 | 75 | 200 |
| 10 | Magnesium as Mg | mg/L | APHA 3500-Mg B | 16.11 | 30 | 100 |

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 2 of 2

Report No: KIWIS/W/COM/2021/389/19

Samples are analyzed "as is where basis is"

| S.No | Parameter | Unit | Method | Result | IS 10500 Acceptable Limits | IS 10500 Permissible Limits |
|---------------------------------------|--|------------|--------------------------------|--------|--|--|
| 11 | Chlorides as Cl ⁻ | mg/L | APHA 4500 Cl ⁻ B | 88.06 | 250 | 1000 |
| 12 | Sulphates as SO ₄ | mg/L | APHA 4500 SO ₄ D | 30.04 | 200 | 400 |
| 13 | Nitrate as NO ₃ | mg/L | APHA 4500 NO ₃ B | 2.6 | 45 | No relaxation |
| 14 | Sodium as Na | mg/L | APHA 3500 Na B | 63.0 | Not Specified | Not Specified |
| 15 | Potassium as K | mg/L | APHA 3500 K B | 2.2 | Not Specified | Not Specified |
| 16 | Fluoride as F | mg/L | APHA 4500F- D | 0.18 | 1.0 | 1.5 |
| 17 | Iron as Fe | mg/L | APHA 3500 Fe B | 0.10 | 0.3 | No relaxation |
| 18 | Zinc as Zn | mg/L | APHA 3111 B | <0.2 | 5 | 15 |
| 19 | Chemical Oxygen Demand | mg/L | APHA 5220 B | 4.0 | Not Specified | Not Specified |
| 20 | Biochemical Oxygen Demand (3 Days at 27°C) | mg/L | IS : 3025 (P-44) | <4.0 | Not Specified | Not Specified |
| 21 | Lead as Pb | mg/L | APHA 3111 B | <0.01 | 0.01 | No relaxation |
| 22 | Manganese as Mn | mg/L | APHA 3111 B | <0.1 | 0.1 | 0.3 |
| 23 | Cadmium as Cd | mg/L | APHA 3111 B | <0.003 | 0.003 | No relaxation |
| 24 | Copper as Cu | mg/L | APHA 3111 B | <0.05 | 0.05 | 1.5 |
| 25 | Cyanide as CN ⁻ | mg/L | APHA 4500 CN ⁻ C, E | <0.05 | 0.05 | No relaxation |
| 26 | E-Coli | MPN/100 ml | APHA 9221 G | Absent | Shall not be detectable in any 100 ml sample | Shall not be detectable in any 100 ml sample |
| Water available depth from the Ground | | Meters | 10.0 | | | |


Methods follow: APHA 23rd Edition

NA: Not Applicable


Opinion and interpretation: Nil

- Reports pertained only to the submitted sample
- Test reports shall not be reproduced except in full, without written approval of the laboratory

Checked By


 (A. Neeraja)
 Sr. Chemist

Authorized Signatory


 (Dr. Nalini Vijayalaxmi)
 Manager Laboratory

Note : This report is subject to the terms and conditions mentioned overleaf
 End of the Report

TEST REPORT

Page 1 of 2

Report No: KIWIS/W/COM/2021/389/20

Name and address of the client

**M/s.Prism Johnson Limited,
 Sada Siva Rao Apartments, Plot No. 610A-3
 Sada Siva Rao Compound, Near B.H Mahal,
 Tadipatri-515411, Anantapur district,
 Andhra Pradesh.**

Date of report : 18-09-2021 **Sample Collected by** : Kiwis Eco Laboratories Private Limited
Date of sampling : 11-09-2021 **Sample Condition** : Samples received in Plastic Container
Sample received on : 12-09-2021 **Sampling Procedure** : KIWIS/SOP/ Lab - 258
Analysis starting date : 12-09-2021 **Sample registration no** : W/COM/09/2021/792/20
Analysis completion date : 18-09-2021 **Sample description/Code** : Ground Water Quality Sampling at
Sub Contract Testing : NA **Kalvatata Village (Near Shivalayam temple)**

**1. W/COM/06/2021/792/20: PCL/KV/11/9/2021/4(Ground Water at Kalvatata Village,
 Near Shivalayam temple)**

Samples are analyzed "as is where basis is"

| S.No | Parameter | Unit | Method | Result | IS 10500 Acceptable Limits | IS 10500 Permissible Limits |
|------|---------------------------------|---------|----------------|--------|----------------------------------|-----------------------------------|
| 1 | Color | CU | APHA 2120 C | <5.0 | 5 | 15 |
| 2 | pH @ 25.0°C | - | APHA 4500H+ B | 7.53 | 6.5-8.5 | No relaxation |
| 3 | Turbidity | NTU | APHA 2130 B | <1.0 | 1 | 5 |
| 4 | Electrical Conductivity | µMho/cm | APHA 2510 - B | 1205.0 | Not Specified | Not Specified |
| 5 | Total Dissolved Solids | mg/L | APHA 2540 C | 795.0 | 500 | 2000 |
| 6 | Total Suspended Solids | mg/L | APHA 2540 D | <10.0 | Not Specified | Not Specified |
| 7 | Alkalinity as CaCO ₃ | mg/L | APHA 2320 B | 340.0 | 200 | 600 |
| 8 | Hardness as CaCO ₃ | mg/L | APHA 2340 C | 355.0 | 200 | 600 |
| 9 | Calcium as Ca | mg/L | APHA 3500 Ca B | 124.68 | 75 | 200 |
| 10 | Magnesium as Mg | mg/L | APHA 3500-Mg B | 11.15 | 30 | 100 |

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Page 2 of 2

Report No: KIWIS/W/COM/2021/389/20

Samples are analyzed "as is where basis is"

| S.No | Parameter | Unit | Method | Result | IS 10500 Acceptable Limits | IS 10500 Permissible Limits |
|---------------------------------------|--|------------|--------------------------------|--------|--|--|
| 11 | Chlorides as Cl ⁻ | mg/L | APHA 4500 Cl ⁻ B | 97.84 | 250 | 1000 |
| 12 | Sulphates as SO ₄ | mg/L | APHA 4500 SO ₄ D | 32.10 | 200 | 400 |
| 13 | Nitrate as NO ₃ | mg/L | APHA 4500 NO ₃ B | 1.40 | 45 | No relaxation |
| 14 | Sodium as Na | mg/L | APHA 3500 Na B | 70.0 | Not Specified | Not Specified |
| 15 | Potassium as K | mg/L | APHA 3500 K B | 3.8 | Not Specified | Not Specified |
| 16 | Fluoride as F | mg/L | APHA 4500F- D | 0.10 | 1.0 | 1.5 |
| 17 | Iron as Fe | mg/L | APHA 3500 Fe B | 0.11 | 0.3 | No relaxation |
| 18 | Zinc as Zn | mg/L | APHA 3111 B | <0.2 | 5 | 15 |
| 19 | Chemical Oxygen Demand | mg/L | APHA 5220 B | 4.0 | Not Specified | Not Specified |
| 20 | Biochemical Oxygen Demand (3 Days at 27°C) | mg/L | IS : 3025 (P-44) | <4.0 | Not Specified | Not Specified |
| 21 | Lead as Pb | mg/L | APHA 3111 B | <0.01 | 0.01 | No relaxation |
| 22 | Manganese as Mn | mg/L | APHA 3111 B | <0.1 | 0.1 | 0.3 |
| 23 | Cadmium as Cd | mg/L | APHA 3111 B | <0.003 | 0.003 | No relaxation |
| 24 | Copper as Cu | mg/L | APHA 3111 B | <0.05 | 0.05 | 1.5 |
| 25 | Cyanide as CN ⁻ | mg/L | APHA 4500 CN ⁻ C, E | <0.05 | 0.05 | No relaxation |
| 26 | E-Coli | MPN/100 ml | APHA 9221 G | Absent | Shall not be detectable in any 100 ml sample | Shall not be detectable in any 100 ml sample |
| Water available depth from the Ground | | Meters | 10.8 | | | |


Methods follow: APHA 23rd Edition

NA: Not Applicable


Opinion and interpretation: Nil

- Reports pertained only to the submitted sample
- Test reports shall not be reproduced except in full, without written approval of the laboratory

Checked By


 (A. Neeraja)
 Sr. Chemist

Authorized Signatory


 (Dr. Nalini Vijayalaxmi)
 Manager Laboratory

End of the Report

Note : This report is subject to the terms and conditions mentioned overleaf

TEST REPORT

Name and address of the client

*M/s.Prism Johnson Limited,
Sada Siva Rao Apartments, Plot No. 610A-3
Sada Siva Rao Compound, Near B.H Mahal,
Tadipatri-515411, Anantapur district,
Andhra Pradesh.*


Date of report : 18-09-2021


Sample description/Code : Groundwater Level

Date of sampling : 11-09-2021

RESULT

| S.No | Registration Numbers | Location | Unit | Result |
|------|----------------------|------------------------|--------|--------|
| 1 | W/COM/09/2021/792/17 | Near Mines Office | Meters | 10.6 |
| 2 | W/COM/09/2021/792/18 | Ramireddipalli Village | Meters | 9.9 |
| 3 | W/COM/09/2021/792/19 | Mirjapuram Village | Meters | 10.0 |
| 4 | W/COM/09/2021/792/20 | Kalvatala Village | Meters | 10.8 |

Checked By

(A. Neeraja)
Sr. Chemist

Authorized Signatory

(Dr. Nalini Vijayalaxmi)
Manager Laboratory

End of the Report