



Date: 27.09.2024

Ref: PJL/ENV/F15/2024/862

To,
The Member Secretary,
M.P. Pollution Control Board
Paryavaran Parisar
Sector E-5, Arera Colony
Bhopal (M.P.) - 462016

Sub: Submission of Environment Statement Reports (Form-V) for the FY23-24.

Dear Sir,

With reference to the above mentioned subject, we are herewith submitting the Environmental Statement Reports of our Limestone mines (772.067 Ha - Hinauti-Sijahata Limestone Mines, 253.326 Ha - Hinauti-Sijahata Limestone Mines, 99.416 Ha - Hinauti-Sijahata Limestone Mines, 512.317 Ha - Baghai Limestone Mines, 117.59 Ha - Medhi Limestone Mines, 66.43 Ha - Mankahari Limestone Mines, 40 Ha - Badarkha Limestone Mines & 176.619 Chulhi Majhiyar Limestone Mines) for the FY23-24.

This is for your kind information please. Thanking You

Yours faithfully,

For Prism Johnson Limited

Manoj Kumar Kashyap Vice President

Encl: As Above

CC: The Regional Director - MoEF&CC, Bhopal (M.P.)
The Regional Officer – MPPCB, Satna (M.P.)

PRISM JOHNSONLIMITED

(Cement Division)





FORM-V

(See Rule – 14)

Environment Statement for the financial year ending the 31st March 2024

PART - A

of the industry, operation or process

Name & Address of the owner /occupier : Manish Singh (President & Plant Head)

PRISM JOHNSON LIMITED

(LIMESTONE MINES - 176.619 Ha)

Village – Chulhi & Majhiyar

Post – Majhiyar, Distt. – Satna (M.P.)

ii) Industry category Primary (STC) Code : Limestone Mine (Large Scale)

Secondary (SIC) Code

iii) Production Capacity (Units)

3 MTPA Limestone

iv) Year of Establishment

: 2021

Date of the last Environment Statement v)

: 08.09.2024

Submitted

PART - B

Water and Raw Material Consumption

Water Consumption m³/d **(I)**

> Process* 36 KL/Day

Cooling

Domestic 3 KL/Day

^{*} Water used for process is taken as spraying in haulage roads for dust suppression, plantation irrigation and used for wet drilling process.

| Name of Product | Process water consumption per unit of product output | | |
|-----------------|--|---------------------------------|--|
| Name of Froduct | During FY (01.04.22 – 31.03.23) | During FY (01.04.23 – 31.03.24) | |
| 1- Limestone | 46.831 Lit / Ton of LS | 255.65 Lit / Ton of LS | |

(II) Raw Material Consumption

| Name of Raw Materials | Name of Products | Consumption of raw material per unit of output During FY (01.04.22 – 31.03.23) During FY (01.04.23 – 31.03.24) | | |
|--------------------------|---------------------|---|------------------------------|--|
| 1. High Speed Diesel | Limestone | 1.113 Lit / Ton of limestone | 0.932 Lit / Ton of limestone | |
| 2. Slurry Explosive | Limestone | 0.0546 Kg / Ton of Limestone | 0.0514 Kg / Ton of Limestone | |

PART – C

Pollution discharged to environment/ unit of output

(Parameter as specified in consent issued)

| Pollutants | Quantity of Pollutants | Concentration | of | Percentage | of |
|-------------|------------------------|---------------|--------|-------------|-----------|
| | discharged (mass/day) | pollutants | in | variation | from |
| | | discharges | (mass/ | prescribes | standards |
| | | volume) | | with reason | 1 |
| (a) Water # | NA | NA | | N. | A |
| (b) Air * | NA | NA | | N. | A |

Remark: NA-Not Applicable.

PART - D

Hazardous Wastes

(As specified under Hazardous Wastes (Management & Handling) Rules, 1989 and Amendment 2008) (As specified under Hazardous Wastes (Management & Handling) Rules, 1989 and Amendment 2008 & Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016)

| Hazardous wastes | Total Quantity (KL) | | |
|--|---------------------------------|---------------------------------|--|
| | During FY (01.04.22 – 31.03.23) | During FY (01.04.23 – 31.03.24) | |
| (a) From Process | NIL | NIL | |
| (b) From Pollution Control Facilities | | | |

[#] There is no generation of effluent from mines.

^{*} There is no stack in mines

PART – E

Solid Wastes

| Solid waste | Total Quantity (Kg) | | |
|---|---------------------------------|---------------------------------|--|
| | During FY (01.04.22 – 31.03.23) | During FY (01.04.23 – 31.03.24) | |
| (a) From Process | 48909 MT | 32246 MT | |
| (b) From Pollution Control Facilities | NIL | NIL | |
| (c) 1) Quantity Recycles or Re utilized within the unit | 48909 MT | 32246 MT | |
| 2) Sold | NIL | NIL | |
| 3) Disposed | * | * | |

^{*}OB Soil was dumped for reclamation of mines in future as well as partially utilised for reclamation over back filled area.

PART - F

Please specify the characterization (in terms of composition and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

- ➤ In mines waste lube oil, generated from the gear boxes of machineries, is the only hazardous waste. This used oil is sold to authorized party registered with CPCB as Recycler / Re-processor.
- ➤ The excavated stone also consists OB with CaO < 34% and/or of 4.50 % MgO, which is undesirable. Hence it is treated as rejects and is handled separately. This is being dumped on the non-mineralized areas for back filling after the limestone quarry is fully excavated.

PART - G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production.

- From mines presently there is no discharge of effluent to nearby stream except rainy water. For preventing dust emission from roads proper sprinkling of water through tankers on road is done. Drilling machines are having water injection system. Generally, lime stone containing 42.5 % CaO is utilized for clinkerization, but Lime stone containing 34% <CaO <42% is also utilized by blending with lime stone of hire CaO content in such a way so that blended lime stone reaches required CaO content. These efforts help for conservation of natural resource. During financial year ending 31st March 2023 all above mentioned efforts of mineral (Natural Resource) conservation were adopted properly.
- ➤ Rainwater stored in this reservoir helps in groundwater recharging of the nearby area and promotes water conservation practices. This practice also reduces groundwater extraction.

- ➤ This year, industry has installed 5 new hand pumps at Richhahari, Hinauti, Mahurachh, Malgaon and Bairiha.
- To conserve natural resources, we had desilted many ponds of nearby area like 2950 m3 pond near Anganvadi at Mahurachh, 3500 m3 pond at Baghai, desilted 250 m waterways channel at Bamahuri, 7800 m3 Ramvan pond at Ramvan Sajjanpur.
- In the field of water conservation, 04 Single Bore shaft water harvesting structures in nearby villages like Belahati, Shankarpur, Tikuri and Satari, 02 double bore shafts water harvesting structures on pond at villages Mahurachh and Mataha are constructed in this fiscal year. Apart from that, we installed more than 200 Perforated Drum-based rainwater harvesting structures at Hinauti, Sijahata, Baghai and Chormari.

PART - H

Additional Measures/ investment proposal for environment protection including abatement of pollution, prevention of pollution.

- ➤ Similar to every year, Mines Environment & Mineral Conservation Week was celebrated in Dec 2023, in which different program were organized, Panel experts shared their experience and knowledge about various topics, like controlled blasting, water sprinkling, plantation and dump management.
- > To promote the safe environment practices, different competitions like poster making, poem writing were organized on that occasion and successful participants were awarded.
- Approximately 32,585 saplings were planted in open areas of all Mines during FY 2023-24 while 2,500 saplings are planted in this particular mine in the same fiscal year.
- ➤ If required, water sprinkling through dedicated water tanker is done, on haul roads to suppress fugitive dust generated due to vehicular movement.

PART-I

Any other particulars for improving the quality of environment.

For improving quality of environment plantation work in large scale is in progress. In financial year ending 31st March 2024, approximately 32,585 plants were planted in mines area. 58,994 plant saplings were distributed to the villagers of surrounding villages to promote the plantation activity. We executed road side plantation with 344 treeguards at Satna. We assured survival of 53,000 saplings at Khamhariya Forest Land and 20,000 saplings at Chulhi Jamodi Forest Land.

The above efforts would certainly help in improving the quality of environment.

For Prism Johnson Ltd.

Manoj Kumar Kashyap Vice President