

Through – Parivesh Portal

दूर की सोच

Ref: -PJL/MIN/PCL/2025/24234

31st May, 2025

To,
Regional Director
Ministry of Environment & Forests and Climate Change
Regional Office, Western Region
Kendriya Paryavaran Bhavan
Link Road No. 3, E - 5, Ravi Shankar Nagar
Bhopal – 462016

Subject: Submission of Six Monthly Compliance report for Environment Clearance – Prism Cement Limestone Mines (66.434 ha), M/s Prism Johnson Ltd. In Village -Mankahri, Tehsil Rampur Baghelan, Dist. Satna (M.P.)

Reference: Environmental Clearance Letter No. J-1 1015/8/2000-IA. II (M), dated 14th Feb 2001.

Dear Sir,


With reference to the above subject and the **Environmental Clearance** granted vide your letter no. J-11015/8/2000-IA. II (M), dated 14th February 2001, we are pleased to submit the six monthly compliance report for the period October 2024 to March 2025 for the limestone deposit at Village Mankahari, Tehsil Rampur Baghelan, District Satna, Madhya Pradesh.

The compliance report has been prepared as per the stipulated conditions of the environmental clearance. All relevant supporting documents are enclosed herewith for your kind review and consideration.

We trust the report meets the necessary requirements and is in order.

Thank you.

Yours sincerely,
For Prism Johnson Limited



Chandra Shekhar Pandit

Sr. General Manager - Mines & Project Proponent

Enclosures: As above

PRISM JOHNSON LIMITED

(Cement Division - Unit II)


Works: Village Mankahari, P.O.-Bathia, Dist. Satna - 485 111 (M.P.) India T: +91-07672-275301 / 302600
Corres. Add.: 'Rajdeep', Rewa Road, Satna - 485 001 (M.P.) India. T: +91-07672-402726

Registered Office: Prism Johnson Limited, 305, Laxmi Niwas Apartments, Ameerpet, Hyderabad - 500 016, India.
w: www.prismjohnson.in, www.cement.prismjohnson.in, E: info@prismjohnson.in

CIN: L26942TG1992PLC014033

COMPLIANCE OF CONDITIONS AS STIPULATED BY MoEF VIDE LETTER NO. J - 11015 / 8 / 2000 - I A. II (M) DATED 14.2.2001 FOR ADDITIONAL LIMESTONE DEPOSIT OVER 66.434 HECT. AREA IN VILLAGE MANAKAHARI, TEHSIL RAMPUR BAGHELAN, DIST. SATNA (M.P.)

A.	Specific Conditions :		
(i)	Mining should be carried out 500 m away from the Rewa – Satna railway track.	→	No mining activities are carried out within 500 m vicinity of Rewa – Satna Railway track.
(ii)	The topsoil should be stacked properly with adequate measures at earmarked site. It should be used for reclamation and rehabilitation of mined out area.	→	Topsoil is being used for reclamation and rehabilitation of the mined out area. No outside stacking is being done.
(iii)	OB dumps should be stacked at earmarked dump site(s) only on temporary basis. Concurrent back – filling and reclamation should be carried out from the 3 rd year of operations.	⇒	Reclamation of the mined out area has been started from 3 rd year of operations as stipulated in the condition. 12.83 Ha. of mined out area has been reclaimed.
(iv)	A green belt of adequate width by planting the native plant species all around the ML area, roads, OB dump sites etc. should be raised in consultation with local DFO / Agriculture Department.	⇒	Green belt of adequate width is being developed. Year wise details of the plantation carried out so far are given in Annexure-1. A rose garden has been developed in the colony. A nursery has also been developed where various types of saplings are prepared for plantation. Saplings planted in FY 24-25(till September) were 1420 and cumulative plantation till September 2024 is 27864.
(v)	Drill should be operated with dust extractors or only wet drilling should be adopted.	⇒	Drill machine IBH 10 of Atlas Copco is in operation. This machine is fitted with water sprinkler that settles the dust generated at the time of drilling and thus prevents it from going into the atmosphere.
(vi)	Controlled blasting should be carried out.	⇒	Controlled blasting is being practiced.

(vii)	Check dam and siltation ponds of appropriate size should be constructed to arrest silt and sediments flow from OB and mineral dumps. The water so collected should be utilized for watering mine area, roads, greenbelt, etc. The drains should be regularly desilted and maintained properly.	⇒	Garland drain and siltation pond have been constructed to arrest the silt and sediment flow. 
(viii)	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers. Monitoring should be done four times a year– pre-monsoon April / May, Monsoon (August), Post-monsoon (November) and winter (January). Data thus collected should be sent at regular intervals to MoEF.	⇒	Being done. Ground water level monitoring data of Monsoon, have been given in Annexure-2 . Water Quality monitoring report of the ground water of the wells/bore holes is given in Annexure-3 .
(ix)	Crusher should be installed and operated with adequate capacity de-dusting arrangement	⇒	Crusher has already been installed with adequate capacity of de-dusting arrangement like bag - filters. Continuous water sprinkling arrangement at crusher hopper has also been made for suppressing the dust generated during unloading of the mineral in crusher hopper.
(x)	A detailed mine decommissioning plan should be submitted to MoEF 5 year in advance for approval.	⇒	Will be submitted.
B. GENERAL CONDITIONS			
(i)	No change on mining technology and scope of working should be made without prior approval of the Ministry of Environment and Forests.	⇒	No changes have been made.
(ii)	No change in the calendar plan including excavation, quantum of limestone, waste / OB dumps should be made.	⇒	No changes have been made.
(iii)	Four ambient air quality monitoring stations should be established in the core zone as well as buffer zone for SPM, RPM, SO ₂ , NO _x and CO monitoring. Location of the ambient air quality stations should be decided based on the meteorological data, topographical features and environmentally sensitive targets in consultation with the State Pollution Control Board.	⇒	Four different monitoring stations are established and air quality is monitored twice in a week

(iv)	Data of ambient air quality should be regularly submitted to the Ministry including its Regional Office at Bhopal and the State Pollution Control Board / Central Pollution Control Board once in six months.	⇒	Being done regularly and submitted to the ministry and other government agencies. Ambient air quality monitoring results have been given in Annexure-4 .																	
(v)	Adequate measures for control of fugitive emissions should be taken during drilling and blasting operations, loading and transportation of minerals etc.	⇒	Adequate measures for control of fugitive emission are being taken during drilling and blasting operations, loading and transportation of minerals etc. Drill machine is operated with in- built dust extractor, which arrests the dust generated during the drilling operation. Water sprinkling is done on the blasted muck after blasting to reduce the dust generation during the loading operation. Water spraying is continuously done on haul roads.																	
(vi)	Adequate measures should be taken for control of noise levels below 85 dB in the work environment.	⇒	Being taken. Noise monitoring reports have been given in Annexure-5.																	
(vii)	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance programme of the workers should be undertaken periodically to observe any contractions due to exposures to dust and take corrective measures, if needed.	⇒	Personal protective equipment's are being provided to all personnel working in dusty area at regular intervals. Attached as Annexure-6. Time to time, training and information on health and safety aspects are being imparted by the HRD Deptt. as well as at vocational training center of the Deptt. All employees undergo periodical medical examination under Mines Act at regular intervals. Report is attached as Annexure-7																	
(viii)	The funds earmarked for environmental protection measures should be kept in separate account and not diverted for other purpose. Year wise expenditure should be reported to the Ministry of Environment & Forests.	⇒	Environmental Expenditure of 2024-25 <table><tr><th></th><th>Particulars</th><th>Expenditure (In lakh)</th></tr><tr><td>1</td><td>Air Pollution Monitoring</td><td>0.24</td></tr><tr><td>2</td><td>Noise Monitoring</td><td>0.1</td></tr><tr><td>3</td><td>Plantation</td><td rowspan="2">4.94</td></tr><tr><td>4</td><td>Dust Control Measure</td></tr><tr><td></td><td>Total</td><td>5.24</td></tr></table>		Particulars	Expenditure (In lakh)	1	Air Pollution Monitoring	0.24	2	Noise Monitoring	0.1	3	Plantation	4.94	4	Dust Control Measure		Total	5.24
	Particulars	Expenditure (In lakh)																		
1	Air Pollution Monitoring	0.24																		
2	Noise Monitoring	0.1																		
3	Plantation	4.94																		
4	Dust Control Measure																			
	Total	5.24																		
(ix)	The Regional Office of this Ministry located at Bhopal shall monitor compliance of the stipulated environmental safeguards. The project authority should send one set of EIA	⇒	Photocopies of Rapid EIA – EMP Report and Mining Plan have already been sent.																	

	/ EMP Report and Mining Plan to them and extend full co – operation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring report.		Co-operation is being extended to the inspecting Officials.
(x)	The Project authority should inform to the Regional Office located at Bhopal as well as to the Ministry of Environment & Forests regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	⇒	Agreed
(xi)	A copy of the clearance letter will be marked to concerned Panchayat / Local NGO, if any, from whom any suggestion / representation has been received while processing the proposal.	⇒	Agreed. A copy of the EC is attached as Annexure-8 .
(xii)	State Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industry Centre and Collector's Office / Tehsildar's Office for 30 days.	⇒	Not applicable to PP
(xiii)	The Project authority should advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned informing that the project has been accorded environmental clearance and the copy of the clearance letter is available with the state Pollution Control Board and may also be seen at the web site of the Ministry of Environment and Forests at http://envfor.nic.in	⇒	The advertisement was published in two of the local newspapers viz. 'Dainik Bhaskar' and 'Naw Swadesh' which was earlier informed vide our letter no. MIN / 104 / 5820A dated 27.3.2002.

Annexure 1

Year-wise plantation of 66.434 Ha ML			
S. No.	Year	Number of Plants planted	Greenbelt/ Colony/ CSR
1	2001-02	1132	0
2	2002-03	1937	449
3	2003-04	3522	4387
4	2004-05	982	571
5	2005-06	739	0
6	2006-07	1300	0
7	2007-08	720	600
8	2008-09	1104	4000
9	2009-10	1000	2330
10	2010-11	1640	7258
11	2011-12	1400	3698
12	2012-13	800	3100
13	2013-14	680	2740
14	2014-15	1600	2566
15	2015-16	1000	3200
16	2016-17	1000	37876
17	2017-18	1000	10000
18	2018-19	1000	15000
19	2019-20	1000	43364
20	2020-21	1000	35944
21	2021-22	500	14468
22	2022-23	888	11686
23	2023-24	500	3036
24	2024-25	1420	10081
Total		27864	216354



TEST REPORT

VIBRANT

"Experience the unimaginable"

Sample Number:

Name & Address of the Party:

Sample Collected By

Sample Description:

VTL/WL/01-14

M/s PRISM JOHNSON LIMITED

Village- Mankahari, Tehsil- Rampur
Baghelan, Dist.- Satna (M.P.)

VTL Team

Ground Water Level Monitoring

Report No.:

Format No.:

Party Reference No.:

Report Date:

Receipt Date:

Date of Monitoring

VTL/WL/2501250001-14/B

7.8 F-01

NIL

30/01/2025

25/01/2025

18-22/01/2025

S.No.	Location	Depth (In meter)
1.	Near Colony Gate	8.54
2.	Behind B Block colony	7.43
3.	Behind C Block colony	5.6
4.	Near Auto Work Shop	11.2
5.	In Front of Den	7.61
6.	Western Block Mines	09.10
7.	Near New Magazine Mines	15.0
8.	Rose Garden Near Road	08.14
9.	Mines near Ramprasan	15.8
10.	Medhi Mines	13.3
11.	Mankahari Mines	12.0
12.	Chulhi Majhiyar Mines	10.2
13.	Bagahai Mines	8.71
14.	Badarkha Mines	10.8

Checked By



RK Yadav
Lab Incharge
Authorized Signatory

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com

Sample Number : VTL/W/07

Name & Address of the Party : M/s PRISM JOHNSON LIMITED

Village- Mankahari, Tehsil- Rampur Baghelan, Dist. -
Satna (M.P.)

Sample Description : Water Sample

Sampling Location : Mankahari Village -Handpump

Sample Collected By : VTL Team

Preservation : Suitable Preservation

Method of sampling : IS :3025

ULR No. : TC112272500000265F

Report No. : VTL/W/2501250007/A

Format No : 7.8 F-01

Party Reference No : NIL

Report Date : 30/01/2025

Period of Analysis : 25/01/2025-30/01/2025

Receipt Date : 25/01/2025

Sampling Date : 21/01/2025

Sampling Type : Grab

Sample Quantity : 2 Ltr.

Coordinates : --

S.No.	Test Parameters	Test Method	Results	Units	IS:10500-2012,RA 2023	
					Acceptable Limit	Permissible Limit
1	pH (at 25°C)	IS : 3025 (P-11) : 2022	7.11	--	6.5 to 8.5	No Relaxation
2	Colour	IS : 3025:(P-4) : 2021	*BLQ(**LOQ-1.0)	Hazen	5	15
3	Turbidity	IS : 3025: (P-10) : 2023	*BLQ(**LOQ-1.0)	NTU	1	5
4	Odour	IS : 3025 (P-5) : 2018	Agreeable	--	Agreeable	Agreeable
5	Taste	IS :3025 (P-8): 2023	Agreeable	--	Agreeable	Agreeable
6	Total Hardness (as CaCO ₃)	IS: 3025 (P-21): 2009, RA 2019	181.0	mg/L	200	600
7	Calcium (as Ca)	IS: 3025 (P- 40): 2024	42.5	mg/L	75	200
8	Total Alkalinity (as CaCO ₃)	IS: 3025 (P-23): 2023	198.0	mg/L	200	600
9	Chloride (as Cl)	IS: 3025 (P-32): 1988, RA 2019	84.0	mg/L	250	1000
10	Magnesium (as Mg)	IS: 3025 (P-46): 2023	18.21	mg/L	30	100
11	Total Dissolved Solids	IS :3025 (P-16): 2023	567	mg/L	500	2000
12	Sulphate (as SO ₄)	IS: 3025 (P-24): Sec : 1 : 2022	31.02	mg/L	200	400
13	Fluoride (as F)	APHA 24th Edition, 4500F-D: 2023	0.32	mg/L	1.0	1.5
14	Nitrate (as NO ₃)	IS 3025 (P-34) : Sec 1 : 2023 (Clause 6.4)	12.90	mg/L	45.0	No Relaxation
15	Iron (as Fe)	APHA 24th Edition 3111 B, 2023	0.26	mg/L	1.0	No Relaxation
16	Aluminium (as Al)	IS 3025 (P-55): 2003, RA 2019	*BLQ(**LOQ-0.03)	mg/L	0.03	0.2
17	Boron (as B)	APHA 24th Edition 4500B-C : 2023	*BLQ(**LOQ-0.2)	mg/L	0.5	2.4
18	Total Chromium (as Cr)	APHA 24th Edition 3111 B, 2023	*BLQ(**LOQ-0.02)	mg/L	0.05	No Relaxation



Checked by



RK Yadav
Lab Incharge
Authorized Signatory



Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/2

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com



TEST REPORT



VIBRANT
"Experience the unimaginable"

Sample Number : VTL/W/07

ULR No. : TC112272500000265F
Report No. : VTL/W/2501250007/A

S.No.	Test Parameters	Test Method	Results	Units	IS:10500-2012,RA 2023	
					Acceptable Limit	Permissible Limit
19	Zinc (as Zn)	APHA 24th Edition 3111 B, 2023	0.34	mg/L	5.0	15.0
20	Copper (as Cu)	APHA 24th Edition 3111 B, 2023	*BLQ(**LOQ-0.02)	mg/L	0.05	1.5
21	Manganese (as Mn)	APHA 24th Edition 3111 B, 2023	*BLQ(**LOQ-0.05)	mg/L	0.1	0.3
22	Cadmium (as Cd)	APHA 24th Edition 3111 B, 2023	*BLQ(**LOQ-0.002)	mg/L	0.003	No Relaxation
23	Lead (as Pb)	APHA 24th Edition 3111 B, 2023	*BLQ(**LOQ-0.005)	mg/L	0.01	No Relaxation
24	Arsenic (as As)	APHA 24th Edition 3114 C, 2023	*BLQ(**LOQ-0.005)	mg/L	0.01	0.05
25	Mercury (as Hg)	APHA 24th Edition 3112B, 2023	*BLQ(**LOQ-0.001)	mg/L	0.001	No Relaxation
26	Total Coliform	IS : 15185 : 2016 RA: 2021	Absent	per 100 ml	Shall not be detectable in any 100 ml sample	--
27	E.Coli	IS : 15185 : 2016 RA: 2021	Absent	per 100 ml	Shall not be detectable in any 100 ml sample	--
28	Sulphide (as H ₂ S)	IS 3025 (P-29) : 2022 (Clause 7.0)	*BLQ(**LOQ-0.04)	mg/L	0.05	No Relaxation
29	Nickel as Ni	APHA 24th Edition 3111 B, 2023	*BLQ(**LOQ-0.01)	mg/L	0.02	No relaxation
30	Free Residual Chlorine	IS 3025 (P- 26): 2021 (Clause 7.0)	*BLQ(**LOQ-0.2)	mg/L	0.2	1.0

*BLQ-Below Limit Of Quantification, **LOQ- Limit of Quantification

End of Report



Checked by



RK Yadav
Lab Incharge
Authorized Signatory



Term & conditions PTO

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 2/2

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com

**VIBRANT***"Experience the unimaginable"***TEST REPORT**

Sample Number : VTL/AA/13

Name & Address of the Party : M/s PRISM JOHNSON LIMITED
 Village- Mankahari, Tehsil- Rampur Baghelan, Dist. - Satna (M.P.)

Report No. : VTL/A/2501250013/A
 Format No : 7.8 F-02
 Party Reference No : NIL
 Report Date : 30/01/2025
 Period of Analysis : 25/01/2025-30/01/2025
 Receipt Date : 25/01/2025

Sample Description : AMBIENT AIR QUALITY MONITORING

General Information:-

Sampling Location : Village-Sijahata (Hinauti & Sijahata PCL Mine)
 Sample Collected By : VTL Team
 Instrument Code : VTL/RDS/FPS/06
 Coordinates : 81.021389 & 24.576411
 Meteorological condition during monitoring : Clear Sky
 Date of Monitoring : 19/01/2025 To 20/01/2025
 Time of Monitoring : 11:10 to 11:10 Hrs.
 Ambient Temperature (°C) : Min.8°C Max 24°C
 Surrounding Activity : Human, Vehicular & Plant Activities
 Method of Sampling : IS :5182
 Sampling Duration : 24 Hrs.
 Parameter Required : As per work order

S.No.	Parameters	Test Method	Results	Units	NAAQS 2009 (Limits)
1	Particulate Matter (as PM10)	IS:5182 (Part- 23)-2006 RA 2022	69.07	µg/m³	100
2	Particulate Matter (as PM2.5)	IS 5182(Part- 24): 2019	40.22	µg/m³	60
3	Nitrogen Dioxide (as NO2)	IS:5182 (P- 6)-2006, RA.2022	20.60	µg/m³	80
4	Sulphur Dioxide (as SO2)	IS 5182 (Part 2) : Sec 1 : 2023	11.72	µg/m³	80
5	Carbon Monoxide (as CO)	IS:5182 (P- 10)-1999, RA. 2019 (NDIR)	0.64	mg/m³	4

*BLQ-Below Limit Of Quantification, **LOQ-Limit Of Quantification

End of Report

VIBRANT
"Experience the unimaginable"



Checked by



RK Yadav
 Lab Incharge
 Authorized Signatory



Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020
 9929108691, 9810205356, 8005707098, 9549956601

☎ 0141-2954638

✉ bd@vibranttechnolab.com

🌐 www.vibranttechnolab.com

Sample Number : VTL/AA/14

Name & Address of the Party : M/s PRISM JOHNSON LIMITED
Village- Mankahari, Tehsil- Rampur Baghelan, Dist. - Satna (M.P.)

Report No. : VTL/A/2501250014/A
Format No : 7.8 F-02
Party Reference No : NIL
Report Date : 30/01/2025
Period of Analysis : 25/01/2025-30/01/2025
Receipt Date : 25/01/2025

Sample Description : AMBIENT AIR QUALITY MONITORING

General Information:-

Sampling Location : Village-Hinauti (Hinauti & Sijahata PCL Mine)
Sample Collected By : VTL Team
Instrument Code : VTL/RDS/FPS/07
Coordinates : 81.002441 & 24.587458
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 19/01/2025 To 20/01/2025
Time of Monitoring : 11:30 to 11:30 Hrs.
Ambient Temperature (°C) : Min. 8°C Max 24°C
Surrounding Activity : Human, Vehicular & Plant Activities
Method of Sampling : IS :5182
Sampling Duration : 24 Hrs.
Parameter Required : As per work order

S.No.	Parameters	Test Method	Results	Units	NAAQS 2009 (Limits)
1	Particulate Matter (as PM10)	IS:5182 (Part- 23)-2006 RA 2022	69.14	µg/m³	100
2	Particulate Matter (as PM2.5)	IS 5182(Part- 24): 2019	38.56	µg/m³	60
3	Nitrogen Dioxide (as NO2)	IS:5182 (P- 6)-2006, RA.2022	22.48	µg/m³	80
4	Sulphur Dioxide (as SO2)	IS 5182 (Part 2) : Sec 1 : 2023	11.64	µg/m³	80
5	Carbon Monoxide (as CO)	IS:5182 (P- 10)-1999, RA. 2019 (NDIR)	0.64	mg/m³	4

*BLQ-Below Limit Of Quantification, **LOQ-Limit Of Quantification

End of Report



Checked by



RK Yadav
Lab Incharge
Authorized Signatory



Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com

**VIBRANT***"Experience the unimaginable"***TEST REPORT**

Sample Number : VTL/AA/15

Name & Address of the Party : M/s PRISM JOHNSON LIMITED
 Village- Mankahari, Tehsil- Rampur Baghelan, Dist. - Satna (M.P.)

Report No. : VTL/A/2501250015/A
 Format No : 7.8 F-02
 Party Reference No : NIL
 Report Date : 30/01/2025
 Period of Analysis : 25/01/2025-30/01/2025
 Receipt Date : 25/01/2025

Sample Description : AMBIENT AIR QUALITY MONITORING

General Information:-

Sampling Location : Near Western Block Garden (Hinauti & Sijahata PCL Mine)
 Sample Collected By : VTL Team
 Instrument Code : VTL/RDS/FPS/01
 Coordinates : 80.990481 & 24.585602
 Meteorological condition during monitoring : Clear Sky
 Date of Monitoring : 20/01/2025 To 21/01/2025
 Time of Monitoring : 08:45 to 08:45 Hrs.
 Ambient Temperature (°C) : Min.10°C Max 29°C
 Surrounding Activity : Human, Vehicular & Plant Activities
 Method of Sampling : IS :5182
 Sampling Duration : 24 Hrs.
 Parameter Required : As per work order

S.No.	Parameters	Test Method	Results	Units	NAAQS 2009 (Limits)
1	Particulate Matter (as PM10)	IS:5182 (Part- 23)-2006 RA 2022	68.49	µg/m³	100
2	Particulate Matter (as PM2.5)	IS 5182(Part- 24): 2019	36.51	µg/m³	60
3	Nitrogen Dioxide (as NO2)	IS:5182 (P- 6)-2006, RA.2022	19.33	µg/m³	80
4	Sulphur Dioxide (as SO2)	IS 5182 (Part 2) : Sec 1 : 2023	11.62	µg/m³	80
5	Carbon Monoxide (as CO)	IS:5182 (P- 10)-1999, RA. 2019 (NDIR)	0.61	mg/m³	4

*BLQ-Below Limit Of Quantification, **LOQ-Limit Of Quantification

End of Report

VIBRANT
"Experience the unimaginable"



Checked by



RK Yadav
 Lab Incharge
 Authorized Signatory



Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com

Sample Number : VTL/AA/16

Name & Address of the Party : M/s PRISM JOHNSON LIMITED
Village- Mankahari, Tehsil- Rampur Baghelan, Dist. - Satna (M.P.)

Report No. : VTL/A/2501250016/A

Format No : 7.8 F-02

Party Reference No : NIL

Report Date : 30/01/2025

Period of Analysis : 25/01/2025-30/01/2025

Receipt Date : 25/01/2025

Sample Description : AMBIENT AIR QUALITY MONITORING

General Information:-

Sampling Location : Near Mine Site Office (Hinauti & Sijahata PCL Mine)
Sample Collected By : VTL Team
Instrument Code : VTL/RDS/FPS/02
Coordinates : 80.99725 & 24.575807
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 20/01/2025 To 21/01/2025
Time of Monitoring : 09:15 to 09:15 Hrs.
Ambient Temperature (°C) : Min.10°C Max 29°C
Surrounding Activity : Human, Vehicular & Plant Activities
Method of Sampling : IS :5182
Sampling Duration : 24 Hrs.
Parameter Required : As per work order

S.No.	Parameters	Test Method	Results	Units	NAAQS 2009 (Limits)
1	Particulate Matter (as PM10)	IS:5182 (Part- 23)-2006 RA 2022	67.11	µg/m³	100
2	Particulate Matter (as PM2.5)	IS 5182(Part- 24): 2019	37.28	µg/m³	60
3	Nitrogen Dioxide (as NO2)	IS:5182 (P- 6)-2006, RA.2022	19.43	µg/m³	80
4	Sulphur Dioxide (as SO2)	IS 5182 (Part 2) : Sec 1 : 2023	11.55	µg/m³	80
5	Carbon Monoxide (as CO)	IS:5182 (P- 10)-1999, RA. 2019 (NDIR)	0.67	mg/m³	4

*BLQ-Below Limit Of Quantification, **LOQ-Limit Of Quantification

End of Report

VIBRANT
"Experience the unimaginable"



Checked by



RK Yadav
Lab Incharge
Authorized Signatory



Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com



TEST REPORT



VIBRANT

"Experience the unimaginable"

Sample Number : VTL/AN/13

Name & Address of the Party : M/s PRISM JOHNSON LIMITED
Village- Mankahari, Tehsil- Rampur Baghelan, Dist. - Satna (M.P.)

Sample Description : Ambient Noise Level Monitoring
Scope of Monitoring : Regulatory Requirement
Protocol Used : IS 9989
Instrument Used : SLM

Report No. : VTL/N/2501250013/A
Format No : 7.8 F-04
Party Reference No : NIL
Report Date : 30/01/2025
Receipt Date : 25/01/2025
Sampling Duration : 24 Hrs.
Sample Collected : VTL Team
Instrument : Calibrated
Calibration Status

General Information:-

Sampling Location : Village-Sijahata (Hinauti & Sijahata PCL Mine)
Instrument Code : VTL/SLM/06
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 19/01/2025 To 20/01/2025
Time of Monitoring : 06:00 to 06:00 Hrs.
Ambient Temperature (°C) : Min. 8°C Max 24°C
Surrounding Activity : Human, Vehicular & Other Activities
Parameter Required : As per Work Order
Coordinates : --

S.No.	Test Parameters	Protocol	Test Result dB(A)	
			Day Time	Night Time
1	Noise Level (Leq)	IS 9989 - 1981 RA:2020	49.2	38.7

Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Area Code	Category of Area/Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

1. Day Time is from 6.00 AM to 10.00 PM.

2. Night Time is reckoned between 10.00 PM to 6.00 AM.

3. Silence Zone is defined as an area up to 100 m around premises of Hospitals, Educational and Courts. Use of vehicle horn, Loudspeaker and bursting of crackers is banned in these zones.

Note: Mixed categories of areas be declared as one of the four above mentioned categories by the competent Authority and the corresponding standards shall apply

End of Report



Checked by



RK Yadav
Lab Incharge
Authorized Signatory



Approved & Certified

EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com



TEST REPORT



VIBRANT

"Experience the unimaginable"

Sample Number : VTL/AN/14

Name & Address of the Party : M/s PRISM JOHNSON LIMITED
Village- Mankahari, Tehsil- Rampur Baghelan, Dist. -
Satna (M.P.)

Sample Description : Ambient Noise Level Monitoring
Scope of Monitoring : Regulatory Requirement
Protocol Used : IS 9989
Instrument Used : SLM

Report No. : VTL/N/2501250014/A
Format No : 7.8 F-04
Party Reference No : NIL
Report Date : 30/01/2025
Receipt Date : 25/01/2025
Sampling Duration : 24 Hrs.
Sample Collected : VTL Team
Instrument : Calibrated
Calibration Status

General Information:-

Sampling Location : Village-Hinauti (Hinauti & Sijahata PCL Mine)
Instrument Code : VTL/SLM/07
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 19/01/2025 To 20/01/2025
Time of Monitoring : 06:00 to 06:00 Hrs.
Ambient Temperature (°C) : Min. 8°C Max 24°C
Surrounding Activity : Human, Vehicular & Other Activities
Parameter Required : As per Work Order
Coordinates : --

S.No.	Test Parameters	Protocol	Test Result dB(A)	
			Day Time	Night Time
1	Noise Level (Leq)	IS 9989 - 1981 RA:2020	50.1	39.2

Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Area Code	Category of Area/Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

1. Day Time is from 6.00 AM to 10.00 PM.
2. Night Time is reckoned between 10.00 PM to 6.00 AM.
3. Silence Zone is defined as an area up to 100 m around premises of Hospitals, Educational and Courts. Use of vehicle horn, Loudspeaker and bursting of crackers is banned in these zones.
Note: Mixed categories of areas be declared as one of the four above mentioned categories by the competent Authority and the corresponding standards shall apply

End of Report



Checked by



RK Yadav
Lab Incharge
Authorized Signatory



Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com



TEST REPORT



VIBRANT

Sample Number : VTL/AN/15

Name & Address of the Party : M/s PRISM JOHNSON LIMITED
Village- Mankahari, Tehsil- Rampur Baghelan, Dist. - Satna (M.P.)

Sample Description : Ambient Noise Level Monitoring
Scope of Monitoring : Regulatory Requirement
Protocol Used : IS 9989
Instrument Used : SLM

Report No. : VTL/N/2501250015/A
Format No : 7.8 F-04
Party Reference No : NIL
Report Date : 30/01/2025
Receipt Date : 25/01/2025
Sampling Duration : 24 Hrs.
Sample Collected : VTL Team
Instrument : Calibrated
Calibration Status

General Information:-

Sampling Location : Near Western Block Garden (Hinauti & Sijahata PCL Mine)
Instrument Code : VTL/SLM/01
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 20/01/2025 To 21/01/2025
Time of Monitoring : 06:00 to 06:00 Hrs.
Ambient Temperature (°C) : Min.10°C Max 29°C
Surrounding Activity : Human, Vehicular & Other Activities
Parameter Required : As per Work Order
Coordinates : --

S.No.	Test Parameters	Protocol	Test Result dB(A)	
			Day Time	Night Time
1	Noise Level (Leq)	IS 9989 - 1981 RA:2020	47.8	37.4

Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Area Code	Category of Area/Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

1. Day Time is from 6.00 AM to 10.00 PM.
2. Night Time is reckoned between 10.00 PM to 6.00 AM.
3. Silence Zone is defined as an area up to 100 m around premises of Hospitals, Educational and Courts. Use of vehicle horn, Loudspeaker and bursting of crackers is banned in these zones.
Note: Mixed categories of areas be declared as one of the four above mentioned categories by the competent Authority and the corresponding standards shall apply

End of Report



Checked by



RK Yadav
Lab Incharge
Authorized Signatory



Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020
9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com



TEST REPORT



VIBRANT

"Experience the unimaginable"

Sample Number : VTL/AN/16

Name & Address of the Party : M/s PRISM JOHNSON LIMITED
Village- Mankahari, Tehsil- Rampur Baghelan, Dist. -
Satna (M.P.)

Sample Description : Ambient Noise Level Monitoring
Scope of Monitoring : Regulatory Requirement
Protocol Used : IS 9989
Instrument Used : SLM

Report No. : VTL/N/2501250016/A
Format No : 7.8 F-04
Party Reference No : NIL
Report Date : 30/01/2025
Receipt Date : 25/01/2025
Sampling Duration : 24 Hrs.
Sample Collected : VTL Team
Instrument : Calibrated
Calibration Status

General Information:-

Sampling Location : Near Mines Site Office (Hinauti & Sijahata PCL Mine)
Instrument Code : VTL/SLM/02
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 20/01/2025 To 21/01/2025
Time of Monitoring : 06:00 to 06:00 Hrs.
Ambient Temperature (°C) : Min. 10°C Max 29°C
Surrounding Activity : Human, Vehicular & Other Activities
Parameter Required : As per Work Order
Coordinates : --

S.No.	Test Parameters	Protocol	Test Result dB(A)	
			Day Time	Night Time
1	Noise Level (Leq)	IS 9989 - 1981 RA:2020	51.3	42.3

Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Area Code	Category of Area/Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

1. Day Time is from 6.00 AM to 10.00 PM.

2. Night Time is reckoned between 10.00 PM to 6.00 AM.

3. Silence Zone is defined as an area up to 100 m around premises of Hospitals, Educational and Courts. Use of vehicle horn, Loudspeaker and bursting of crackers is banned in these zones.

Note: Mixed categories of areas be declared as one of the four above mentioned categories by the competent Authority and the corresponding standards shall apply

End of Report



Checked by



RK Yadav
Lab Incharge
Authorized Signatory



Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com

Total PPE's for Mines From Oct'2024 – Mar'2025

S.No	Material	Qty.	Total Amount
1	Dust Mask	175	2665.25
2	Google Safety Glass PVC.	65	3303.95
3	Hand Gloves	165	5643
4	Helmet Industrial Safety	60	6900
5	Jacket fluorescent High Visibility Wear	195	24765
6	Plug Ear muff	275	2200
7	Safety Shoes	350	356300
TOTAL		1285	401777.2

Deotale Diagnostic Centre (we care)

Consultation Diagnostics Health Check- Ups Immunization.
Clinic: Vinayak Apt. 3rd floor Dhantoli Lokmat Chouk Nagpur
For any assistance call at . 9860204241, 0712-2424868
Email ID : deotaledeepak19577@gmail.com

MEDICAL CHECK-UP REPORT

SR NO.	4
Certificate No	7
EMP CODE	102178
Work Station /Grade	G
Designation	Mines Foreman
MOB NO	8109339836
CHECK-UP DATE	11-12-24

EMPLOYEES NAME: Ashok Kumar Tiwari Rishi Dev Tiwari

Gender: MALE Age : 52 Yrs Ht : 172 cms BMI: 28.06 Wt: 83 Kg

Company Address: PRISM JOHNSON LIMITED,
MANKAHARI, PO: BATHIA, TEHSIL: RAMPUR BAGHELAN, DIST: SATNA, PIN: 485111 (M.P.)

Personal H/O: ALCOHOL: NO TABACCO: NO SMOKING: NO GUTKHA: NO

General Exam:- Healthy BP : 162/89 mmHg PLUSE : 95 mm/hr

C.V.S.: N R/S : N CNS : N SP/LIVER : N/P

Abdomen : soft

BLOOD TEST

Test	Result	Normal Range
Blood Sugar	200 mg/dl	70-160 mg/dl
Hemoglobin	12.8 gm/dl	12.5 to 16.5 gm/dl
Total Leukocyte Count	7300 Cumm	4000-11000 /Cumm
Neutrophils	75 %	40-80 %
Lymphocyte	20 %	20-40 %
Eosinophils	3 %	1-6 %
Monocytes	2 %	2-10 %
ESR	8 mm/hr	< 20 mm/hr
Cholesterol	169 mg/dl	< 220 mg/dl
Triglycerides	153 mg/dl	> 200 mg/dl
HDL	43 mg/dl	35 TO 50 mg/dl
LDL	95.4 mg/dl	
VLDL	30.6 mg/dl	
CHO/HDL Ratio:	3.9	
Urea	23 mg/dl	10-50
Creatinine	0.9 mg/dl	0.8-1.3
SGPT	30 U/L	0-40
SGOT	23 U/L	0-40
SUTUM AFB	NEGATIVE	
STOOL	NEGATIVE	
Colour Blindness	NO	
ECG	WNL	
X-Ray	WNL	Spirometry WNL
AUDIOMETRY	RT : WNL	LF. WNL
Vision:	Unaided - Dist. Rt - 6/9	Dist. Lf - 6/9
	Unaided - Near Rt - N/6	Near Lf - N/6
	With Spect Dist. Rt -	With Spect Dist. Lf -
	With Spect Near . Rt -	With Spect Near . Lf -

MEDICAL CHECK - UP:- NORMAL

Opinion: He/She is physically & mentally fit . He/She is not suffering from any infectious or contagious diseases

Dr. DEEPAK P. DEOTALE
M.B.B.S. A.F.I.H. (Reg. No. 48366)

Dr. Deepak Deotale
MBBS, AFIH
Reg. No. 48366



(FORM - O)
(See rule 29F (2) and 29L)

Report of medical examination under rule 29B (To be issued in triplicate)

** Certificate No. 7 Certified that Shri/Shrimati* Ashok Kuman Tiwari
employed as 102178 In PCL mine,
Form B No. 33 has been examined for an initial/periodical medical
examination. He/she* appears to be..... years of age.

The findings of the examining authority are given in the attached sheet. It is considered
that Shri/Shrimati* Ashok Kuman Tiwari.....

(a)* is medically fit for any employment in mines.

(b)* is suffering from..... and is medically unfit for
(i) any employment in mine; or
(ii) any employment below ground; or
(iii) any employment or work.....

(c)* is suffering from..... is should get this disability* cured/controlled
and should be again examined within a period ofmonths. He/She will appear
for re-examination with the result of test of and the opinion of
Specialist from He/She may be permitted/not* permitted to carry on his
duties during this period.



DR. DEEPAK P. DEOTALE
Signature of the examining authority
Name and designation in Block letters

Place : PCL
Date :

* Delete whatever is not applicable.

** One copy of the certificate shall be handed over to the person concerned and
another copy shall be sent to the manager of the mine concerned by registered post;
and the third copy shall be retained by the examining authority,

Report of the examining authority

(to be filled in for every medical examination whether initial or periodical or re -
examination or after cure/control of disability).

Annexure to Certificate No. 7 as result of medical examination on

Identification Mark Scar on face left side

Left thumb impression of the candidate



1. General development- Good/Fair/Poor

2. Height172.....Cms.

3 Weight23.....kg.

4 Eyes : (i) Visual acuity-Distant vision (with or without glasses).

Right eye.....6/9.....

Left eye.....6/9.....

(ii) any organic disease of eyes NO

(iii) night blindness NO

(iv) Colour blindness NO

(v) Squint (* to be tested in special cases)

Inserted vide notification No.GSR 656 dated 5.6.1980 NO

5 Ears : Hearing : Right ear.....N..... Left earN.....

Any organic diseases.

6.Respiratory system. Chest measurement : (i) After full inspirationcms.
(ii) After full expiration.....cms.

7. Circulatory system: (i) Blood Pressure162/89..... (ii) Pulse95.....

8. Abdomen : TendernessNO.....
Liver.NP.....
Spleen.NP.....
Tumour.NO.....

9. Nervous system:
History of fits or epilepsyN.....
ParalysisNO.....
Mental health.Good.....

10.Locomotory system :N.....

11. Skin. :N.....

12. Hydrocele. :NO.....

13. Hernia. :NO.....

14. Any other abnormality :NO.....

15. Urine : Reaction.N.....
Albumin.NO.....
Sugar.NO.....

16. Skiagram of chest. : WNL

17. Any other test considered necessary by the examining authority. : NO

18. Any opinion of specialist considered necessary. NO

Place:

Signature of the examining authority

Report of Medical Examination under Mines Rule 29B
(To be used in continuation with Form O)

Certificate No. 7

Name : Ashok kumar Tiwari

Identification Marks: Scar on face left side

Result of Lung Function Test (Spirometry)

Parameters	Predicted Value	Performed Value	% of Predicted
Forced Vital Capacity (FEV)	3.45	3.12	90
Forced Vital Capacity FEV1	2.76	3.01	109
FEV1/FVC	80.00	96.47	121
Peak Expiratory Flow	8.15	8.11	98

Spirometry Report enclosed.

Signature of the Examination Authority ✓

Report of Medical Examination as per the recommendations of National Safety
Conferences in Mines
(To be used in continuation with Form O)

Certificate No. 7

Name : Ashok kumar Tiwari

Identification Marks: Scar on face left side

1. Cardiological Assessment

Auscultation	S1	N	Performed Value	% of Predicted
	S2	N		
	Additional Sound	No		
FEV1/FVC			96.47	121
Electrocardiograph(12leads) findings			Normal/Abnormal	

Enclosed ECG

2. Neurological Assessment

Findings	Normal/Abnormal
Superficial Reflexes	Normal
Deep Reflexes	N 10
Peripheral Circulation	N
Vibrational Syndromes	N

3. ILO Classification of Chest Radiograph

Profusion of Pneumoconiotic Opacities	Grades	Types
Present /Absent		

Enclosed Chest Radiograph

4. Audiometry Findings:

Conduction Type	Left Ear	Right Ear
Ear Conduction	Normal/Abnormal	Normal/Abnormal
Bone Conduction	Normal/Abnormal	Normal/Abnormal

Enclosed Audiometry Report

5. Pathological/Microbiological Investigations:

S.No.	Tests	Findings
1.	Blood-Tc,Dc,Hb,ESR,Platelets	WNL/Abnormal
2.	Blood Sugar-Fasting & P.P.	WNL/Abnormal
3.	Lipid Profile	WNL/Abnormal
4.	Blood Urea, Creatinine	WNL/Abnormal
5.	Urine Routine	WNL/Abnormal
6.	Stool Routine	WNL/Abnormal

Enclosed Investigation Reports

6. Special Tests for Mn Exposure:

Behavioral Disturbances		Present/Not Present
Neurological Disturbances	Speech Defect	Present/Not Present
	Tremor	Present/Not Present
	Adiadocokinesia	Present/Not Present
	Emotional Changes	Present/Not Present

Enclosed ECG

7. Any other Special Tests Required: NO

Signature of the Examination Authority
Seal

Dr. Deepak Deotale
MBBS, AFM
Reg. No. 48385

OK KUMAR TIWARI

RECORDERS

1-12-2024 10:50:29

Age : 47 Years

Height : 172 Cms

Weight : 83 Kgs




ID: PR 07

Gender : Male

Smoker : No

Eth. Corr: 100

Temp : degrees



FVC Results						
Parameter	Pred	M.Pre	%Pred	M.Post	%Pred	%Imp
FVC (L)	03.45	03.12	090	----	----	---
FEV1 (L)	02.76	03.01	109	----	----	---
FEV1/FVC (%)	80.00	96.47	121	----	----	---
FEF25-75 (L/s)	03.66	03.77	103	----	----	---
PEFR (L/s)	08.75	05.11	058	----	----	---
FIVC (L)	----	01.17	---	----	----	---
FEV.5 (L)	----	02.17	---	----	----	---
FEV3 (L)	03.35	03.12	093	----	----	---
PIFR (L/s)	----	03.33	---	----	----	---
FEF75-85 (L/s)	----	01.94	---	----	----	---
FEF.2-1.2 (L/s)	06.52	04.69	072	----	----	---
FEF 25% (L/s)	07.81	05.11	065	----	----	---
FEF 50% (L/s)	05.46	04.01	073	----	----	---
FEF 75% (L/s)	02.46	02.45	100	----	----	---
FEV.5/FVC (%)	----	69.55	---	----	----	---
FEV3/FVC (%)	97.10	100.00	103	----	----	---
FET (Sec)	----	01.19	---	----	----	---
ExptTime (Sec)	----	00.15	---	----	----	---

Pre Medication Report Indicates

Early Small Airway Obstruction as FEF 25-75 %Pred or PEFR %Pred < 70
Spirometry within normal limits as (FEV1/FVC) %Pred > 95 and FVC %Pred > 80.

8

Dr. Deepak Dootale
MBBS, AFM
Reg. No. 48388




DEOTALE DIAGNOSTIC CENTRE

1940042251 / ASHOK KUMAR TIWARI / 47 Yrs / M / 172Cms. / 83Kgs. / Non Smoker

Heart Rate : 90 bpm / Dr.: DR DEOTALET Tested On : 11-Dec-24 11:09:52 / HF 0.05 Hz - LF 100 Hz / Notch 50 Hz / Sn 1.00 Cm/mV / Sw 25 mm/s

ECG




S212160118)

Dr. Deepak Dootale
MBBS, AFM
Reg. No. 45554



Scanned with OKEN Scanner

Acq. Date: 11-Dec-24
Acq. Time: 11:23:24 AM
Exp. Index: 888



CHEST

PA

W: 4096, C: 2048

Scale: 0.13

MAYA DIAGNOSTICS

Layout

Relayout

Delete Page



Scanned with OKEN Scanner

Deotale Diagnostic Centre (we care)

☐ Consultation ☐ Diagnostics ☐ Health Check-Up ☐ Immunization.
Clinic: Vinayak Apt. 3rd floor Dhantoli Lokmat Chowk Nagpur


(Clinic Reg. No. 699)

For any assistance call at . 9860204241, 0712-6610595

Date: 11-12-24

AUDIOLOGICAL EVALUATION

1. SR. NO. 4	2. CERTIFICATE NO : 7
3. EMPLOYEES NAME : Ashok Kumar Tiwari Rishi Dev Tiwari	
4. Employee Mob No : 8109339836	
6. SEX : MALE	7. AGE : 52 yrs
8. ADDRESS : PRISM JOHNSON LIMITED, MANKAHARI, PO: BATHIA, TEHSIL: RAMPUR BAGHELAN, DIST: SATNA, PIN: 485111 (M.P.)	
9. DIAGNOSIS LT.: WNL	RT.: WNL



TEST FREQUENCY

Air	O	= LEFT EAR : ●	<u>WNL</u>
	Y	= RIGHT EAR : ●	<u>WNL</u>
Masking			
No Response: Audiologists Remarks			

Dr. DEEPAK P. DEOTALE
M.B.B.S. A.F.I.H.
Reg. No. 48366

Dr. Deepak Deotale
MBBS, AFIH
Reg. No. 48366

Deotale Diagnostic Centre

Consultation Diagnostics Health Check- Ups Immunization.

Clinic: Vinayak Apt. 3rd floor Dhantoli Lokmat Chouk Nagpur

For any assistance call at . 9860204241, 0712-2424868

Email ID : deotaledeepak19577@gmail.com

Patient Name:	Ashok Kumar Tiwari Rishi Dev Tiwari
Age :	52 yrs.
Gender:	MALE
Req. Doctor:	
Reg . Number:	8109339836
Collection Date:	11-12-24
Reporting Date :	11-12-24

SPUTUM EXAMINATION

ZEIHL NEELSEN STAIN : AFB Not seen


DR .DEEPAK DEVATALE
M.B.B.S A.F.I.H(REG NO.48366)
Dr. Deepak Deotale
MBBS, AFIH
Reg. No. 48366



SR. No.

4

Certificate No.

7

Emp Code

102178

MAYA HOSPITAL & RESEARCH INSTITUTE

Add.: Plot .P 78, Opposite State Bank of India , M.I.D.C.

Butibori (Nagpur)

Ph 07103-684885

Deotale Diagnostic Center We Care

☐ Consultation ☐ Diagnostics Health ☐ Check-Ups ☐ Immunization

Dr. Deepak P. Deotale
M.B.B.S., A.F.I.H.
(Associated fellow Of industrial health)
Certifying Surgeon Reg .No. 48366
Clinic : Vinayak Apt. 3rd floor Dhantoli,
Lokmat Chowk ,Nagpur (Clinic Reg. No. 699)
Mob. No . 9860204241 /8007771341
Phone No : 0712-2424868
Email Id:deotaledeepak19577@gmail.com

Name	Ashok Kumar Tiwari Rishi Dev Tiwari
Age	52 YRS.
Gender	MALE
Check Up Date	11-12-24
MOB NO	8109339836
Company Name:	PRISM JOHNSON LIMITED, MANKAHAR, PO: BATHIA, TEHSIL: RAMPUR BAGHELAN, DIST: SATNA, PIN-485111 (M.P.)



No.J-11015/8/2000-IA. II (M)
Government of India
Ministry of Environment & Forests

Tele No. 436 4968
Paryavaran Bhawan,
C.G.O. Complex, Lodi Road,
New Delhi - 110 003

Dated February 14, 2001

To

✓ **Shri U.K.Das**
Joint General Manager (Mines),
Prism Cement Ltd.,
Rajdeep, Rewa Road,
Satna, Madhya Pradesh-485 001

Subject: Additional limestone deposit at village Mankhari, Tehsil
Rampur Dhagelan, District Satna (M.P.) of M/s Prism Cement
Ltd.- Environmental clearance reg.

Sir,

This has reference to ^{the} Department of Mines, Government of Madhya Pradesh letter No. D-3932/2019/99/12/2 dated 24.09.1999 and your letter No. MIN0107/990668 dated 18.11.1999 and subsequent communications dated the 07.04.2000, 12.06.2000, 20.07.2000, 27.09.2000, 18.10.2000, and 01.01.2001 on the subject mentioned above. The Ministry of Environment and Forests has examined the application. It has been noted that the total applied mining lease area is 66.434 ha. Mining would be carried out in 36.434 ha. No forest land is involved. Targeted production capacity of the mine is 0.3 million tonnes/annum. There are only four land oustees in Mankahari village. Approvals from the M. P. Pollution Control Board and IBM have been obtained. Public hearing was held on 11.10.1999. The proponent has agreed to comply with the recommendations made by the Public Hearing panel.

2. The Ministry of Environment and Forests hereby accords environmental clearance to the additional lime-stone deposit of M/s Prism Cement Ltd. for 0.3 million tonnes/annum production capacity by open cast mechanised method, involving lease area of 66.434 ha under the provisions of the Environmental Impact Assessment Notification, 1994 as amended on 04.05.1994 and 10.04.1997 subject to the compliance of the terms and conditions mentioned below:


सरपंच
ग्राम पंचायत मनकहरी
ज.स. रामपुर धाघेलान
जिला सतना (म.प्र.)