



Through – Parivesh Portal

PJL/MIN/PCL/2024/24063

01st June, 2024

To,
Regional Director
Ministry of Environment & Forests and Climate Change
Regional Office, Western Region
Kendriya Paryavaran Bhavan
Link Road No. 3
E - 5, Ravishankar Nagar
Bhopal – 462016

Sub: Six Monthly Compliance report of Environment Clearance over 66.434 ha area of Limestone Mine of M/s Prism Johnson Ltd. In Village Bandarakha, Tehsil Rampur Baghelan, Dist. Satna (M.P.)

Ref: Environment Clearance letter no.J-11015/8/2000-IA, II (M), dated 14.02.2001.

Dear Sir,

We are sending enclosed herewith the six monthly compliance report (period October 2023 to March 2024) of the environmental clearance granted for limestone deposit at Village- Mankahari, Tehsil- Rampur Baghelan, Dist. Satna (M.P.), related to Environment Clearance letter no.J-11015/8/2000-IA, II (M), dated 14.02.2001., along with necessary enclosures.

We hope you will find the same in order.

Thanking you.

Yours faithfully,

For Prism Johnson Limited

Chandra Shekhar Pandit

Sr. GM-Mines & Project Proponent

Encl: As above

PRISM JOHNSON LIMITED

(Cement Division)

Works: Village Mankahari, P.O.-Bathia, Dist. Satna - 485 111 (M.P.) India T: +91-07672-275301 / 302600

Corres. Add.: 'Rajdeep', Rewa Road, Satna - 485 001 (M.P.) India. T: +91-07672-402726

Registered Office: Prism Johnson Limited, 305, Laxmi Niwas Apartments, Ameerpet, Hyderabad - 500 016, India.

w: www.prismjohnson.in, www.cement.prismjohnson.in, E: info@prismjohnson.in

CIN: L26942TG1992PLC014033



COMPLIANCE OF CONDITIONS AS STIPULATED BY MoEF VIDE LETTER NO. J - 11015 / 8 / 2000 - I A. II (M) DATED 14.2.2001 FOR ADDITIONAL LIMESTONE DEPOSIT OVER 66.434 HECT. AREA IN VILLAGE MANAKAHARI, TEHSIL RAMPUR BAGHELAN, DIST. SATNA (M.P.)

A.	Specific Conditions :		
(i)	Mining should be carried out 500 m away from the Rewa – Satna railway track.	→	No mining activities are carried out within 500 m vicinity of Rewa – Satna Railway track.
(ii)	The topsoil should be stacked properly with adequate measures at earmarked site. It should be used for reclamation and rehabilitation of mined out area.	→	Topsoil is being used for reclamation and rehabilitation of the mined out area. No outside stacking is being done.
(iii)	OB dumps should be stacked at earmarked dump site(s) only on temporary basis. Concurrent back – filling and reclamation should be carried out from the 3 rd year of operations.	⇒	Reclamation of the mined out area has been started from 3 rd year of operations as stipulated in the condition. 12.83 Ha. of mined out area has been reclaimed.
(iv)	A green belt of adequate width by planting the native plant species all around the ML area, roads, OB dump sites etc. should be raised in consultation with local DFO / Agriculture Department.	⇒	<p>Green belt of adequate width is being developed. Year wise details of the plantation carried out so far are given in Annexure-1.</p> <p>A rose garden has been developed in the colony.</p> <p>A nursery has also been developed where various types of saplings are prepared for plantation.</p> <p>Saplings planted in FY 23-24 were 500 and cumulative plantation March 2024 is 26444.</p>
(v)	Drill should be operated with dust extractors or only wet drilling should be adopted.	⇒	Drill machine IBH 10 of Atlas Copco is in operation. This machine is fitted with water sprinkler that settles the dust generated at the time of drilling and thus prevents it from going into the atmosphere.
(vi)	Controlled blasting should be carried out.	⇒	Controlled blasting is being practiced.

(vii)	Check dam and siltation ponds of appropriate size should be constructed to arrest silt and sediments flow from OB and mineral dumps. The water so collected should be utilized for watering mine area, roads, greenbelt, etc. The drains should be regularly desilted and maintained properly.	⇒	Garland drain and siltation pond have been constructed to arrest the silt and sediment flow.
(viii)	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers. Monitoring should be done four times a year– pre-monsoon April / May, Monsoon (August), Post-monsoon (November) and winter (January). Data thus collected should be sent at regular intervals to MoEF.	⇒	Being done. Ground water level monitoring data of Monsoon, have been given in Annexure-2 . Water Quality monitoring report of the ground water of the wells/bore holes is given in Annexure-3 .
(ix)	Crusher should be installed and operated with adequate capacity de-dusting arrangement	⇒	Crusher has already been installed with adequate capacity of de-dusting arrangement like bag - filters. Continuous water sprinkling arrangement at crusher hopper has also been made for suppressing the dust generated during unloading of the mineral in crusher hopper.
(x)	A detailed mine decommissioning plan should be submitted to MoEF 5 year in advance for approval.	⇒	Will be submitted.

B. GENERAL CONDITIONS

(i)	No change on mining technology and scope of working should be made without prior approval of the Ministry of Environment and Forests.	⇒	No changes have been made.
(ii)	No change in the calendar plan including excavation, quantum of limestone, waste / OB dumps should be made.	⇒	No changes have been made.
(iii)	Four ambient air quality monitoring stations should be established in the core zone as well as buffer zone for SPM, RPM, SO ₂ , NO _x and CO monitoring. Location of the ambient air quality stations should be decided based on the meteorological data, topographical features and environmentally sensitive targets in consultation with the State Pollution Control Board.	⇒	Four different monitoring stations are established and air quality is monitored twice in a week
(iv)	Data of ambient air quality should be regularly submitted to the Ministry including	⇒	Being done regularly and submitted to the ministry and other government

	its Regional Office at Bhopal and the State Pollution Control Board / Central Pollution Control Board once in six months.		agencies. Ambient air quality monitoring results from October 2023 to March 2024 have been given in Annexure-4 .																	
(v)	Adequate measures for control of fugitive emissions should be taken during drilling and blasting operations, loading and transportation of minerals etc.	⇒	<p>Adequate measures for control of fugitive emission are being taken during drilling and blasting operations, loading and transportation of mineral etc.</p> <ul style="list-style-type: none">• Drill machine is operated with in-built dust extractor, which arrests the dust generated during the drilling operation.• Water sprinkling is done on the blasted muck after blasting to reduce the dust generation during the loading operation.• Water spraying is continuously done on haul roads.																	
(vi)	Adequate measures should be taken for control of noise levels below 85 dB in the work environment.	⇒	<p>Being taken.</p> <p>Noise monitoring reports from October 2023 to March 2024 have been given in Annexure-5.</p>																	
(vii)	<p>Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.</p> <p>Occupational health surveillance programme of the workers should be undertaken periodically to observe any contractions due to exposures to dust and take corrective measures, if needed.</p>	⇒	<p>Personal protective equipments are being provided to all personnel working in dusty area at regular intervals. Attached as Annexure-6.</p> <p>Time to time, training and information on health and safety aspects are being imparted by the HRD Deptt. as well as at vocational training centre of the Deptt.</p> <p>All employees undergo periodical medical examination under Mines Act at regular intervals. Report is attached as Annexure-7</p>																	
(viii)	The funds earmarked for environmental protection measures should be kept in separate account and not diverted for other purpose. Year wise expenditure should be reported to the Ministry of Environment & Forests.	⇒	<p>Envoirmental Expenditure of 2023-24</p> <table><tr><th></th><th>Particulars</th><th>Expenditure (In lakh)</th></tr><tr><td>1</td><td>Air Pollution Monitoring</td><td>0.24</td></tr><tr><td>2</td><td>Noise Monitoring</td><td>0.1</td></tr><tr><td>3</td><td>Plantation</td><td rowspan="2">4.94</td></tr><tr><td>4</td><td>Dust Control Measure</td></tr><tr><td></td><td>Total</td><td>5.24</td></tr></table>		Particulars	Expenditure (In lakh)	1	Air Pollution Monitoring	0.24	2	Noise Monitoring	0.1	3	Plantation	4.94	4	Dust Control Measure		Total	5.24
	Particulars	Expenditure (In lakh)																		
1	Air Pollution Monitoring	0.24																		
2	Noise Monitoring	0.1																		
3	Plantation	4.94																		
4	Dust Control Measure																			
	Total	5.24																		

(ix)	The Regional Office of this Ministry located at Bhopal shall monitor compliance of the stipulated environmental safeguards. The project authority should send one set of EIA / EMP Report and Mining Plan to them and extend full co – operation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring report.	⇒	Photocopies of Rapid EIA – EMP Report and Mining Plan have already been sent. Co-operation is being extended to the inspecting Officials.
(x)	The Project authority should inform to the Regional Office located at Bhopal as well as to the Ministry of Environment & Forests regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	⇒	Agreed
(xi)	A copy of the clearance letter will be marked to concerned Panchayat / Local NGO, if any, from whom any suggestion / representation has been received while processing the proposal.	⇒	Agreed. A copy of the EC is attached as Annexure-8 .
(xii)	State Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industry Centre and Collector's Office / Tehsildar's Office for 30 days.	⇒	Not applicable to PP
(xiii)	The Project authority should advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned informing that the project has been accorded environmental clearance and the copy of the clearance letter is available with the state Pollution Control Board and may also be seen at the web site of the Ministry of Environment and Forests at	⇒	The advertisement was published in two of the local newspapers viz. 'Dainik Bhaskar' and 'Naw Swadesh' which was earlier informed vide our letter no. MIN / 104 / 5820A dated 27.3.02.

Year-wise plantation of 66.434 Ha ML			
S. No.	Year	Number of Plants planted	Greenbelt/Colony
1	2001-02	1132	0
2	2002-03	1937	449
3	2003-04	3522	4387
4	2004-05	982	571
5	2005-06	739	0
6	2006-07	1300	0
7	2007-08	720	600
8	2008-09	1104	4000
9	2009-10	1000	2330
10	2010-11	1640	7258
11	2011-12	1400	3698
12	2012-13	800	3100
13	2013-14	680	2740
14	2014-15	1600	2566
15	2015-16	1000	3200
16	2016-17	1000	37876
17	2017-18	1000	10000
18	2018-19	1000	15000
19	2019-20	1000	43364
20	2020-21	1000	35944
21	2021-22	500	14468
22	2022-23	888	11686
23	2023-24	500	3036
Total		26444	206273

Sample Number:	VTL/WL/01-12	Report No.:	VTL/WL/ 2402270001-12/B
Name & Address of the Party:	M/s PRISM JOHNSON LIMITED Village- Mankahari, Tehsil- Rampur Baghelan, Dist.- Satna (M.P.)	Format No.:	7.8 F-01
		Party Reference No.:	NIL
Sample Collected By	VTL Team	Report Date:	06/03/2024
Sample Description:	Ground Water Level Monitoring	Receipt Date:	27/02/2024
		Date of Monitoring	22-25/02/2024

S.No.	Location	Depth (In meter)
1.	Near Colony Gate	11.46
2.	Behind B Block colony	14.00
3.	Behind C Block colony	3.80
4.	Auto Work Shop	15.84
5.	In Front Den	5.38
6.	Western Block Mines	7.30
7.	Near New Magazine Mines	13.30
8.	Majhiyar Village	9.74
9.	Mines near Ramprasan	14.56
10.	Medhi Mines	9.86
11.	Mankahari Mines	18.65


Checked By



Lab Incharge
RK Yadav
Authorized Signatory

Sample Number : VTL/GW/06

Name & Address of the Party : M/s PRISM JOHNSON LIMITED

Village- Mankahari, Tehsil- Rampur Baghelan, Dist. - Satna (M.P.)

Sample Description : Water Sample

Sampling Location : Mankahari Village - Hand Pump

Sample Collected By : VTL Team

Preservation : Suitable Preservation

Method of sampling : IS :3025

ULR No. : TC1122724000000312F

Report No. : VTL/W/2402270005/A

Format No : 7.8 F-01

Party Reference No : NIL

Report Date : 06/03/2024

Period of Analysis : 27/02/2024-06/03/2024

Receipt Date : 27/02/2024

Sampling Date : 23/02/2024

Sampling Type : Grab

Sample Quantity : 2 Ltr.

Coordinates : 81.998838 & 24.564754

S.No.	Test Parameters	Test Method	Results	Units	IS:10500-2012	
					Acceptable Limit	Permissible Limit
1	pH (at 25°C)	IS : 3025 (P-11) : 2022	7.59	--	6.5 to 8.5	No Relaxation
2	Turbidity	IS : 3025: (P-10)1984, RA 2017	*BLQ(**LOQ-1.0)	NTU	1	5
3	Total Hardness (as CaCO ₃)	IS: 3025 (P-21): 2009, RA 2019	310.0	mg/l	200	600
4	Calcium (as Ca)	IS: 3025 (P- 40): 1991 RA 2019	78.2	mg/l	75	200
5	Total Alkalinity (as CaCO ₃)	IS: 3025 (P-23): 1986, RA 2019	260.0	mg/l	200	600
6	Chloride (as Cl)	IS: 3025 (P-32): 1988, RA 2019	86.0	mg/l	250	1000
7	Magnesium (as Mg)	IS: 3025 (P-46): 1994, RA 2019	35.19	mg/l	30	100
8	Total Dissolved Solids	IS :3025 (P-16): 1984, RA 2017	685.0	mg/l	500	2000
9	Sulphate (as SO ₄)	IS: 3025 (P-24): 1986, RA 2022	72.0	mg/l	200	400
10	Fluoride (as F)	APHA 23rd Edition ,4500FD :2017	0.50	mg/l	1.0	1.5
11	Nitrate (as NO ₃)	IS: 3025 (P-34): 1988	14.23	mg/l	45.0	No Relaxation
12	Iron (as Fe)	APHA 23rd Edition , 3111B,2017	0.24	mg/l	1.0	No Relaxation
13	Aluminium (as Al)	IS 3025 (P-55): 2003, RA 2019	*BLQ(**LOQ-0.03)	mg/l	0.03	0.2
14	Boron (as B)	APHA 23rd Edition, 4500B,2017	*BLQ(**LOQ-0.2)	mg/l	0.5	1.0
15	Total Chromium (as Cr)	APHA 23rd Edition 2017 3113 B, 2017	*BLQ(**LOQ-0.02)	mg/l	0.05	No Relaxation
16	Zinc (as Zn)	APHA 23rd Edition,3030D, 3113 B , 2017	0.30	mg/l	5.0	15.0
17	Copper (as Cu)	APHA 23rd Edition 3111B 2017	*BLQ(**LOQ-0.02)	mg/l	0.05	1.5



Checked by



RK Yadav
Lab Incharge
Authorized Signatory



Page No. 1/2

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com



TEST REPORT



VIBRANT

"Experience the unimaginable"

Sample Number : VTL/GW/06

ULR No.

: TC1122724000000312F

Report No.

: VTL/W/2402270005/A

S.No.	Test Parameters	Test Method	Results	Units	IS:10500-2012	
					Acceptable Limit	Permissible Limit
18	Manganese (as Mn)	APHA 23rd Edition, 3030D, 3111 B, 2017	*BLQ(**LOQ-0.05)	mg/l	0.1	0.3
19	Cadmium (as Cd)	APHA 23rd Edition, 3030D, 3113 B, 2017	*BLQ(**LOQ-0.002)	mg/l	0.003	No Relaxation
20	Lead (as Pb)	APHA 23rd Edition, 3030D, 3113 B, 2017	*BLQ(**LOQ-0.005)	mg/l	0.01	No Relaxation
21	Arsenic (as As)	APHA 23rd Edition, 3114C, 2017	*BLQ(**LOQ-0.005)	mg/l	0.01	0.05
22	Mercury (as Hg)	APHA 23rd edition, 3114C 2017	*BLQ(**LOQ-0.001)	mg/l	0.001	No Relaxation
23	Total Coliform	IS : 15185 : 2016	Absent	per 100 ml	Shall not be detectable in any 100 ml sample	--
24	E.Coli	IS : 15185 : 2016	Absent	per 100 ml	Shall not be detectable in any 100 ml sample	--
25	Sulphide	IS 3025 (P-29) :1986 RA 2019 Idometric	*BLQ(**LOQ-0.1)	mg/l	0.05	No Relaxation
26	Nickel as Ni	APHA 23rd Edition, 3030D, 3113B 2017	*BLQ(**LOQ-0.01)	mg/l	0.02	No relaxation
27	Free Residual Chlorine	IS 3025 (P-26):2021	*BLQ(**LOQ-0.2)	mg/l	0.2	1.0

*BLQ-Below Limit Of Quantification, **LOQ- Limit of Quantification

End of Report

"Experience the unimaginable"



Checked by



RK Yadav
Lab Incharge
Authorized Signatory



Page No. 2/2

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com



TEST REPORT

VIBRANT

"Experience the unimaginable"

Sample Number : VTL/GW/06

Name & Address of the Party : M/s PRISM JOHNSON LIMITED

Village- Mankahari, Tehsil- Rampur Baghelan, Dist. -
Satna (M.P.)

Report No. : VTL/W/2402270005/B

Format No : 7.8 F-01

Party Reference No : NIL

Report Date : 06/03/2024

Period of Analysis : 27/02/2024-06/03/2024

Receipt Date : 27/02/2024

Sampling Date : 23/02/2024

Sampling Type : Grab

Sample Quantity : 2 Ltr.

Coordinates : 81.998838 & 24.564754

Sample Description : Water Sample
Sampling Location : Mankahari Village - Hand Pump
Sample Collected By : VTL Team
Preservation : Suitable Preservation
Method of sampling : IS :3025

S.No.	Test Parameters	Test Method	Results	Units	IS:10500-2012	
					Acceptable Limit	Permissible Limit
1	Colour	IS : 3025:(P-4)1983, :RA 2017	*BLQ(**LOQ-5.0)	Hazen	5	15
2	Odour	IS : 3025 (P-5) : RA 2018 .	Agreeable	--	Agreeable	Agreeable
3	Taste	IS :3025 (P-8): 1984 RA 2017	Agreeable	--	Agreeable	Agreeable

*BLQ-Below Limit Of Quantification, **LOQ- Limit of Quantification

End of Report

VIBRANT

"Experience the unimaginable"



Checked by



RK Yadav

Lab Incharge

Authorized Signatory

Page No. 1/1

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com

AIR QUALITY MONITORING REPORT FOR MINES MONTH -OCTOBER 2023

- 1 NAME & ADDRESS OF FACTORY : PRISM JOHNSON LTD
PRISM CEMENT LIMESTONE MINES
VILLAGE: MANKAHARI, HINAUTI & SIJAHATA
POST : BATHIA
DISTT : SATNA (M.P.)- 485111
- 2 NAME OF PERSON PREPARED THE REPORT : Ankita Singh Parihar
- 3 AMBIENT AIR QUALITY MONITORING
1. DURATION : 8X3=24Hrs.
2. DISTANCE FROM FACTORY : LOCATION (1) - SW (BP No. 18)
LOCATION (2) - Near Western side ML boundary (Pillar No. 14) of ML area
LOCATION (3) - Near Mankahari Village
LOCATION (4) - Near Hinouti Village
3. WIND DIRECTION : MENTIONED IN THE TABLE

Sl No.	Date	Location (1)					Location (2)					Location (3)					Location (4)					Wind	
		PM 2.5 µg/M3	PM10 µg/M3	SO2 µg/M3	NOX µg/M3	CO µg/M3	PM 2.5 µg/M3	PM10 µg/M3	SO2 µg/M3	NOX µg/M3	CO µg/M3	PM 2.5 µg/M3	PM10 µg/M3	SO2 µg/M3	NOX µg/M3	CO µg/M3	PM 2.5 µg/M3	PM10 µg/M3	SO2 µg/M3	NOX µg/M3	CO µg/M3	Direction	From
1	05.10.2023	36.61	51.73	43.20	44.49	BDL	33.55	52.62	40.50	41.35	BDL	31.61	48.22	36.45	38.24	BDL	32.22	52.13	41.98	40.45	BDL	SE	
2	09.10.2023	34.93	53.38	42.53	43.68	BDL	32.71	43.83	39.49	40.45	BDL	29.61	45.22	38.80	39.29	BDL	30.00	53.94	38.88	41.18	BDL	SE	
3	13.10.2023	35.64	55.96	44.19	45.30	BDL	31.99	53.27	41.31	41.60	BDL	31.90	49.06	37.56	37.75	BDL	32.05	50.70	39.49	41.80	BDL	SE	
4	17.10.2023	36.45	52.21	41.98	44.94	BDL	32.80	49.35	39.77	39.71	BDL	30.00	46.49	36.45	38.43	BDL	33.17	54.84	38.48	40.45	BDL	SE	
5	22.10.2023	33.58	49.77	43.74	43.14	BDL	30.97	53.84	40.50	42.07	BDL	30.56	51.48	38.19	39.53	BDL	31.44	53.38	41.31	42.47	BDL	NE	
6	26.10.2023	35.83	48.04	44.56	44.13	BDL	31.64	51.27	41.31	38.83	BDL	29.92	45.78	39.49	37.75	BDL	32.28	49.62	41.66	41.60	BDL	SE	
7	28.10.2023	34.86	49.99	45.13	45.60	BDL	30.45	52.24	41.98	41.35	BDL	31.20	46.68	38.19	39.10	BDL	31.96	53.62	40.50	40.45	BDL	SE	
8	30.10.2023	37.19	51.94	40.50	43.92	BDL	33.39	53.49	38.48	40.45	BDL	32.67	49.64	37.80	38.43	BDL	34.58	50.77	39.49	41.35	BDL	NE	

BDL - Below Detectable Limit



Sumitabh Dwivedi
Sr. Manager- Environment
Prism Johnson Ltd. Satna (M.P.)



Manoj Kumar Kashyap
Asst. Vice President
Prism Johnson Ltd. Satna (M.P.)

AIR QUALITY MONITORING REPORT FOR MINES
MONTH - NOVEMBER 2023

- 1 NAME & ADDRESS OF FACTORY : PRISM JOHNSON LTD
PRISM CEMENT LIMESTONE MINES
VILLAGE: MANKAHARI, HINAUTI & SIJAHATA
POST : BATHIA
DISTT : SATNA (M.P.)- 485111
- 2 NAME OF PERSON PREPARED THE REPORT : Ankita Singh Parihar
- 3 AMBIENT AIR QUALITY MONITORING
1. DURATION : 8X3=24Hrs.
2. DISTANCE FROM FACTORY : LOCATION (1) - SW (BP No. 18)
LOCATION (2) - Near Western side ML boundary (Pillar No. 14) of ML area
LOCATION (3) - Near Mankahari Village
LOCATION (4) - Near Hinouti Village
3. WIND DIRECTION : MENTIONED IN THE TABLE

Sl No.	Date	Location (1)					Location (2)					Location (3)					Location (4)					Wind
		PM 2.5	PM10	SO2	NOX	CO	PM 2.5	PM10	SO2	NOX	CO	PM 2.5	PM10	SO2	NOX	CO	PM 2.5	PM10	SO2	NOX	CO	Direction
		µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	From
1	04.11.2023	35.89	46.82	45.87	46.92	BDL	33.39	47.97	40.80	42.47	BDL	30.18	48.04	38.48	40.45	BDL	32.02	53.55	41.31	43.14	BDL	SE
2	08.11.2023	34.93	51.94	44.56	45.60	BDL	32.40	52.41	39.49	41.80	BDL	31.67	51.71	37.80	39.29	BDL	33.11	55.05	41.98	42.65	BDL	SE
3	12.11.2023	38.37	50.34	42.53	45.60	BDL	34.51	53.39	38.19	41.35	BDL	29.85	53.69	36.45	39.71	BDL	30.12	50.95	40.50	41.60	BDL	SE
4	19.11.2023	33.91	52.32	45.13	44.94	BDL	31.64	51.80	41.31	40.45	BDL	30.61	51.47	39.77	38.88	BDL	31.17	57.50	41.66	41.18	BDL	SE
5	23.11.2023	36.45	53.55	46.18	45.30	BDL	30.92	55.78	40.50	41.18	BDL	29.41	48.04	38.88	37.75	BDL	30.59	48.93	39.77	42.07	BDL	NE
6	25.11.2023	34.58	56.36	44.56	44.49	BDL	29.76	57.26	39.77	40.45	BDL	32.42	54.37	37.56	39.29	BDL	32.85	57.32	40.50	41.35	BDL	SE
7	27.11.2023	33.11	55.15	45.19	46.23	BDL	32.43	55.48	41.66	41.18	BDL	31.33	51.47	38.19	39.55	BDL	33.20	55.79	42.53	41.60	BDL	SE
8	29.11.2023	35.14	51.10	43.74	45.84	BDL	31.73	53.69	40.50	41.60	BDL	29.88	53.31	36.45	38.83	BDL	30.61	56.49	39.77	39.29	BDL	NE

BDL - Below Detectable Limit



Sumitabh Dwivedi
Sr. Manager- Environment
Prism Johnson Ltd. Satna (M.P.)



Manoj Kumar Kashyap
Asst. Vice President
Prism Johnson Ltd. Satna (M.P.)

AIR QUALITY MONITORING REPORT FOR MINES
MONTH - DECEMBER 2023

- 1 NAME & ADDRESS OF FACTORY : PRISM JOHNSON LTD
PRISM CEMENT LIMESTONE MINES
VILLAGE: MANKAHARI, HINAUTI & SIJAHATA
POST : BATHIA
DISTT : SATNA (M.P.)- 485111
- 2 NAME OF PERSON PREPARED THE REPORT : Ankita Singh Parihar
- 3 AMBIENT AIR QUALITY MONITORING
1. DURATION : 8X3=24Hrs.
2. DISTANCE FROM FACTORY : LOCATION (1) - SW (BP No. 18)
LOCATION (2) - Near Western side ML boundary (Pillar No. 14) of ML area
LOCATION (3) - Near Mankahari Village
LOCATION (4) - Near Hinouti Village
3. WIND DIRECTION : MENTIONED IN THE TABLE

Sl No.	Date	Location (1)					Location (2)					Location (3)					Location (4)					Wind	
		PM 2.5 µg/M3	PM10 µg/M3	SO2 µg/M3	NOX µg/M3	CO µg/M3	PM 2.5 µg/M3	PM10 µg/M3	SO2 µg/M3	NOX µg/M3	CO µg/M3	PM 2.5 µg/M3	PM10 µg/M3	SO2 µg/M3	NOX µg/M3	CO µg/M3	PM 2.5 µg/M3	PM10 µg/M3	SO2 µg/M3	NOX µg/M3	CO µg/M3	Direction	From
1	01.12.2023	36.42	50.58	10.42	14.43	BDL	31.34	53.69	10.28	13.82	BDL	30.58	53.89	11.25	14.43	BDL	32.25	53.75	10.96	14.66	BDL	SE	
2	06.12.2023	34.75	49.74	10.08	15.05	BDL	32.58	55.78	19.96	13.05	BDL	31.84	55.26	10.69	14.45	BDL	34.34	57.44	10.05	14.56	BDL	SE	
3	11.12.2023	35.49	44.85	10.96	15.49	BDL	30.61	51.27	12.06	15.58	BDL	29.91	57.32	9.52	14.96	BDL	31.49	56.76	9.24	15.35	BDL	SE	
4	12.12.2023	33.91	56.39	11.04	15.35	BDL	29.44	57.19	11.14	15.69	BDL	29.19	52.32	11.18	15.05	BDL	32.01	57.36	9.53	15.24	BDL	NE	
5	14.12.2023	32.29	44.63	9.52	15.24	BDL	31.12	54.36	11.52	15.35	BDL	30.00	50.23	11.68	15.35	BDL	33.40	59.33	10.08	14.22	BDL	SE	
6	16.12.2023	38.00	55.73	10.53	13.82	BDL	32.60	55.86	10.96	13.96	BDL	31.58	54.60	11.92	15.65	BDL	34.61	53.07	11.25	13.98	BDL	NE	
7	20.12.2023	34.93	52.61	10.06	14.67	BDL	30.03	54.72	11.59	14.55	BDL	29.58	46.68	10.42	14.98	BDL	32.92	53.07	11.18	15.32	BDL	SE	
8	25.12.2023	36.15	53.75	11.08	14.02	BDL	31.94	55.38	11.18	13.82	BDL	30.30	57.78	11.05	14.60	BDL	33.20	49.42	11.59	15.33	BDL	NE	
9	28.12.2023	32.12	42.53	11.18	15.05	BDL	31.12	54.11	11.88	15.96	BDL	31.59	50.23	11.88	14.55	BDL	32.01	59.48	10.54	16.40	BDL	SE	

BDL - Below Detectable Limit



Sumitabh B. Wivedi
Sr. Manager- Environment
Prism Johnson Ltd. Satna (M.P.)



Manoj Kumar Kashyap
Asst. Vice President
Prism Johnson Ltd. Satna (M.P.)

AIR QUALITY MONITORING REPORT FOR MINES
MONTH - JANUARY 2024

- 1 NAME & ADDRESS OF FACTORY : PRISM JOHNSON LTD
PRISM CEMENT LIMESTONE MINES
VILLAGE: MANKAHARI, HINAUTI & SUAHATA
POST : BATHIA
DISTT : SATNA (M.P.)- 485111
- 2 NAME OF PERSON PREPARED THE REPORT : Ankita Singh Parihar
- 3 AMBIENT AIR QUALITY MONITORING
1. DURATION : 8X3=24Hrs.
2. DISTANCE FROM FACTORY : LOCATION (1) - SW (BP No. 18)
LOCATION (2) - Near Western side ML boundary (Pillar No. 14) of ML area
LOCATION (3) - Near Mankahari Village
LOCATION (4) - Near Hinouti Village
3. WIND DIRECTION : MENTIONED IN THE TABLE

Sl No.	Date	Location (1)					Location (2)					Location (3)					Location (4)					Wind	
		PM 2.5	PM10	SO2	NOX	CO	PM 2.5	PM10	SO2	NOX	CO	PM 2.5	PM10	SO2	NOX	CO	PM 2.5	PM10	SO2	NOX	CO	Direction	From
		µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3		
1	02.01.2024	32.89	51.76	13.50	17.79	BDL	31.55	53.44	11.04	14.83	BDL	30.92	52.32	12.15	14.71	BDL	31.25	54.96	13.25	16.18	BDL	BDL	NE
2	05.01.2024	36.08	57.50	11.08	17.52	BDL	32.05	58.09	12.15	14.56	BDL	32.25	52.44	10.80	14.38	BDL	33.25	58.83	11.04	14.83	BDL	BDL	SE
3	09.01.2024	34.48	55.58	13.88	16.18	BDL	30.89	55.48	10.41	14.15	BDL	29.79	51.21	9.92	14.83	BDL	30.80	59.00	12.15	16.18	BDL	BDL	SE
4	12.01.2024	31.51	54.65	14.58	18.20	BDL	29.99	58.09	12.15	16.18	BDL	30.54	53.24	11.04	13.86	BDL	30.58	56.49	13.25	17.52	BDL	BDL	NE
5	16.01.2024	35.00	49.74	12.15	14.83	BDL	32.83	49.61	11.04	14.56	BDL	29.97	53.18	10.12	14.15	BDL	31.47	54.62	10.80	16.18	BDL	BDL	SE
6	20.01.2024	35.93	56.20	14.17	17.65	BDL	33.68	61.23	10.80	14.83	BDL	32.67	56.36	10.80	14.56	BDL	33.26	58.13	13.50	17.52	BDL	BDL	SE
7	25.01.2024	37.63	51.64	13.88	17.97	BDL	32.25	51.27	12.15	13.86	BDL	31.91	51.27	13.25	14.71	BDL	32.60	53.31	14.17	16.18	BDL	BDL	SE
8	30.01.2024	34.75	56.49	13.50	18.87	BDL	31.67	58.86	10.41	16.18	BDL	30.61	57.50	11.04	17.52	BDL	31.67	59.60	12.15	17.65	BDL	BDL	NE
9	31.01.2024	32.54	55.78	15.33	15.21	BDL	30.55	55.42	11.36	15.47	BDL	32.24	55.05	12.43	15.04	BDL	30.48	60.44	14.04	15.07	BDL	BDL	NE

BDL - Below Detectable Limit


BS Shekhawat
Sr. Manager- Environment
Prism Johnson Ltd. Satna (M.P.)


Manoj Kumar Kashyap
Asst. Vice President
Prism Johnson Ltd. Satna (M.P.)


AIR QUALITY MONITORING REPORT FOR MINES
MONTH - FEBRUARY 2024

- 1 NAME & ADDRESS OF FACTORY : PRISM JOHNSON LTD
PRISM CEMENT LIMESTONE MINES
VILLAGE: MANKAHARI, HINAUTI & SUAHATA
POST - BATHIA
DISTT - SATNA (M.P.)- 485111
- 2 NAME OF PERSON PREPARED THE REPORT : Ankita Singh Parihar
- 3 AMBIENT AIR QUALITY MONITORING
1 DURATION : 8X3=24Hrs.
2 DISTANCE FROM FACTORY : LOCATION (1) - SW (BP No. 18)
LOCATION (2) - Near Western side ML boundary (Pillar No. 14) of ML area
LOCATION (3) - Near Mankahari Village
LOCATION (4) - Near Hinouti Village
- 3 WIND DIRECTION : MENTIONED IN THE TABLE

Sl No.	Date	Location (1)					Location (2)					Location (3)					Location (4)					Wind
		PM 2.5	PM10	SO2	NOX	CO	PM 2.5	PM10	SO2	NOX	CO	PM 2.5	PM10	SO2	NOX	CO	PM 2.5	PM10	SO2	NOX	CO	Direction
1	02.02.2024	36.57	48.93	14.17	17.79	BDL	32.95	57.50	12.15	14.83	BDL	32.08	57.06	10.80	14.71	BDL	33.11	54.96	13.25	16.18	BDL	SE
2	05.02.2024	32.89	56.39	13.50	17.52	BDL	30.54	59.80	11.04	14.56	BDL	28.40	53.49	10.41	14.38	BDL	31.15	57.26	12.15	14.83	BDL	SE
3	08.02.2024	34.82	52.06	14.58	16.18	BDL	31.30	56.49	12.15	14.15	BDL	31.39	50.95	9.92	14.83	BDL	32.89	55.78	13.50	16.18	BDL	SE
4	12.02.2024	33.25	53.39	13.88	18.20	BDL	29.91	56.45	10.80	16.18	BDL	29.92	56.45	10.12	13.86	BDL	31.26	56.29	12.15	17.52	BDL	SE
5	17.02.2024	35.93	53.49	14.17	14.83	BDL	30.92	56.45	13.25	14.56	BDL	32.32	53.60	11.04	14.15	BDL	33.91	58.53	13.50	16.18	BDL	SE
6	20.02.2024	36.76	56.75	13.25	17.65	BDL	32.82	57.50	10.41	14.83	BDL	31.94	56.45	9.11	14.87	BDL	34.60	56.45	11.04	17.52	BDL	SE
7	22.02.2024	34.58	50.25	14.17	17.97	BDL	31.76	59.02	12.15	13.86	BDL	30.56	53.60	10.41	14.56	BDL	32.05	57.63	13.25	16.18	BDL	SE
8	24.02.2024	35.35	59.00	13.88	18.87	BDL	32.46	58.53	11.04	16.18	BDL	29.76	55.05	10.80	14.71	BDL	33.03	59.93	12.15	17.65	BDL	SE
9	27.02.2024	33.89	55.04	12.50	16.59	BDL	31.04	59.83	12.2	15.5	BDL	26.68	52.86	11.06	17.52	BDL	35.02	58.05	14.04	16.04	BDL	SE

BDL - Below Detectable Limit


Sumitabh Dwivedi
Sr. Manager- Environment
Prism Johnson Ltd, Satna (M.P.)


Manoj Kumar Kashyap
Asst. Vice President
Prism Johnson Ltd, Satna (M.P.)

AIR QUALITY MONITORING REPORT FOR MINES
MONTH - MARCH 2024

- 1 NAME & ADDRESS OF FACTORY : PRISM JOHNSON LTD
PRISM CEMENT LIMESTONE MINES
VILLAGE: MANKAHARI, HINAUTI & SIJAHATA
POST : BATHIA
DISTT : SATNA (M.P.)- 485111
- 2 NAME OF PERSON PREPARED THE REPORT : Ankita Singh Parihar
- 3 AMBIENT AIR QUALITY MONITORING
1. DURATION : 8X3=24Hrs.
2. DISTANCE FROM FACTORY : LOCATION (1) - SW (BP No. 18)
LOCATION (2) - Near Western side ML boundary (Pillar No. 14) of ML area
LOCATION (3) - Near Mankahari Village
LOCATION (4) - Near Hinauti Village
3. WIND DIRECTION : MENTIONED IN THE TABLE

Sl No.	Date	Location (1)					Location (2)					Location (3)					Location (4)					Wind
		PM 2.5	PM10	SO2	NOX	CO	PM 2.5	PM10	SO2	NOX	CO	PM 2.5	PM10	SO2	NOX	CO	PM 2.5	PM10	SO2	NOX	CO	Direction
		µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	µg/M3	From
1	05.03.2024	35.28	58.61	14.17	17.79	BDL	34.24	59.66	13.25	14.83	BDL	31.25	58.38	12.15	14.71	BDL	32.85	58.22	13.50	16.18	BDL	SE
2	09.03.2024	32.60	56.88	13.88	17.52	BDL	30.86	60.18	12.15	14.56	BDL	29.20	61.57	11.04	14.38	BDL	30.86	54.38	13.88	14.83	BDL	SE
3	14.03.2024	33.89	59.05	13.50	16.18	BDL	29.91	60.27	11.04	14.15	BDL	30.00	58.88	10.80	14.83	BDL	31.05	61.10	12.15	16.18	BDL	SE
4	14.03.2024	36.64	61.44	11.04	18.20	BDL	32.22	62.27	12.15	16.18	BDL	32.11	57.22	10.12	13.86	BDL	33.65	54.71	13.33	17.52	BDL	SE
5	18.03.2024	33.65	59.33	14.58	14.83	BDL	31.55	60.12	10.80	14.56	BDL	30.70	59.46	11.04	14.15	BDL	31.11	63.30	12.15	16.18	BDL	SE
6	21.03.2024	32.95	60.41	13.25	17.65	BDL	30.36	63.35	10.41	14.83	BDL	29.85	61.34	9.92	14.56	BDL	30.14	64.17	11.04	17.52	BDL	SE
7	24.03.2024	35.72	59.11	13.50	17.97	BDL	32.67	62.25	12.15	13.86	BDL	33.00	62.90	11.04	14.71	BDL	34.36	63.50	13.25	16.18	BDL	SE
8	27.03.2024	36.61	61.55	14.17	18.87	BDL	33.01	63.44	11.04	16.18	BDL	32.18	60.77	10.80	15.04	BDL	32.85	63.65	13.50	17.76	BDL	SE

BDL - Below Detectable Limit



Sumitabh Dwivedi
Sr. Manager- Environment
Prism Johnson Ltd. Satna (M.P.)



Manoj Kumar Kashyap
Asst. Vice President
Prism Johnson Ltd. Satna (M.P.)


**PRISM JOHNSON LIMITED
SATNA (M.P.)**


AMBIENT NOISE MONITORING REPORT

**MONTH - OCTOBER
YEAR - 2023**

1. Name and address of Factory : **PRISM JOHNSON LTD.**
PRISM CEMENT LIMESTONE MINES
Village - Mankahari, Hinauti-Sijahata
Post - Bathia
Dist. - Satna (M.P.) - 485111
2. Name of person prepared the report : Ankita Singh Parihar
3. Details of noise monitoring :

S. No	Locations	Date of monitoring	Noise level in dB(A) (Day Time)	Noise Level in dB(A) (Night Time)
1	SW (BP No. 18)	19.10.2023	55.45	49.97
2	Near Western side ML boundary (Pillar No. 14) of ML area	19.10.2023	51.7	46.82
3	Mankahari Village	19.10.2023	51.02	46.4
4	Hinauti village	19.10.2023	53.1	49.1


Sumitabh Dwivedi
Sr. Manager – Environment


Manoj Kumar Kashyap
Asst. Vice President

**PRISM JOHNSON LIMITED
SATNA (M.P.)**

AMBIENT NOISE MONITORING REPORT

**MONTH - NOVEMBER
YEAR - 2023**

1. Name and address of Factory : **PRISM JOHNSON LTD.**
PRISM CEMENT LIMESTONE MINES
Village - Mankahari, Hinauti-Sijahata
Post - Bathia
Dist. - Satna (M.P) - 485111
2. Name of person prepared the report : Ankita Singh Parihar
3. Details of noise monitoring :

S. No	Locations	Date of monitoring	Noise level in dB(A) (Day Time)	Noise Level in dB(A) (Night Time)
1	SW (BP No. 18)	12.11.2023	52.77	47.75
2	Near Western side ML boundary (Pillar No. 14) of ML area	12.11.2023	50.5	46.05
3	Mankahari Village	12.11.2023	46.92	44.02
4	Hinauti village	12.11.2023	50.82	45.25



Sumitabh Dwivedi
Sr. Manager – Environment



Manoj Kumar Kashyap
Asst. Vice President

**PRISM JOHNSON LIMITED
SATNA (M.P.)**

AMBIENT NOISE MONITORING REPORT

**MONTH - DECEMBER
YEAR - 2023**

1. Name and address of Factory : **PRISM JOHNSON LTD.
PRISM CEMENT LIMESTONE MINES**
Village - Mankahari, Hinauti-Sijahata
Post - Bathia
Dist. - Satna (M.P) - 485111
2. Name of person prepared the report : Ankita Singh Parihar
3. Details of noise monitoring :

S. No	Locations	Date of monitoring	Noise level in dB(A) (Day Time)	Noise Level in dB(A) (Night Time)
1	SW (BP No. 18)	25.12.2023	57.35	50.12
2	Near Western side ML boundary (Pillar No. 14) of ML area	25.12.2023	50.72	46.2
3	Mankahari Village	25.12.2023	46.35	41.7
4	Hinauti village	25.12.2023	48.67	44.52



Sumitabh Dwivedi
Sr. Manager – Environment



Manoj Kumar Kashyap
Asst. Vice President


**PRISM JOHNSON LIMITED
SATNA (M.P.)**


AMBIENT NOISE MONITORING REPORT

**MONTH - JANUARY
YEAR - 2024**

1. Name and address of Factory : **PRISM JOHNSON LTD.**
PRISM CEMENT LIMESTONE MINES
Village - Mankahari, Hinauti-Sijahata
Post - Bathia
Dist. - Satna (M.P.) - 485111
2. Name of person prepared the report : Reema Tiwari
3. Details of noise monitoring :

S. No	Locations	Date of monitoring	Noise level in dB(A) (Day Time)	Noise Level in dB(A) (Night Time)
1	SW (BP No. 18)	16.01.2024	54.42	48.82
2	Near Western side ML boundary (Pillar No. 14) of ML area	16.01.2024	52.02	46.77
3	Mankahari Village	16.01.2024	51.9	46.8
4	Hinauti village	16.01.2024	52.8	47.65


BS Shekhawat
Sr. Manager – Environment


Manoj Kumar Kashyap
Asst. Vice President

**PRISM JOHNSON LIMITED
SATNA (M.P.)**


AMBIENT NOISE MONITORING REPORT

MONTH - FEBRUARY

YEAR - 2024

1. Name and address of Factory : **PRISM JOHNSON LTD.
PRISM CEMENT LIMESTONE MINES**
Village - Mankahari, Hinauti-Sijahata
Post - Bathia
Dist. - Satna (M.P) - 485111
2. Name of person prepared the report : Reema Tiwari
3. Details of noise monitoring :

S. No	Locations	Date of monitoring	Noise level in dB(A) (Day Time)	Noise Level in dB(A) (Night Time)
1	SW (BP No. 18)	20.02.2024	53.87	51.1
2	Near Western side ML boundary (Pillar No. 14) of ML area	20.02.2024	51.95	48.27
3	Mankahari Village	20.02.2024	50.77	47.52
4	Hinauti village	20.02.2024	53.4	48.1


Sumitabh Dwivedi
Sr. Manager – Environment


Manoj Kumar Kashyap
Asst. Vice President


**PRISM JOHNSON LIMITED
SATNA (M.P.)**


AMBIENT NOISE MONITORING REPORT

**MONTH - MARCH
YEAR - 2024**

1. Name and address of Factory : **PRISM JOHNSON LTD.
PRISM CEMENT LIMESTONE MINES**
Village - Mankahari, Hinauti-Sijahata
Post - Bathia
Dist. - Satna (M.P.) - 485111
2. Name of person prepared the report : Reema Tiwari
3. Details of noise monitoring :

S. No	Locations	Date of monitoring	Noise level in dB(A) (Day Time)	Noise Level in dB(A) (Night Time)
1	SW (BP No. 18)	07.03.2024	56.9	50.27
2	Near Western side ML boundary (Pillar No. 14) of ML area	07.03.2024	51.82	47.4
3	Mankahari Village	07.03.2024	50.65	46.95
4	Hinauti village	07.03.2024	52.52	47.77


Sumitabh Dwivedi
Sr. Manager – Environment


Manoj Kumar Kashyap
Asst. Vice President

Total PPE's for Mines From Oct 2023 -Mar 2024				
S.No	Material	Qty.	Per Qty in RS	Amount in Rs.
1	Dust Mask	195	15.23	2969.85
2	Google Safety Glass PVC.	55	50.83	2795.65
3	Hand Gloves	180	34.2	6156
4	Helmet Industrial Safety	40	115	4600
5	Jacket fluorescent High Visibility Wear	172	127	21844
6	Plug Ear muff	260	8	2080
7	Safety Shoes	350	1018	356300
TOTAL		1252		396745.5

Deotale Diagnostic

(we care)

Consultation Diagnostics Health Check- Ups Immunization.

Clinic: Vinayak Apt. 3rd floor Dhantoli Lokmat Chowk Nagpur

For any assistance call at : 9860204241, 0712-2424868

Email ID : deotaledeepak19577@gmail.com

MEDICAL CHECK-UP

SR.NO	82
CERTIFICATE NO.	82
EMPLOYEES CODE	503332
DESIGNATION	Machine Attender
DEPARTMENT	Mines
CONTRACTOR NAME	PCL
MOB NO	9407017937
CHECK-UP DATE	13-12-2023

EMPLOYEES NAME : Ramayan Singh

Gender: Male Age: 56 Yrs. Ht: 163 cms Wt: 70 Kg BMI: 26.35

Company Address: PRISM JOHNSON LIMITED, MANKAHARI, PO: BATHIA, DIST: SATNA, MADHYA PRADESH

Personal H/O ALCOHOL: NO TABACCO: YES SMOKING: NO GUTKHA: NO

General Exam:- Teeth: N. / Tonsils: N. / Nails: N. / Tongue: N. / L. Glands: N.

BP.: 110/70 mmHg	Pulse: 82 bps
C.V.S.: N	R/S: N CNS: N SP/LIVER: N/P

Abdomen: Soft

BLOOD TEST

Random Blood Sugar: 139 mg/dl	BLOOD GROUP: O+ve	Hb %: 14.2 gm/dl	ESR: 5 MM/Hr
TLC: 8100 /Cumm	N.: 67 %	L.: 27 %	E.: 2 % M.: 4 %
S. Cholesterol: 179 mg/dl	Triglyceride: 148 mg/dl	HDL: 44.1 mg/dl	
LDL: 105.3 mg/dl	VLDL: 29.6 mg/dl	CHO/HDL Ratio: 4.1	
Sr. Urea: 24 mg/dl		Sr. Creatinine: 0.8 mg/dl	
Urine Pus Cell: NIL	Urine ALB: NIL	Urine Sugar: NIL	

ECG: WNL	SPIROMETRY: WNL
Colourblindness: NORMAL	X-RAY: WNL
AUDIOMETRY: RT. WNL	LF. WNL
Vision:	Unaided - Dist. Rt - 6/12 Dist. Lf - 6/12
	Unaided - Near Rt - N/24 Near Lf - N/24
	With Spect Dist. Rt - With Spect Dist. Lf -
	With Spect Near. Rt - With Spect Near. Lf -
MEDICAL CHECK - UP:- NORMAL	
	Refractive error can be corrected by spectacle

DR. DEEPAK P. DEOTALE
M.B.B.S. A.F.I.H. (Reg. No. 48366)

Dr. Deepak Deotale
MBBS, AFIH
Reg. No. 48366

(FORM - O)
(See rule 29F (2) and 29L)
Report of medical examination under rule 29B (To be issued in triplicate)

** Certificate No..... Certified that Shri/Shrimati*... Ramayan Singh.....
employed as mach helper In Ban Sarkla mines..... mine,
Form B No. 30..... has been examined for an initial/periodical medical
examination. He/she* appears to be 56..... years of age.

The findings of the examining authority are given in the attached sheet. It is considered
that Shri/Shrimati*..... Ramayan Singh.....

✓(a)* is medically fit for any employment in mines.

(b)* is suffering from..... and is medically unfit for
(i) any employment in mine; or
(ii) any employment below ground; or
(iii) any employment or work.....

(c)* is suffering from..... is should get this disability* cured/controlled
and should be again examined within a period of months. He/She will appear
for re-examination with the result of test of and the opinion of
Specialist from He/She may be permitted/not* permitted to carry on his
duties during this period.



Dr. Deepak Deotale
MBBS, AFIH
Reg. No. 48366

Signature of the examining authority
Name and designation in Block letters

Place : Satna
Date : 13-12-23

* Delete whatever is not applicable.


** One copy of the certificate shall be handed over to the person concerned and
another copy shall be sent to the manager of the mine concerned by registered post;
and the third copy shall be retained by the examining authority,

Report of the examining authority

(to be filled in for every medical examination whether initial or periodical or re -
examination or after cure/control of disability).

Annexure to Certificate No. 82..... as result of medical examination on

Identification Mark.....



Left thumb impression of the candidate

1. General development- Good/Fair/Poor

2. Height 163 Cms.

3 Weight 70 kg.

4 Eyes : (i) Visual acuity-Distant vision (with or without glasses).

Right eye..... 6/12 N/24 Left eye..... 6/12 N/24

(ii) any organic disease of eyes NO

(iii) night blindness NO

(iv) Colour blindness NO

(v) Squint (* to be tested in special cases)

Inserted vide notification No.GSR 656 dated 5.6.1980 NO

5 Ears : Hearing : Right ear..... WNL Left ear WNL...

Any organic diseases. NO

6.Respiratory system. Chest measurement : (i) After full inspiration 38cms.
(ii) After full expiration..... 40cms.

7. Circulatory system: (i) Blood Pressure (ii) Pulse

8. Abdomen : Tenderness NO
Liver. NO
Spleen. NP
Tumour. NO

9. Nervous system:

History of fits or epilepsy NO

Paralysis NO

Mental health. Good

10.Locomotory system : N

11. Skin. : N

12. Hydrocele. : NO

13. Hernia. : NO

14. Any other abnormality : NO

15. Urine : Reaction. N
Albumin..... NO
Sugar..... NO

16. Skiagram of chest. : NAD

17. Any other test considered necessary by the examining authority. : —

18. Any opinion of specialist considered necessary. —

Place: Satna

Signature of the examining authority

Dr. Deepak Deotale

MBBS, AFIH

Reg. No. 48366

Report of Medical Examination under Mines Rule 29B
(To be used in continuation with Form O)

Certificate No.

82

Name :

Ramaya Singh

Identification Marks: Blacemole on chest

Result of Lung Function Test (Spirometry)

Parameters	Predicted Value	Performed Value	% of Predicted
Forced Vital Capacity (FEV)	02.88	04.16	144
Forced Vital Capacity FEV1	02.21	04.16	188
FEV 1/ FVC	76.74	100.00	130
Peak Expiratory Flow	07.79	07.09	091

Spirometry Report enclosed.

Dr. Deepak Deotale
MBBS, AFH
Reg No. 48366

Signature of the Examination Authority

Report of Medical Examination as per the recommendations of National Safety
Conferences in Mines
(To be used in continuation with Form O)

Certificate No.

82

Name :

Ramayan Singh

Identification Marks:

1. Cardiological Assessment

Auscultation	S1	N	Performed Value	% of Predicted
	S2	N		
	Additional Sound			
FEV1/ FVC				
Electrocardiograph(12leads) findings			Normal/Abnormal	Normal

Enclosed ECG

2. Neurological Assessment

Findings	Normal/Abnormal
Superficial Reflexes	Normal
Deep Reflexes	Normal
Peripheral Circulation	Normal
Neurological Syndromes	Normal

3. ILO Classification of Chest Radiograph

Profusion of Pneumoconiotic Opacities	Grades	Types
Present /Absent		

Enclosed Chest Radiograph

4. Audiometry Findings:

Conduction Type	Left Ear	Right Ear
Ear Conduction	✓ Normal/Abnormal	✓ Normal/Abnormal
Bone Conduction	✓ Normal/Abnormal	✓ Normal/Abnormal

Enclosed Audiometry Report

5. Pathological/Microbiological Investigations:

S.No.	Tests	Findings
1.	Blood-Tc,Dc,Hb,ESR,Platelets	✓ WNL/Abnormal
2.	Blood Sugar-Fasting & P.P.	✓ WNL/Abnormal
3.	Lipid Profile	✓ WNL/Abnormal
4.	Blood Urea, Creatinine	✓ WNL/Abnormal
5.	Urine Routine	✓ WNL/Abnormal
6.	Stool Routine	WNL/Abnormal

Enclosed Investigation Reports

6. Special Tests for Mn Exposure:

Behavioral Disturbances		Present/Not Present
Neurological Disturbances	Speech Defect	Present/Not Present ✓
	Tremor	Present/Not Present ✓
	Adiadocokinesia	Present/Not Present ✓
	Emotional Changes	Present/Not Present ✓

Enclosed ECG

7. Any other Special Tests Required:

Dr. Deepak Deotale

MBBS, AFIH

Reg. No. 48366

Signature of the Examination Authority
Seal

AMAYAN SINGH

Sex: Male

DOB:

ID: 82P

Acq. Date: 13-Dec-23

Acq. Time: 12:04:50 PM

Exp. Index: 659

R

15cm

CHEST

HA

W: 4096, 0:12048

Scale: 0.13

MAYA DIAGNOSTICS

MAYA DIAGNOSTICS

Scale: 0.13

MAYA DIAGNOSTICS

Lavox

Relax

Allengers Global Healthcare Pvt Ltd.,

1810037955 / 92 RAMAYAN SINGH / 56 Yrs / M / 163Cms. / 70Kgs. / Non Smoker
1 Lead: Rate: 77 bpm / Tested On: 13-Dec-23 15:33:22 / HF 0.05 Hz / LF 100 Hz / Notch 50 Hz / SN 1.00 cm/mV / SW 25 mm/s

ECG

WIRU
ACUPL



Dr. Deepak Neerale

MBBS / FRI



Reg. No. 48366

DEOTALE DIAGNOSIS CENTRE

VINAYAK APARTMENT, 3RD FLOOR, DHANTOLI, NAGPUR

Patient: RAMAYAN SINGH
Refd. By:
Pred. Eqns: RECORDERS
Date : 13-Dec-2023 03:20 PM

Age : 56 Years Gender : Male
Height : 163 Cms Smoker : Yes
Weight : 70 Kgs Eth. Corr: 100
ID: 82C Temp :



FEV1 %Pred	COPD SEVERITY
150	
125	OBS NORM
100	
75	MODERATE
50	SEVERE
25	VERY SEVERE RES
0	
	25 50 75 100 125 150
	(FEV1/FVC) %Pred

FVC %Pred	Interpretation
150	
125	OBS NORM
100	
75	
50	
25	MIXED RES
0	
	25 50 75 100 125 150
	(FEV1/FVC) %Pred

Spirometry (FVC Results)

Parameter	Pred	M. Pre	%Pred	M. Post	%Pred	%Imp
FVC (L)	02.88	04.16	144	-----	---	---
FEV1 (L)	02.21	04.16	188	-----	---	---
FEV1/FVC (%)	76.74	100.00	130	-----	---	---
FEF25-75 (L/s)	03.09	05.67	183	-----	---	---
PEFR (L/s)	07.79	07.09	091	-----	---	---
FIVC (L)	-----	---	---	-----	---	---
FEV.5 (L)	-----	03.03	---	-----	---	---
FEV3 (L)	02.79	04.16	149	-----	---	---
PIFR (L/s)	-----	---	---	-----	---	---
FEF75-85 (L/s)	-----	04.44	---	-----	---	---
FEF.2-1.2 (L/s)	05.44	06.68	123	-----	---	---
FEF 25% (L/s)	07.32	06.68	091	-----	---	---
FEF 50% (L/s)	04.96	05.71	115	-----	---	---
FEF 75% (L/s)	01.97	04.70	239	-----	---	---
FEV.5/FVC (%)	-----	72.84	---	-----	---	---
FEV3/FVC (%)	96.88	100.00	103	-----	---	---
FET (Sec)	-----	01.00	---	-----	---	---
ExptTime (Sec)	-----	00.06	---	-----	---	---
Lung Age (Yrs)	056	007	012	-----	---	---
FEV6 (L)	02.88	-----	---	-----	---	---
FIF25% (L/s)	-----	02.48	---	-----	---	---
FIF50% (L/s)	-----	02.48	---	-----	---	---
FIF75% (L/s)	-----	02.48	---	-----	---	---

Pre Test COPD Severity

Test within normal limits

Pre Medication Report Indicates
Spirometry within normal limits as (FEV1/FVC) %Pred >95 and FVC %Pred >80.

Dr. Deepak Deotale
MBBS, AFH
Reg. No. 48366

Deotale Diagnostic Centre (we care)

Consultation Diagnostics Health Check-Up Immunization.

Clinic: Vinayak Apt. 3rd floor Dhantoli Lokmat Chowk Nagpur


Resi:- 1B, Prashant Nagar Wardha-Road Nagpur (Clinic Reg. No. 699)

For any assistance call at . 9860204241, 0712-6610595

Date: 13-12-2023

AUDIOLOGICAL EVALUATION

1. SR.NO:82	CERTIFICATE NO: 82	2. EMPLOYEES CODE: 503332
3. DEPARTMENT: Mines		4. DESIGNATION: Machine Attender
5. NAME : Ramayan Singh		6. CONTRACTOR NAME: PCL
7. SEX : Male		8. AGE: 56 yrs
9. ADDRESS : PRISM JOHNSON LIMITED, MANKAHARI, PO: BATHIA, DIST: SATNA, MADHYA PRADESH		
10. DIAGNOSIS: LT: WNL	11. RT: WNL	



TEST FREQUENCY

Air O	= LEFT EAR :	<u>WNL</u>
Y	= RIGHT EAR :	<u>WNL</u>
Masking		
No Response: Audiologists Remarks		

Dr. DEEPAK DEOTALE
M.B.B.S. A.F.I.H.
Reg. No. 48366

Dr. Deepak Deotale
MBBS, AFH
Reg. No. 48366



82

TEST NO

82

MAYA HOSPITAL & RESEARCH INSTITUTE

Add.: Plot .P 78, Opposite State Bank of India, MIDC
Butibori (Nagpur)
Ph 07103-684885

Deotale Diagnostic Center We Care

Consultation Diagnostics Health Check-Ups Immunization

Dr. Deepak P. Deotale M.B.B.S., A.F.I.H. (Associated fellow Of industrial health) Certifying Surgeon Reg .No. 48366	SR.NO	82
	CERTIFICATE NO	82
	EMPLOYEES CODE	503332
	NAME	Ramayan Singh
Clinic : Vinayak Apt. 3 rd floor Dhantoli, Lokmat Chowk ,Nagpur (Clinic Reg. No. 699)	GENDER	Male
	DEPARTMENT	Mines
	DESIGNATION	Machine AttenderMachine Attender
	Check Up Date	13-12-2023
Mob. No .8007771341	MOB NO	9407017937
Email ID: deotaledeepak19577@gmail.com	Company Name: PRISM JOHNSON LIMITED, MANKAHARI,PO: BATHIA, DIST: SATNA, MADHYA PRADESH	

Deotale Diagnostic Centre (we care)

Consultation Diagnostics Health Check- Ups Immunization.

Clinic: Vinayak Apt. 3rd floor Dhandoli Lokmat Chowk Nagpur

For any assistance call at : 9860204241, 0712-2424868

Email ID : deotaledeepak19577@gmail.com

MEDICAL CHECK-UP

SR.NO	92
CERTIFICATE NO.	92
EMPLOYEES CODE	101632
DESIGNATION	Dy General Manager
DEPARTMENT	Mines
CONTRACTOR NAME	PCL
MOB NO	9584460221
CHECK-UP DATE	12-12-2023

EMPLOYEES NAME : Rangnath Rai

Gender: Male Age : 47 Yrs. Ht: 177 cms Wt: 77 Kg BMI : 24.58

Company Address: PRISM JOHNSON LIMITED, MANKAHARI, PO: BATHIA, DIST: SATNA, MADHYA PRADESH

Personal H/O ALCOHOL : NO TABACCO : NO SMOKING : NO GUTKHA : NO

General Exam:- Teeth : N. / Tonsils : N. / Nails : N. / Tongue : N. / L. Glands: N.

BP : 133/98 mmHg Pulse : 72 bps
C.V.S.: N R/S : N CNS: N SP/LIVER : N/P

Abdomen : Soft

BLOOD TEST

Random Blood Sugar: 169 mg/dl	BLOOD GROUP: B+ve	Hb %: 12.4 gm/dl	ESR: 5 MM/Hr
TLC: 6200 /Cumm	N.: 68 %	L.: 24 %	E.: 5 %
S. Cholesterol: 170 mg/dl	Triglyceride: 153 mg/dl	HDL: 46 mg/dl	M.: 3 %
LDL: 101.6 mg/dl	VLDL: 30.6 mg/dl	CHO/HDL Ratio : 3.9	
Sr. Urea: 24 mg/dl		Sr. Creatinine: 0.8 mg/dl	
Urine Pus Cell : +	Urine ALB : NIL	Urine Sugar : NIL	

ECG: WNL	SPIROMETRY : WNL
Colour blindness: NORMAL	X-RAY : WNL
AUDIOMETRY : RT. WNL	LF : WNL
Vision:	Unaided - Dist. Rt - 6/6
	Unaided - Near Rt - N/8
	With Spect Dist. Rt -
	With Spect Near. Rt -
	Dist. Lf - 6/6
	Near Lf - N/8
	With Spect Dist. Lf -
	With Spect Near. Lf -
MEDICAL CHECK - UP:- NORMAL	
Refractive error can be corrected by spectacle	

DR. DEEPAK P. DEOTALE
M.B.B.S. A.F.I.H. (Reg. No. 48366)

Dr. Deepak P. Deotale
M. B. B. S.
Reg. No. 48366

(FORM - O)
(See rule 29F (2) and 29L)

Report of medical examination under rule 29B (To be issued in triplicate)


** Certificate No. Certified that Shri/Shrimati* Ragnath Rai
employed as muchang In Baghai mine,
Form B No. 1 has been examined for an initial/periodical medical
examination. He/she* appears to be 47 years of age.

The findings of the examining authority are given in the attached sheet. It is considered
that Shri/Shrimati*

(a)* is medically fit for any employment in mines.

(b)* is suffering from and is medically unfit for
(i) any employment in mine; or
(ii) any employment below ground; or
(iii) any employment or work

(c)* is suffering from is should get this disability* cured/controlled
and should be again examined within a period of months. He/She will appear
for re-examination with the result of test of and the opinion of
Specialist from He/She may be permitted/not* permitted to carry on his
duties during this period.



Dr. Deepak Deotale
MBBS, AFIH
Reg. No. 48366

Signature of the examining authority
Name and designation in Block letters

Place :

Date : 12-12-23

* Delete whatever is not applicable.


** One copy of the certificate shall be handed over to the person concerned and
another copy shall be sent to the manager of the mine concerned by registered post;
and the third copy shall be retained by the examining authority,

Report of the examining authority

(To be filled in for every medical examination whether initial or periodical or re -
examination or after cure/control of disability).

Appendix to Certificate No. 92 as result of medical examination on

Identification Mark



Left thumb impression of the candidate

1. General development- Good/Fair/Poor

2. Height 177 Cms.

3 Weight 77 kg.

4 Eyes : (i) Visual acuity-Distant vision (with or without glasses).

Right eye..... 6/6 N/8 Left eye..... 6/6 N/8

(ii) any organic disease of eyes NO

(iii) night blindness NO

(iv) Colour blindness NO

(v) Squint (* to be tested in special cases)

Inserted vide notification No.GSR 656 dated 5.6.1980 NO

5 Ears : Hearing : Right ear..... W N' L Left ear

Any organic diseases. NO

6.Respiratory system. Chest measurement : (i) After full inspiration 38 cms.
(ii) After full expiration..... 2 cms.

7. Circulatory system: (i) Blood Pressure (ii) Pulse

8. Abdomen : Tenderness NO
Liver. NO
Spleen. NO
Tumour. NO

9. Nervous system:

History of fits or epilepsy NO

Paralysis NO

Mental health. Good

10.Locomotory system : N

11. Skin. : N

12. Hydrocele. : NO

13. Hernia. : NO

14. Any other abnormality : NO

15. Urine : Reaction. N
Albumin..... NO
Sugar..... NO

16. Skiagram of chest. : N/A

17. Any other test considered necessary by the examining authority.

18. Any opinion of specialist considered necessary.

Place: Satna

Signature of the examining authority

Dr. Deepak Deotale

MBBS, AFIH

Reg. No. 48386

Report of Medical Examination under Mines Rule 29B
(To be used in continuation with Form O)

Certificate No.

92

Name :

Rangnath Rai

Identification Marks:

mole on right hand

Result of Lung Function Test (Spirometry)

Parameters	Predicted Value	Performed Value	% of Predicted
Forced Vital Capacity (FEV)	03.70	03.22	087
Forced Vital Capacity FEV1	02.96	03.19	108
FEV 1/ FVC	80.00	99.07	124
Peak Expiratory Flow	09.10	05.01	055

Spirometry Report enclosed.

Dr. Deepak Deotale

MBBS, AFIH

Reg. No. 48366

Signature of the Examination Authority

Report of Medical Examination as per the recommendations of National Safety
Conferences in Mines
(To be used in continuation with Form O)

Certificate No.

92

Name :

Rangnath Rai

Identification Marks:

1. Cardiological Assessment

Auscultation	S1	N	Performed Value	% of Predicted
	S2	N		
	Additional Sound	NO		
FEV1/ FVC	80.00	99.07	124	
Electrocardiograph(12leads) findings	Normal/Abnormal		Normal	

Enclosed ECG

2. Neurological Assessment

Findings	Normal/Abnormal
Superficial Reflexes	Normal
Deep Reflexes	Normal
Peripheral Circulation	Normal
Vibrational Syndromes	Normal

3. ILO Classification of Chest Radiograph

Profusion of Pneumoconiotic Opacities Present /Absent	Grades	Types
--	--------	-------

Enclosed Chest Radiograph

4. Audiometry Findings:

Conduction Type	Left Ear	Right Ear
Ear Conduction	✓ Normal/Abnormal	✓ Normal/Abnormal
Bone Conduction	✓ Normal/Abnormal	✓ Normal/Abnormal

Enclosed Audiometry Report

5. Pathological/Microbiological Investigations:

S.No.	Tests	Findings
1.	Blood-Tc,Dc,Hb,ESR,Platelets	✓ WNL/Abnormal
2.	Blood Sugar-Fasting & P.P.	✓ WNL/Abnormal
3.	Lipid Profile	✓ WNL/Abnormal
4.	Blood Urea, Creatinine	✓ WNL/Abnormal
5.	Urine Routine	✓ WNL/Abnormal
6.	Stool Routine	WNL/Abnormal

Enclosed Investigation Reports

6. Special Tests for Mn Exposure:

Behavioral Disturbances		Present/Not Present ✓
Neurological Disturbances	Speech Defect	Present/Not Present ✓
	Tremor	Present/Not Present ✓
	Adiadocokinesia	Present/Not Present ✓
	Emotional Changes	Present/Not Present ✓

Enclosed ECG

7. Any other Special Tests Required:

Dr. Deepak Deotale

MBBS, AFH

Reg. No. 48366

Signature of the Examination Authority
Seal


y: Rangnath rai
 qns: RECORDERS
 : 12-Dec-2023 09:30
 +6 P/Clr/Tes/Sec
 14

DEOTALE DIAGNOSIS CENTRE

VINAYAK APARTMENT, 3RD FLOOR, DHANTOLI, NAGPUR

Ant: Rangnath rai
d. By:
red. Eqns: RECORDERS
Date : 12-Dec-2023 09:30 AM

Age : 47 Years Gender : Male
Height : 177 Cms Smoker : Yes
Weight : 77 Kgs Eth. Corr: 100
ID: 92c Temp :



FEV1 %Pred COPD SEVERITY	FVC%Pred Interpretation
150	150
125 OBS NORM	125 OBS NORM
100	100
75 MODERATE	75
50 SEVERE	50
25 VERY SEVERE RES	25 MIXED RES
0	0
25 50 75 100 125 150	25 50 75 100 125 150
(FEV1/FVC) %Pred	(FEV1/FVC) %Pred

Spirometry (FVC Results)

Parameter	Pred	M. Pre	%Pred	M. Post	%Pred	%Imp
FVC (L)	03.70	03.22	087	-----	---	---
FEV1 (L)	02.96	03.19	108	-----	---	---
FEV1/FVC (%)	80.00	99.07	124	-----	---	---
FEF25-75 (L/s)	03.76	04.36	116	-----	---	---
PEFR (L/s)	09.10	05.01	055	-----	---	---
FIVC (L)	-----	-----	---	-----	---	---
FEV.5 (L)	-----	02.29	---	-----	---	---
FEV3 (L)	03.59	03.22	090	-----	---	---
PIFR (L/s)	-----	-----	---	-----	---	---
FEF75-85 (L/s)	-----	03.95	---	-----	---	---
FEF.2-1.2 (L/s)	06.77	04.69	069	-----	---	---
FEF 25% (L/s)	07.98	04.90	061	-----	---	---
FEF 50% (L/s)	05.59	04.39	079	-----	---	---
FEF 75% (L/s)	02.53	04.16	164	-----	---	---
FEV.5/FVC (%)	-----	71.12	---	-----	---	---
FEV3/FVC (%)	97.03	100.00	103	-----	---	---
FET (Sec)	-----	01.27	---	-----	---	---
ExptTime (Sec)	-----	00.14	---	-----	---	---
Lung Age (Yrs)	047	043	091	-----	---	---
FEV6 (L)	03.70	-----	---	-----	---	---
FIF25% (L/s)	-----	02.00	---	-----	---	---
FIF50% (L/s)	-----	02.00	---	-----	---	---
FIF75% (L/s)	-----	02.00	---	-----	---	---

Pre Test COPD Severity
Test within normal limits

Pre Medication Report Indicates
Early Small Airway Obstruction as FEF 25-75 %Pred or PEFr %Pred < 70
Spirometry within normal limits as (FEV1/FVC) %Pred > 95 and FVC %Pred > 80.

Dr. Deepak Deotale
MBBS, AFIR
Reg. No 48366



ATHI RAI

Male

Age:

22P

Acq. Date: 12-Dec-23
Acq. Time: 11:04:51 AM
Exp. Index: 690

R

16cm

CHEST

PA

W: 4096, C: 2048

Scale: 0.13

MAYA DIAGNOSTICS

Deotale Diagnostic Centre (we care)

☒ Consultation ☒ Diagnostics ☒ Health Check- Up: ☒ Immunization.
Clinic: Vinayak Apt. 3rd floor Dhantoli Lokmat Chowk Nagpur


Resi:- 1B, Prashant Nagar Wardha-Road Nagpur (Clinic Reg. No. 699)

For any assistance call at . 9860204241, 0712-6610595

Date: 12-12-2023

AUDIOLOGICAL EVALUATION

1. SR.NO:92	CERTIFICATE NO: 92	2. EMPLOYEES CODE: 101632
3. DEPARTMENT: Mines		4. DESIGNATION: Dy General Manager
5. NAME : Rangnath Rai		6.CONTRACTOR NAME: PCL
7. SEX : Male		8. AGE: 47 yrs
9. ADDRESS : PRISM JOHNSON LIMITED, MANKAHARI,PO: BATHIA, DIST: SATNA, MADHYA PRADESH		
10. DIAGNOSIS: LT: WNL	11.RT: WNL	



TEST FREQUENCY

Air	O	= LEFT EAR :		<u>WNL</u>
	Y	= RIGHT EAR :		<u>WNL</u>
Masking				
No Response: Audiologists Remarks				

Dr. DEEPAK DEOTALE Dr. Deepak Deotale
M.B.B.S. A.F.I.H. MBBS, AFIH
Reg. No. 48366 Reg. No. 48366



92

TEST NO

92

MAYA HOSPITAL & RESEARCH INSTITUTE

Add.: Plot .P 78, Opposite State Bank of India, MIDC
Butibori (Nagpur)
Ph 07103-684885

Deotale Diagnostic Center We Care

= Consultation = Diagnostics Health = Check-Ups = Immunization

Dr. Deepak P. Deotale
M.B.B.S., A.F.I.H.
(Associated fellow Of industrial
health)
Certifying Surgeon Reg .No. 48366

Clinic : Vinayak Apt. 3rd floor
Dhantoli,
Lokmat Chowk ,Nagpur
(Clinic Reg. No. 699)

Mob. No .8007771341

Email ID:

deotaledeepak19577@gmail.com

SR.NO	92
CERTIFICATE NO	92
EMPLOYEES CODE	101632
NAME	Rangnath Rai
GENDER	Male
DEPARTMENT	Mines
DESIGNATION	Dy General ManagerDy General Manager
Check Up Date	12-12-2023
MOB NO	9584460221

Company Name: PRISM JOHNSON LIMITED, MANKAHARI,PO: BATHIA,
DIST: SATNA, MADHYA PRADESH

No.J-11015/8/2000-IA. II (M)
Government of India
Ministry of Environment & Forests

Tele No. 436 4968
Paryavaran Bhawan,
C.G.O. Complex, Lodi Road,
New Delhi - 110 003

Dated February 14, 2001

To

✓ **Shri U.K.Das**
Joint General Manager (Mines),
Prism Cement Ltd.,
Rajdeep, Rewa Road,
Satna, Madhya Pradesh-485 001

Subject: Additional limestone deposit at village Mankhari, Tehsil Rampur Dhagelan, District Satna (M.P.) of M/s Prism Cement Ltd.- Environmental clearance reg.

Sir,

This has reference to ^{the} Department of Mines, Government of Madhya Pradesh letter No. D-3932/2019/99/12/2 dated 24.09.1999 and your letter No. MIN0107/990668 dated 18.11.1999 and subsequent communications dated the 07.04.2000, 12.06.2000, 20.07.2000, 27.09.2000, 18.10.2000, and 01.01.2001 on the subject mentioned above. The Ministry of Environment and Forests has examined the application. It has been noted that the total applied mining lease area is 66.434 ha. Mining would be carried out in 36.434 ha. No forest land is involved. Targeted production capacity of the mine is 0.3 million tonnes/annum. There are only four land oustees in Mankahari village. Approvals from the M. P. Pollution Control Board and IBM have been obtained. Public hearing was held on 11.10.1999. The proponent has agreed to comply with the recommendations made by the Public Hearing panel.

2. The Ministry of Environment and Forests hereby accords environmental clearance to the additional lime-stone deposit of M/s Prism Cement Ltd. for 0.3 million tonnes/annum production capacity by open cast mechanised method, involving lease area of 66.434 ha under the provisions of the Environmental Impact Assessment Notification, 1994 as amended on 04.05.1994 and 10.04.1997 subject to the compliance of the terms and conditions mentioned below:


सरपंच
ग्राम पंचायत मनकहरी
ज.स. रामपुर धागेलान
जिला संतना (म.प्र.)